arXiv:astro-ph/0110531v1 24 Oct 2001

A *UBVR* CCD Survey of the Magellanic Clouds

Philip Massey[1]

Lowell Observatory, 1400 West Mars Hill Road, Flagstaff, AZ 86001

`massey@lowell.edu`

ABSTRACT

We present photometry and a preliminary interpretation of a *UBVR* survey of the Large and Small Magellanic Clouds, which covers 14.5 deg^2 and 7.2 deg^2, respectively. This study is aimed at obtaining well-calibrated data on the brighter, massive stars, complementing recent, deeper CCD surveys. Our catalog contains 179,655 LMC and 84,995 SMC stars brighter than $V \sim 18.0$, and is photometrically complete to $U \sim B \sim V \sim 15.7$, and $R \sim 15.2$, although stars in crowded regions are selectively missed. We provide tentative cross-reference between our catalog stars and the stars with existing spectroscopy. Our photometry agrees well with the photoelectric work in V and B–V, and agrees well for U–B for the bluest stars, but we find a large discrepancy (0.3 mag) in the U–B color at U–$B\sim$ 0.0. Examination of the colors of stars with known spectral types suggests that the problem *may* lie with the photoelectric data. We discuss the population of stars seen towards the two Clouds, identifying the features in the color-magnitude diagram, and using existing spectroscopy to help construct H-R diagrams. We derive improved values for the blue to red star ratios in the two Clouds, emphasizing the uncertainties involved in this before additional spectroscopy. We compare the relative number of RSGs and Wolf-Rayet stars in the LMC and SMC with that of other galaxies in the Local Group, demonstrating a very strong, tight trend with metallicity, with the ratio changing by a factor of 160 from the SMC to M31. We also reinvestigate the initial mass function of the massive stars found outside of the OB associations. With the newer data, we find that the IMF slope of this field population is very steep, with $\Gamma \sim -4 \pm 0.5$, in agreement with our earlier work. This is in sharp contrast to the IMF slope found for the massive stars with OB associations ($\Gamma \sim -1.3$). Although much more spectroscopy is needed to make this result firm, incompleteness can no longer be invoked as an explanation.

---

[1] Visiting astronomer, Cerro Tololo Inter-American Observatory, a division of the National Optical Astronomy Observatory, which is operated by the Associations of Universities for Research in Astronomy, Inc., under cooperative agreement with the National Science Foundation.

Subject headings: catalogs—Magellanic Clouds—stars: early-type—stars: evolution—surveys

1. Introduction

The Magellanic Clouds (MCs) are the Milky Way's nearest neighbors, and as such serve as useful laboratories for studies of stellar astrophysics. Objective prism surveys in the 1960s and 1970s (Sanduleak 1969a, 1969b, 1975; Brunet et al. 1975; Azzopardi & Vigneau 1975, 1979; Rousseau et al. 1978) helped identify many of the less crowded early-type members of the Clouds. These surveys produced two catalogs which still serve as the primary references: a list of 1822 LMC members by Rousseau et al. (1978), and a list of 524 SMC members by Azzopardi & Vigneau (1982). These catalogs represent a small fraction of the overall number of massive stars in the Clouds, as they are generally incomplete in the more crowded regions where most of the OB stars lie, but they do serve as important sources of data for the field stellar content of the Clouds (Massey et al. 1995; Massey 1998a). Subsequent slit spectroscopy of hundreds of these stars yielded H-R diagrams with sufficient accuracy to provide useful tests of current massive star evolution models (Fitzpatrick & Garmany 1990; Massey et al. 1995).

However, good photometry has lagged behind the spectroscopic efforts. Although many small regions have been imaged and studied with CCDs, the general field population of the Magellanic Clouds has only photoelectric photometry, typically conducted with large (18 arcsec diameter) apertures (Isserstedt 1975, 1978, 1979, 1982; Azzopardi & Vigneau 1975). Such photoelectric photometry is limited by both stellar and nebular contamination. Our motivation in improving this situation comes about in part by our Cycle 9 *HST* program to find physical parameters for hot stars in the Magellanic Clouds. For modeling, good knowledge of M_V is needed in order to estimate the stellar radius, and this requires good understanding of both V and the color excess $E(B-V)$. Accurate, well-calibrated $U-B$ photometry is useful for selecting the earliest type stars for spectroscopic studies with the end goal of understanding the stellar initial mass function (IMF) of the Clouds, an issue resolved for the stellar associations but not for the field content (Massey 1998a, Parker et al. 1998). In addition, the identification of the red supergiant (RSG) population of the Magellanic Clouds would serve an important constraint on stellar evolutionary theory, and for this, R is crucial: Massey (1998b) has demonstrated the usefulness of BVR two-color diagrams in separating bona-fide RSGs from foreground dwarfs. Finally, we note that a $UBVRI$ photometric survey of more distant Local Group galaxies currently forming stars is underway with the KPNO and CTIO 4-m telescopes and Mosaic cameras; galaxy-wide CMDs of the Magellanic Clouds will serve as a useful comparison to these data.

Accordingly we undertook a survey of the LMC and SMC using the CCD system of the Michigan Curtis Schmidt telescope at CTIO. The goal was to provide good ($< 3\%$) photometry at $UBVR$ over the range of interest to massive star work, e.g., roughly $V \sim 12.5$ to 15, with care being taken not to saturate the brighter stars of interest, and to provide excellent calibration particularly at $U-B$. The resulting catalog contains 179,655 LMC and 84,955 SMC stars brighter than $V \sim 18.0$. We realized that this work would be useful of others engaged in massive star studies in the Clouds, and would serve as a useful complement to other contemporary surveys of the Magellanic Clouds: the Magellanic Cloud Emission-line Survey of Smith et al. (1999), the IJK Deep Near Infrared Survey (Cioni et al. 2000), 2Mass JHK survey (Van Dyk & Cutri 1999), and the $UBVI$ Magellanic Clouds Photometry Survey (Zaritsky, Harris, & Thompson 1997; Zaritsky et al. 1999). The latter covers a larger area, goes considerably deeper (50% complete at $V \sim 21$), and is obtained at higher resolution; however, our survey provides better data for the brighter stars, higher precision calibration (particularly at U), and complements that survey by including R.

In what follows, we adopt distance moduli of 18.48 and 18.94 for the LMC and SMC, respectively (Westerlund 1997, van den Bergh 2000), and average reddening values $E(B-V) = 0.13$ and 0.09 (Massey et al. 1995).

2. Construction of the Catalog

2.1. Observations and Reductions

All of the data were taken with the Curtis Schmidt telescope at CTIO using a Tektronix 2048×2048 CCD with 24μm pixels. The scale was 2.32 arcseconds/pixel, and each image covered $1.3^\circ \times 1.3^\circ$. We used the "Harris set" filters which provides relatively straight-forward transformations to the standard $UBVR$ system (Massey et al. 2000a)

Our data set consists of 6 SMC and 11 LMC fields. We illustrate our coverage in Figs. 1 and 2. The total area uniquely covered is 14.5 deg^2 and 7.2 deg^2 in the LMC and SMC, respectively.

Observations of the 6 SMC fields and 8 of the 11 LMC fields were taken on the photometric night of (UT) 8 January 1999, with standards drawn from Landolt (1992). However, only 10 standards from two pointings were made, and we were not satisfied with the color range, as there were no stars with $U-B < 0.0$. Accordingly, we reobserved all 8 of the LMC fields, plus an additional 3, during four photometric nights (UT) 2001 March 28-30 and April 1.

During the 2001 run, 194 standards were observed in 51 separate pointings, with care being taken each night to bracket the range of airmasses of the LMC field. Standard fields included some of the larger "selected areas" of Landolt (1992), allowing standards to be measured in a variety of location in the field, as a check on the flat-fielding and spatial uniformity of the color terms. The standards covered the following range in color: $-1.1 < U - B < 2.0$, $-0.3 < B - V < 2.3$, $-0.14 < V - R < 1.4$.

The images are undersampled, with full-widths at half-maximum of 0.9-1.3 pixels. We measured all of the standards using a digital aperture of radius 3.5 pixels (8.1 arcsec).

Our transformation equations were of the form:

$$u = U + u_1 + u_2 \times X + u_3 \times (U - B)$$

$$b = B + b_1 + b_2 \times X + b_3 \times (B - V)$$

$$v = V = v_1 + v_2 \times X + v_3 \times (B - V)$$

$$r = R = r_1 + r_2 \times X + r_3 \times (V - R)$$

where U, B, V, and R denote the standard magnitudes, *u, b, v,* and *r* denote the instrumental magnitudes, X is the airmass, and u_1 through r_3 are coefficients to be determined. We reduced each night separately, but found (as expected) that the color terms were constant, and re-reduced the 2001 data with the color terms fixed for all four nights. The values are given in Table 1. The values for the extinction, and colors terms, are quite typical. The RMS of the fits were typically 0.025 mag for *U*, and 0.015 mag for *B, V,* and *R*.

Despite the considerable range in color, we obtained satisfactory fits using a linear color term *except* at $U - B$. As is our experience with *all* CCDs used with this type of U filter, two separate slopes are needed for the color term, depending upon whether $U - B$ is greater than or less than 0.0.

The SMC and two LMC data sets were then measured in a similar manner: IRAF/daophot was used to perform aperture photometry with a digital aperture of 3.5-pixel radius of all unsaturated stars that were more than 8-10σ above the noise. After applying the relevant transformations to the two runs, we found good agreement in V, $B - V$, and $V - R$, but the $U - B$ data deviated for the bluest stars, and we applied a correction to bring the 1999 data into accord with the 2001 data, which were the better calibrated set.

Celestial coordinates were computed for each field using the Space Telescope Guide Star Coordinate (GSC) system; the LMC fields are tied to the GSC solution for plate-id 06B0 and 0186, while the SMC fields are tied to the GSC solutions for plate-id 06B1. In constructing the catalogs, photometry from adjacent fields were averaged; the agreement between these fields were checked, and found to be good. We insisted that a star be identified in *B and V* and *either R or U* to be included in our catalog.

2.2. Errors and Completeness

We have tabulated our average photometric errors in Table 2. In order to understand what these errors mean in terms of the science we plan to achieve, we remind the reader that our goal was to obtain good photometry for the *most massive* stars in the Magellanic Clouds, and in particular stars with masses $> 25\mathcal{M}_\odot$. In the SMC a *zero-age main-sequence* (ZAMS) star with mass $25\mathcal{M}_\odot$ will be found with $V \sim 15.4$, and will brighten to $V \sim 14.3$ after 5 Myr of evolution. On the ZAMS such a star will be of spectral type O8 V, and after 5 Myr will be of O9.5 III; see Massey (1998a). Thus, allowing for reddening, over this same period a $25\mathcal{M}_\odot$ star would evolve from $U \sim 14.1$ to $U \sim 13.1$. Of course, there are regions of the Clouds where the reddening is significantly higher; even in our sample of interesting early-type O stars we have examples where $E(B-V) \sim 0.6 - 0.8$ in the LMC. Our $25\mathcal{M}_\odot$ star would be found at $V \sim 17$ in the LMC if the reddening were extreme.

Completeness is harder to evaluate. In the crowded regions of the Clouds our catalog will be incomplete even at bright magnitudes, given our spatial sampling. In terms of completeness with magnitude, we show in Figs. 3 and 4 histograms of the number of stars as a function of magnitude for all four filters. Certainly the data becomes increasing incomplete as it approaches the peak of the distributions. The *peaks* in the distributions of the number of stars occur at roughly $V \sim 16.2$ and $B \sim 16.2$, and we therefore expect significant incompleteness beyond $V \sim 16$ and $B \sim 16$. In addition, we have included only stars which were measured at *U or R* in addition to *B and V*. The U distribution peaks at ~ 16.2 as well. The exposures at R were shorter so as to not saturate bright red supergiants, and here the distribution peaks about half a magnitude brighter, at $R \sim 15.7$. We expect that our completeness limit is several bins below the peaks, and we therefore estimate that our data are photometrically complete to $U \sim B \sim V \sim 15.7$, and $R \sim 15.2$. Thus, we only just meet our goal of completeness to a ZAMS star with $25\mathcal{M}_\odot$. We note that crowding is an additional concern, and that stars in crowded regions are very poorly represented in our catalog. We also note that stars brighter than $V \sim 12$ will be saturated; fortunately stars brighter than this in the Magellanic Clouds are few and well studied.

3. The Catalog

We present our LMC and SMC catalogs in Table 3. We include the coordinates of a star, its photometry (99.99 denoting no measurement), and the errors, along with the number of times a star was measured in each filter. We have sorted the stars by right ascension, and assigned a running number as our catalog designation. We have truncated each catalog at $V = 18$, near the plate-limit, nearly two magnitudes below the turn-over in the number of stars. The final LMC catalog contains 179,655 stars, of which 62% have U measures, 74% have R measurements, and 36% have both. About 19% of these stars were observed on more than one frame. The SMC catalog contains 84,955 stars, and has similar statistics: 70% have U measurements, 75% have R measurements, and 45% have both U and R. There is more overlap among the SMC frames, and the fraction of stars observed more than once is 45%.

3.1. Cross-IDs: MC Stars with Known Spectral Types

Many previous catalogs of bright LMC and SMC members have been published. For the LMC, the usual starting point is the objective prism survey of Sanduleak (1969a), supplemented by Brunet et al. (1975). Early slit spectroscopy most notably by Feast, Thackeray, & Wesselink (1960), Ardeberg et al. (1972), Brunet et al. (1973) were then included in the Rousseau et al. (1978) catalog, which contained MK types for 266 stars. The Rousseau et al. (1978) catalog also gave new (objective prism) spectral types and V photometry. Fitzpatrick & Garmany (1990) updated this catalog to included the Isserstedt (1979, 1982) and well-determined spectral classification for ~ 300 OB stars. This catalog was subsequently updated by Massey et al. (1995), who gave new spectral types for another ~ 200 LMC stars, including those in two “incompleteness fields”. Since that time additional spectral types have been provided by Massey, Waterhouse, & DeGioia-Eastwood (2000b), among others. In Table 4 we present the cross-identification between our stars and those from the updated Rousseau et al. (1978) catalog.

Many recent studies of OB associations in the LMC have presented good spectral types and CCD photometry, and we do not repeat those data here. Although Table 3 contains many stars associated with OB associations, they are more complete in the *field*, where uncertainties still exist over membership and origins (see discussion in and following Massey 1999). We call attention to the LMC “incompleteness fields” stars given by Massey et al. (1995). Unfortunately, due to an error by the first author, the list of stars and spectral types contained incorrect coordinates, making their identification impossible. We rectify this mistake in Table 5, where we repeat the photometry and spectral types but with corrected positions. We are indebted to Nolan Walborn, who first called this error to our attention back in 1996.

For the SMC, the objective prism work of Azzopardi & Vigneau (1982) remains the definitive catalog of probable SMC members. The Azzopardi & Vigneau (1982) catalog contained spectral classifications by either objective prism or slit spectroscopy; to this, Garmany, Conti, & Massey (1987) provided slit spectrograph MK classifications for 120 OB stars. In addition, Massey et al. (1995) provided ~ 90 types for other SMC stars, including those in the incompleteness field. We provide cross-reference to the stars with existing spectroscopy in Table 6, where we also include the "missing" SMC stars discussed by Azzopardi & Vigneau (1982): twenty stars from the list of Feast et al. (1960), Thackeray (1962), and Sanduleak (1968), and Sanduleak (1969b), which were all outside the region resurveyed by Azzopardi & Vigneau. We have included revised spectral types for some SMC stars by Massey et al. (2000b). The "western extremity" region looked at by Sanduleak (1975) is outside our survey area.

We note that many of the OB associations of the SMC have also been studied with both CCD photometry and spectroscopy, and we do not repeat those data here.

In preparing the cross identifications the sheer volume of the data forced us to rely upon the published positions to look for reasonable matches. Since the published positions are given only to 1 arcmin in the primary literature, this process could not be completely accurate. For a few dozen ambiguous identifications, we checked our fields with the published finding charts by eye, and found no problems in the areas immediately surrounding the object we were checking. Nevertheless, we are certain there are omissions in Tables 4 and 6, and there may be erroneous identifications as well. We urge users interested in the photometry of their favorite star to extract accurate coordinates via the laborious process of comparing the published finding charts with the Digitized Sky Survey, and then using the latter to produce accurate coordinates. Those coordinates should match those in Tables 4 and 6 to within an arcsecond. If not, the wrong identification may have been made.

3.2. Comparison of our Photometry with that of Others: Is There a Problem?

With the cross-identifications above, we can now compare our CCD photometry with the published photoelectric values. Our digital measuring aperture is in fact not much smaller than that used for the vast majority of published photoelectric photometry (16.2 vs. 18 arcsec), and so one might expect our photometry to be comparably affected by neighboring stars. However, CCD photometry has two intrinsic advantages over the photoelectric work:

(1) our stellar photometry is not affected by centering errors within the aperture, and (2) our sky measurements are local and free of the effects of resolved stars. Our own experience in attempting to do photoelectric photometry in the Clouds suggests that both of these effects can be large.

We compare our photometry to the photoelectric work in Fig 5. There is little difference in V or $B-V$ for the LMC, with the average differences of $\Delta V = 0.000 \pm 0.002$ mag and $\Delta B{-}V = +0.001 \pm 0.002$ mag (in the sense of CCD *minus* photoelectric). The differences for V and $B{-}V$ are larger for our SMC data: $\Delta V = -0.07 \pm 0.004$ and $\Delta B{-}V = +0.031 \pm 0.002$. Although the SMC catalog relies upon the less well calibrated 1999 data, we note that there is no systematic difference between the 2001 and 1999 *LMC* data, and the LMC data *does* agree well with that from the literature. Could there be a systematic problem in the published photoelectric photometry of stars in the SMC by nearly a tenth of a magnitude? We consider this issue unresolved.

Most interesting is the systematic difference in the $U-B$ data evident in Fig 5. In both the LMC and the SMC, we see excellent agreement between our photometry and the photoelectric $U-B$ data for the bluest stars ($U-B \sim -1$). However, there a systematic trend with $U-B$ color, with the difference between the two systems amounting to 0.3 mag by $U-B \sim 0$. We were at first convinced that something bizarre had transpired in our transformation equations. However, we had plenty of well-calibrated standard stars over this interval (and indeed from $U-B = -1.1$ to $+2.0$), and after exhaustive investigation to find the source of the problem we began to entertain the possibility that there was something wrong with the published photoelectric work in this color range.

We consider an external check. Table 7 lists the stars with slit spectral types for stars with $U{-}B > -0.3$, i.e., A and early F-type supergiants. We provisionally adopt the *intrinsic* colors corresponding to these spectral types based on the FitzGerald (1970) calibration of Galactic stars. We can then determine the color excess $E(B-V) = (B-V)_{\rm ccd} - (B-V)_o$. Based on this, we can then calculate the $(U-B)_o$ expected on the basis of our photometry with the assumption that $E(U{-}B)/E(B{-}V) = 0.72$, and compare that with that expected from the FitzGerald (1970) calibration. We see that the $\Delta(U-B)_o = (U-B)_{o(\rm Photometry)} - (U-B)_{o(\rm SpectralType)}$ averages to 0.03 ± 0.01 for our CCD data, but that $\Delta(U-B)_o$ averages to 0.28 ± 0.02 for the photoelectric data. Thus it would appear that the problem *may* be with the photoelectric work.

The photoelectric photometry referenced in Azzopardi & Vigneau (1982) and Rousseau et al. (1978) come from a variety of seemingly different sources, with good agreement. For instance, the SMC photoelectric photometry we list in Table 7 is derived from Isserstedt (1978) and Azzopardi & Vigneau (1979). Similarly the LMC photoelectric photometry in

Table 7 is derived from three separate sources. However, closer inspection reveals that all five of these sources used the same equipment, at the same observatory, employing the same standards. We do see a hint of this problem in the two-color diagram shown Figure 11B of Azzopardi & Vigneau (1979). There are plenty of A-type stars which lie ~ 0.3 mag above the intrinsic relationship for supergiants, and the smattering of stars that fall on the supergiant line could actually be dwarfs. We do note that this problem is not characteristic of *all* photoelectric photometry of the Clouds. For instance, the A-type supergiants classified by Humphreys (1983) have photometry that is carefully described by Ardeberg & Maurice (1977) or Ardenberg et al. (1972), and their dereddened colors agree very well with that expected on the basis of their spectral types.

We would prefer to believe that it is our own CCD photometry that has a calibration error, and perhaps this is the case. However, the data in Table 7 do suggest that the dereddened CCD colors agree better with the expected intrinsic colors than do the photoelectric data. The only other possible explanation is that there is a coincidental difference of 0.3 mag in the intrinsic $(U-B)_o$ color of A-type supergiants in the Magellanic Clouds, compared to those in the Milky Way, due to metallicity effects. We argue that this is unlikely on two grounds. First, there is little difference in the $\Delta(U-B)_o$ given in Table 7 between the SMC and the LMC, where the difference in metallicity is as significant as between the LMC and the Milky Way. Secondly, we can use the model atmosphere calculations to explore the magnitude of the effect we would expect. Using the Kurucz (1992) ATLAS9 models, we find that $U-B$ should change by < 0.01 mag over the metallicity range from the Milky Way to the SMC.

4. The Population of Stars Seen Towards the Magellanic Clouds

In this section, we discuss the population of stars revealed in our catalog, with the emphasis on distinguishing *bona fide* MC members from foreground Galactic stars.

Figs. 6 and 7 show the $B-V$, V color-magnitude diagrams for the two Clouds. We show the data with every point plotted, and for additional clarity, with only 10% of the data plotted. We see that there are generally three peaks of the brighter stars: a blue clump peaking at $B-V=-0.1$, a broad peak extending from $B-V\sim 0.4$ to 1.3, and a red clump moving diagonally to peak at $B-V\sim 2.0$ at $V\sim 12$. These features are readily identified. The reddenings in the LMC and the SMC are small and typically uniform (Massey et al. 1995). We show the (de)reddening vectors corresponding to these values in the two figures; for the purposes of discussing the coarse features of the CMDs we will ignore reddening.

The “blue plume” consists primarily of H-burning massive stars, the dominant stellar population at the bright end of the CMD. As a massive star evolves, it will become brighter visually as the peak of the spectral energy distribution shifts due to cooler effective temperatures. Even so, the stars with initial masses $> 20\mathcal{M}_\odot$ end their H-burning lives as early B-type supergiants (see Table 1 of Massey 1998a). The very brightest members of the “blue plume” are in fact $15\mathcal{M}_\odot$ A-type supergiants; see Fig. 1 in Massey et al. (1995).

The very red, strong, diagonal feature running from $B - V = 1.5$ and $V = 14$ to $B - V \sim 2$ and $V = 12$ consists of red supergiants (RSGs), which are one type of He-burning massive stars. At $B - V = 1.5$ these will be early K-type supergiants, but at $B - V = 2$ these will be mid or late M-type supergiants. Since the bolometric correction changes by 2–3 mag over this range (Humphreys & McElroy 1984), the brighter red stars may be as much as a factor of 100 more bolometrically luminous than the fainter RSGs. These CMD features may be compared to the photographic study of M33 by Humphreys & Sandage (1980; see their Figs. 17-19) and by Ivanov, Freedman, & Madore (1993; see their Fig. 1). The RSG sequence appears to be much more strongly populated in the Magellanic Clouds. Metallicity will affect the relative number of red supergiants (see discussion in Massey 1998b), and the metallicity in M33 is higher than in the Clouds, particularly in the inner parts. Values for log O/H+12 vary from 8.75 in the inner part of M33 to 8.30 in the outer part (Garnett et al. 1997), while good values for the SMC and LMC are 8.13 and 8.37, respectively (Russell & Dopita 1990). The RSG branch of the Magellanic Clouds are even more pronounced when compared to that of relatively metal-rich galaxy M31 (Fig. 5 of Berkhuijsen et al. 1988), where log O/H+12=9.0 (Zaritsky, Kennicutt, & Huchra 1994).

The middle clumping of bright stars, ranging from B-V=0.4 to 1.2, are dominated by foreground Galactic disk stars. We can investigate this quantitatively by using an updated version of the Bahcall-Soneira model (Bahcall & Soneira 1980). Heather Morrison was kind enough to provide the computer code that had been revised by herself and Gary DaCosta. Using reasonable assumptions, we computed the number of Galactic stars expected to be seen per magnitude/color bin at the galactic latitude and longitudes of the Small and Large Clouds. We include in Figs 6 and 7 the results of comparing these counts to what we find in our catalog. Below $V = 16$ we consider our data to be incomplete, but outside the region indicated the models predict the foreground contamination to be negligible.

Interestingly, we can resolve the central foreground clump into two components, a heavily populated one at $B - V \sim 0.5$, and a more sparsely populated one at $B - V \sim 1.0$. The model calculations provide a clue: the bluer, more heavily populated clump is dominated by disk dwarfs, while the redder, more sparsely populated clump is dominated by disk giants. The Milky Way’s halo does not contribute substantially to the CMDs at these magnitude levels.

4.1. Blue Stars

Essentially *all* of the blue stars are members of the Magellanic Cloud; a galactic A0 V star would have to be at a distance of 2.5–16 kpc to be in our magnitude range of 12 to 16.

For the bluest stars, the reddening-free parameter Q provides a good clue to the nature of the star. Adopting a standard reddening ratio $E(U-B)/E(B-V) = 0.72$, we construct $Q = (U-B) - 0.72 \times (B-V)$. For stars with with $Q < -0.4$ this provides a unique mapping to $(B-V)_o$; above this value there is overlap between early-type stars and yellow dwarfs.

We have used our photometry to compute the physical parameters $T_{\rm eff}$ and $M_{\rm bol}$ for the bluest stars in Tables 8A and 8B. For the stars with slit spectroscopy we have converted to $T_{\rm eff}$ using the calibration of Vacca, Garmany, & Shull (1996) or Humphreys & McElroy (1984). The correction for reddening is then made using the intrinsic colors corresponding to the spectral types, and the bolometric correction computed on the basis of $T_{\rm eff}$. For stars without spectral types, we have estimated the physical parameters using the transformation equations given by Massey et al. (2000b). However, as Massey (1998c) has emphasized, transformations via the photometry are very useful for selecting stars interesting for spectroscopy, but by themselves do not allow accurate parameters to be determined. We have restricted the entries in Tables 8 to stars with a computed $M_{\rm bol} < -7.0$, corresponding to $20\mathcal{M}_\odot$ on the ZAMS.

4.2. Yellow Supergiants

We have found that most of the middle of the CMD is contaminated by Galactic foreground stars. However, over a limited range in color, we should be able to separate yellow supergiants from foreground dwarfs. We illustrate this in Fig. 8, where we show the intrinsic $(U-B)_o$ and $(B-V)_o$ color for dwarfs and supergiants. Given the typical (low) reddening, we thus expect good separation from $(B-V)_o = 0.25$ to 0.65, corresponding to mid-to-late F-type supergiants.

We select candidate F-type supergiants as follows: first, we determine the approximate $(B-V)_o$ color using the observed colors and the average $E(B-V)$ value for each cloud, selecting stars with $(B-V)_o = 0.26$ (roughly F5 I) to 0.68 (roughly F9 I). A typical G0 Ib star would have $M_V = -4.5$ (Humphreys & McElroy 1984), and so we also require $M_V < -4.5$. For the SMC, this corresponds to $V < 14.7$, and for the LMC (closer, but with higher reddening), $V < 14.4$.

4.3. Red Supergiants

The identification of red supergiants in the Magellanic Clouds is of interest in understanding the evolution of massive stars. Massive stars evolve to red supergiants (RSGs) and Wolf-Rayet stars (W-Rs) depending upon their luminosities (mass) and composition. Evolutionary models predict that the relative proportions of RSGs and W-Rs, and of RSGs and blue supergiants, will increase at lower metallicities, a result of lower mass-loss; see, for example Maeder, Lequeux, & Azzopardi (1980). Recent studies have suggested that at high metallicities (e.g., log O/H+12=9.0, characteristic of M 31) there is a significant paucity of higher luminosity RSGs compared to lower luminosity RSGs, but there are *some*, suggesting that high mass stars become RSGs albeit briefly even in M 31.

However, any sample of red stars in the right magnitude and color range to be RSGs will be contaminated by foreground Galactic dwarfs and more distant disk and halo giants. We can estimate the degree of contamination using the Bahcall & Soneira (1980) model, as we did in constructing Figs. 5 and 6 earlier. For stars with $B - V > 1.2$ and $V < 15$ we would expect about a 10% contamination.

Massey (1998b) explored these issues in regards to NGC 6822, M 33, and M 31, and found that a $B - V$ vs. $V - R$ two color diagram allowed one to separate dwarfs from supergiants. At a given $V - R$ color a low gravity star will have larger $B - V$ value than a higher gravity star, due to the increased importance of line blanketing at lower surface gravities, which is most pronounced in the B band due to the multitude of weak metal lines in the region. Good separation is expected even for the lower metallicity of the SMC.

In Fig. 9 we show the $V - R$ vs. $B - V$ color-color plot. The solid line denotes the expected separation of RSGs and foreground stars, based upon

$$(B - V)_{\rm cut} = 1.599 \times (V - R)^2 + 4.18 \times (V - R) - 1.04$$

For the SMC, the fractional contamination is 14%; in the case of the LMC, it is 17%, comparable to what we expect from the models. We have used as our cut-off $M_V = -4.0$, corresponding to $V = 15.0$ (LMC) and 15.2 (SMC), magnitudes for which we should still be complete.

We list in Table 10 the reddest stars seen towards the Magellanic Clouds. We have used $V - R$ to compute the effective temperatures and bolometric luminosities using the transformation equations of Oestreicher & Schmidt-Kaler (1999):

$$T_{\rm eff} = 2710. + 5342 \times e^{-1.819(V-R)_o}$$

and

$$\mathrm{BC} = 1.688 - 3.103 \times (V-R)_o - 0.151 \times (V-R)_o^2.$$

In order to determine $(V-R)_o$ we adopt the average reddening values. Since $E(V-R) = 0.53 \times E(B-V)$, we expect $E(V-R) \sim 0.05$ on the average. We have included stars with $V-R > 0.65$ in constructing this table [i.e., $(V-R)_o > 0.60$] so as to include both K-type and M-type supergiants. We have restricted the sample to $M_{bol} < -7.0$. Thus Table 10 should be complete for all the luminous K and M supergiants within our survey field.

A number of red stars have been classified in the Clouds; in particular, see Humphreys (1979) and Elias, Frogel, & Humphreys (1985). We have cross-referenced those stars in Table 10, using the identification and coordinates given for the LMC by Sanduleak & Philip (1977) and for the SMC by Sanduleak (1989). We have not included cross-reference to the objective prism classifications in these two papers, nor to the objective prism study of Prevot et al. (1983), as we consider these primarily *candidate* RSGs.

We find that the two-color scheme for separating foreground stars works well with the available SMC data, but poorly with the LMC data, as the photometry would suggest that a number of the stars classified by Humphreys (1979) as RSGs are actually foreground objects. Additional spectroscopy of suspected foreground and RSGs is needed to investigate this further.

In determining the physical parameters of these stars (Table 10) we emphasize that we used only the photometry, not the spectral types. For red supergiants, the spectral classes depend upon the absolute strength of spectral lines, and therefore we expect that metallicity will play an important effect in addition to effective temperature. This differs significantly from the situation with early-type stars, where the classification scheme is based upon the relative strengths of different ionization states of the same metal, i.e., He I vs. He II for the O-type stars and Si III vs. Si IV for the early B-type stars, and hence is metallicity independent to zeroth order.

5. Preliminary Results and Discussion

5.1. H-R Diagrams

We can use the data in the previous section to construct H-R diagrams for the available data; we emphasize that only a limited subset of the data as yet have slit spectral types, and that the resulting placement on the H-R diagram is therefore uncertain. We show the HRDs in Figs. 10 and 11, where we have separated the stars with spectral information from those with only photometry. The figures may be compared to Figs. 4 and 5 in Massey et al. (1995); note that in the present diagram we exclude stars with $(B-V)_o > 0.14$ except for the reddest stars, with $(V-R)_o > 0.60$.

5.2. Blue to Red Ratios

The red-to-blue supergiant ratio has long been recognized as varying from galaxy to galaxy, and within a galaxy. Van den Bergh (1973) suggested that this variation is due to metallicity effects on stellar evolution. Brunish, Gallagher, & Truran (1986) found satisfactory agreement between their stellar evolutionary models and the data on blue and red supergiants compiled by Humphreys & McElroy (1984), once corrections for selection effects were made. Langer & Maeder (1995) have commented that "no assumption on [sic] stellar model physics explored so far" properly reproduce the "observed" B/R ratio. We have put observed in quotes because the data quoted in such studies is often highly questionable. Such studies typically use the relative number of blue stars to red stars restricting the sample to $M_{bol} < -7.5$, in order to achieve completeness (Humphreys & McElroy 1984) and to remove the contamination of intermediate-mass AGBs, which will affect the sample at $M_{\rm bol} > -7.1$ (Brunish et al. 1986). There are two significant problems with these "observed" ratios, however.

1. Prior photometric catalogs have *not* been complete to $M_{\rm bol} \sim -7.5$. On the ZAMS, this corresponds to a mass of $25\mathcal{M}_\odot$, and a $\log T_{\rm eff} \sim 4.60$, for which the bolometric correction is roughly -3.8mags. Thus with typical reddenings ($E(B-V) = 0.13$ for the LMC and 0.09 for the SMC), we would expect such a star to be found at $V = 15.2$ in the LMC, and $V = 15.4$ in the SMC. Azzopardi & Vigneau (1982) consider their SMC catalog 80% complete at $B \sim 14.3$. Such stars are only marginally within the completeness limit of the current catalog!

2. The conversion to bolometric magnitudes of extremely blue, or extremely red stars, from photometry alone is highly uncertain, due to the very steep bolometric corrections at both the blue and the red end. In practice, this can be done reliably only with good spectral types, and even then there is reliance upon stellar atmosphere models to predict how the bolometric corrections vary with effective temperatures for differing metallicities. The data in this paper serve, we hope, as an encouragment for such spectroscopy.

We use the data in the preceeding sections here to estimate the "blue to red" supergiant ratio in the SMC and the LMC. For the blue stars, we restrict ourselves to stars of spectral types O-A, with the additional restrictions that $M_{\rm bol} < -7.5$, and $(B-V)_o < 0.14$. For the red stars, we again include only those with $M_{\rm bol} < -7.5$. It is of interest, we feel, to consider the blue to red ratio based upon including only the M-type stars, but also including stars of both K and M type. Thus, we have used the color criteria of $(V-R)_o > 0.60$ and $(V-R)_o > 1.0$. The resulting ratios are quite different, as is shown in Table 11. We remind the reader that the late-type supergiants are of earlier type in the SMC than in the LMC; in particular, Elias et al. (1985) find that the *median* type is earlier than M0 in the SMC, and M1 in the LMC. So, including potential K supergiants would appear to be necessary if the blue to red ratios are to have any meaning.

Maeder & Meynet (2001) have recently reported a breakthrough on the theroetical front, in terms of understanding the effect of rotation on the evolution of low metallicity stars. It is hoped that improvements in the observational arena will help best utilize such progress.

5.3. The Relative Number of RSGs and Wolf-Rayet Stars

Maeder, Lequeux, & Azzoapardi (1980) suggested that the relative number of red supergiants and Wolf-Rayet stars should be a very sensitive function of metallicity. For some mass ranges, we expect that a massive star evolves first to the RSG phase, and then to a W-R phase. How quickly a star becomes a W-R will depend upon the amount of mass-loss, and mass-loss rates are lower (for a star of a given luminosity) at lower metallicities. Thus the relative proportion of RSGs to W-Rs should decrease with increasing metallicity. Massey & Johnson (1998) confirmed this trend among Local Group galaxies, although the gradient with metallicity is roughly a factor of 20 less than that predicted by Maeder et al. (1980) on the basis of those models.

Massey & Duffy (2001) have recently discovered 2 additional W-R stars in the SMC after an intense survey, establishing that there are not a significant number of W-Rs still to be found in the SMC. The population of W-R stars in the LMC is also considered to be likely complete (Breysacher, Azzopardi, & Testor 1999). In Table 12 we compare the relative number of RSGs and W-Rs to those found in other Local Group galaxies, where we now impose the same $M_{\rm bol} < -7.5$ restriction for the RSGs. In counting W-Rs in the LMC and SMC we chose to use only those detected by our survey, as the B magnitudes of RSGs and W-Rs are roughly compable (compare Tables 4 and 6 with Table 10), and thus would have the similar selection problems. Using all of the W-Rs instead would lower the number ratio in the SMC to 6.9. We also did not count any O-type stars which appear in the LMC

W-R catalog as W-Rs, e.g., any O3If*/WN6-A objects or the 30 Doradus "super Of" stars (Massey & Hunter 1998).

We illustrate the dramatic trend with metallicity in Fig. 12, where we have used a logarithmic scaling to better show the tight correlation. The relative number of RSGs and W-R star changes by a factor of 160 from the SMC to M31.

5.4. The Field Initial Mass Function, Revisited

Massey et al. (1995) discussed the stellar initial mass function of the massive stars in the Clouds, and concluded that, although the OB associations all have an IMF slope which is indistinguishable from Salpeter ($\Gamma = -1.35$), there is a substantial *field* population of massive stars which has a considerably steeper slope $\Gamma \sim -4$. Many questions remain about the massive stars found far from any OB association. Were they born there? Were they ejected from neighboring associations? In a number of cases the very early spectral types (O3-O4) would seem to preclude these stars having immigrated, as the short lifetimes of the O3 stage (1 Myr) places severe restrictions on how far such a star could have traveled. (See additional discussion in Massey 1998a, 1999).

However, the Massey et al. (1995) study relied upon correcting the number of stars in the H-R diagram for incompleteness; these corrections became increasingly significant at lower masses, with only 25% completeness for the 25-40$\mathcal{M}_\odot$. Although the vast majority of the stars in the current sample lack spectroscopy, we are now photometrically complete to 25$\mathcal{M}_\odot$. We have used these data to recompute the IMF of the *field* population of both the Large and Small Clouds. As with our previous study, we *exclude* stars in or near any of the cataloged OB associations.[2] We count the number of stars in each mass bin, and then normalize this number by the logarithm size of the mass bin, divide by the average hydrogen-burning lifetime stars in the bin, and by the area in kpc^2 to obtain Scalo's (1986) ξ. We list these quantities in Table 13. The assumption that we are making here is that star-formation is "steady state", i.e., that the number of stars born is equal to the number of stellar deaths. This is simply equivalent to saying that over the past 10 Myr there have not been significant changes in the star-formation rate *averaged over the entire galaxy.* We again find for both the Small and Large Cloud that the slope of this *field* population of massive stars is ~ 4, very differenet from what is found within the OB associations. Incompleteness corrections therefore cannot be the reason, unlike the explanation offered by Parker et al.

---

[2] For the current study we use a distance cut-off of 2 arcmin from the boundary of an OB association; this corresponds to 30 pc and 35 pc in the LMC and SMC, respectively.

(2001).

Support for this project was partially provided by four sources. The project was begun while the author was a staff member at the National Optical Astronomy Observatories. In so far as these data were needed for the successful completion of our modeling of massive, hot stars in the Clouds, partial support was also provided by NASA through grant number 8633 from the Space Telescope Science Institute, which is operated by AURA, Inc., under NASA contract NAS5-26555. Additional support was obtained from the Friends of Lowell Observatory. By the time this paper was being prepared for publication, the work was supported under NSF Grant AST-0093060. We are grateful to CTIO for the two enjoyable observing runs during which these data were obtained. We are also grateful to Deidre A. Hunter for a critical reading of this manuscript, nd for useuful comments by Nolan Walborn, Joel Parker, and an anonymous referee.

REFERENCES

Ardeberg, A. Brunet, J. P., Maurice, E., & Prevot, L. 1972, A&AS, 6, 249

Ardeberg, A., & Maurice, E. 1977, A&AS, 30, 261

Azzopardi, M., & Vigneau, J. 1975, A&AS, 19, 271

Azzopardi, M., & Vigneau, J. 1979, A&A, 35, 353

Azzopardi, M., & Vigneau, J. 1982, A&AS, 50, 291

Bahcall, J. N., & Soneira, R. M. 1980, ApJS, 44, 73

Berkhuijsen, E. M., Humphreys, R. M., Ghigo, F. D., & Zumach, W. 1988, A&AS, 76, 65

Breysacher, J., Azzopardi, M., & Testor, G. 1999, A&AS, 137, 117

Brunet, J. P., Imbert, M., Martin, N., Mianes, P., Prevot, L., Rebeirot, E., & Rousseau, J. 1975, A&AS, 21, 109

Brunet, J. P., Maurice, E., Muratorio, G., & Prevot, L. 1973, A&AS, 9, 447

Brunish, W. M., Gallagher, J. S., Truran, J. W. 1986, AJ, 91, 598

Cioni, M.-R. et al. 2000, A&AS, 144, 235

Conti, P. S., Garmany, C. D., & Massey, P. 1986, AJ, 92, 48

Crampton, D. C. 1979, ApJ, 230, 717

Crampton, D. C., & Greasley, J. 1982, PASP, 94, 31

Dubois, P., Jascheck, M., & Jaschek, C. 1977, A&A, 60, 205

Elias, J. H., Frogel, J. A., & Humphreys, R. M. 1985, ApJS, 57, 91

Feast, M. W., Thackeray, A. D., & Wesselink, A. J. 1960, MNRAS, 121, 337

FitzGerald, M. P. 1970, A&A, 4, 234

Fitzpatrick, E. L. 1988, ApJ, 335, 703

Fitzpatrick, E. L., & Garmany, C. D. 1990, ApJ, 363, 119

Garmany, C. D., Conti, P. S., & Massey, P. 1987, AJ, 93, 1070

Garnett, D. R., Shields, G. A., Skillman, E. D., Sagan, S. P., & Dufour, R. J. 1997, ApJ, 489, 63

Humphreys, R. M. 1979, ApJS, 39, 389

Humphreys, R. M. 1983, ApJ, 265, 176

Humphreys, R. M, & McElroy, D. B. 1984, ApJ, 284, 565

Humphreys, R. M, & Sandage, A. R. 1980, ApJS, 44, 319

Isserstedt, J. 1975, A&AS, 19, 259

Isserstedt, J. 1978, A&AS, 33, 193

Isserstedt, J. 1979, A&AS, 38, 239

Isserstedt, J. 1982, A&AS, 50, 7

Ivanov, G. R., Freedman, W. L., & Madore, B. F. 1993, ApJS, 89, 85

Kurucz, R. 1992, in The Stellar Populations of Galaxies, ed. B. Barbuy & A. Renzini (Dodrecht: Kluwer), 225

Landolt, A. U. 1992, AJ, 104, 340

Langer, N., & Maeder, A. 1995, A&A, 295, 685

Maeder, A., Lequeux, J., & Azzopadi, M. 1980, A&A, 189, 34

Maeder, A., & Meynet, G. 2001, A&A, 373, 555

Massey, P. 1998a, in The Stellar Initial Mass Function, 38th Herstmonceux Conference, ed. G. Gilmore & D. Howell (San Francisco, ASP), 17

Massey, P. 1998b, ApJ, 501, 153

Massey, P. 1998c, in Stellar Astrophysics for the Local Group, ed. A. Aparicio, A. Herrero, & F. Sanchez (Cambridge, Cambridge Univ. Press), 95

Massey, P. 1999, in New Views of the Magellanic Clouds, ed. Y-H Chu, N. B. Suntzeff, J. E. Hesser, & D. A. Bohlender (Provo, ASP), 173

Massey, P., Armandroff, T., DeVeny, J., Claver, C., Harmer, C., Jacoby, G., Schoening, B., & Silva, D., 2000a, Direct Imaging Manual for Kitt Peak (Tucson, NOAO)

Massey, P., & Duffy, A. 2001, ApJ, 550, 713

Massey, P., & Hunter, D. A. 1998, ApJ, 493, 180

Massey, P., & Johnson, O. 1998, ApJ, 505, 793

Massey, P., Lang, C. C., DeGioia-Eastwood, K., & Garmany, C. D. 1995, ApJ, 438, 188

Massey, P., Waterhouse, E., & DeGioia-Eastwood 2000b, AJ, 119, 2214

Oestreicher, M. O. & Schmidt-Kaler, Th. 1999, Astron. Nachr. 320, 6, 385

Pagel, B. E. J., Edmunds, M. G., & Smith, G. 1980, MNRAS, 193, 219

Parker, J. W., Hill, J. K., Cornet, R. H., Hollis, J., Zamkoff, E., Bohlin, R. C., O'Connell, R. W., Neff, S. G., Roberts, M. S., Smith, A. M., & Stecher, T. P. 1998, AJ, 116, 180

Parker, J. W., Zaritsky, D., Stecher, T. P., Harris, J., & Massey, P. 2001, AJ, 121, 891

Prevot, L., Martin, N., Maurice, E., Rebeirot, E., & Rousseau, J.1983, A&AS, 53, 255

Rousseau, J., Martin, N., Prevot, L., Rebeirot, E., Robin, A., & Brunet, J. P. 1978, A&AS, 31, 243

Russell, S. C. & Dopita, M. A. 1990, ApJS, 74, 93

Sanduleak, N. 1968, AJ, 73, 246

Sanduleak, N. 1969a, Contr. Cerro Tololo Inter-American Obs., 89

Sanduleak, N. 1969b, AJ, 74, 877

Sanduleak, N. 1975, A&A, 39, 461

Sanduleak, N. 1989, AJ, 98, 825

Sanduleak, N., & Philip, A. G. 1977, Publ. Warner and Swasey Obs., 2, 105

Scalo, J. M. 1986, Fund. Cosmic Phys., 11, 1

Schaerer, D., Meynet, G., Maeder, A., & Schaller, G. 1993, A&AS, 98, 523

Schaller, G., Schaerer, D., Meynet, G., & Maeder, A. 1992, A&AS, 96, 269

Smith, R. C. & the MCELS team 1999, in New Views of the Magellanic Clouds, ed. Y.-H. Chu, N. B. Suntzeff, J. E. Hesser, & D. A Bohlender (Provo, ASP), 28

Thackeray, A. D. 1962, Obs, 82, 207

Vacca, W. D., Garmany, C. D., & Shull, J. M. 1996, ApJ, 460, 914

van den Bergh, S. 1973, ApJ, 183, L123

van den Bergh, S. 2000, The Galaxies of the Local Group (Cambridge: Cambridge Univ. Press)

Van Dyk, S. D., & Cutri, R. 1999, in New Views of the Magellanic Clouds, ed. Y.-H. Chu, N. B. Suntzeff, J. E. Hesser, & D. A Bohlender (Provo, ASP), 363

Walborn, N. R. 1977, ApJ, 215, 53

Walborn, N. R. 1983, ApJ, 265, 716

Walborn, N. R., Lennon, D. J., Haser, S. M., Kudritzki, R. P., & Voels, S. A. 1995, PASP, 107, 104

Walborn, N. R., Lennon, D. J., Heap, S. R., Linder, D. J., Smith, L. J., Evans, C. J., & Parker, J. W. 2000, PASP, 112, 1243

Westerlund, B. E. 1997, The Magellanic Clouds (Cambridge: Cambridge Univ. Press)

Zaritsky, D., Harris, J., & Thompson, I. 1997, AJ, 114, 1002

Zaritsky, D., Grebel, E. K., Harris, J., & Thompson, I. 1999, in New Views of the Magellanic Clouds, ed. Y.-H. Chu, N. B. Suntzeff, J. E. Hesser, & D. A Bohlender (Provo, ASP), 320

Zaritsky, D., Kennicutt, R. C., & Huchra, J. P. 1994, ApJ, 420, 87

This preprint was prepared with the AAS LaTeX macros v5.0.

Fig. 1.— The outlines of the eleven 1.2° × 1.2° Schmidt fields are shown against this image of the LMC. The image itself was obtained with the "parking lot camera" by Greg Bothun, and kindly made available to us for the purposes of illustration. North is to the top and east is to the left.

Fig. 2.— The outlines of the six 1.2° × 1.2° Schmidt are shown against this image of the SMC. Like that of Fig. 1, this image was obtained by Greg Bothun. North is to the top, and east is to the left.

Fig. 3.— Histograms showing the number of stars as a function of magnitude for the LMC data.

Fig. 4.— Histograms showing the number of stars as a function of magnitude for the SMC data.

Fig. 5.— The difference between our CCD photometry and previously publihsed photoelectric (PE) photometry is shown.

Fig. 6.— Color-magnitude diagram of the LMC. In the top panel all the stars in Table 3A are plotted; in the middle panel every 10th point is shown. The (de)reddening vector is shown by an arrow. In the bottom panel we show the percentage of stars expected to be foreground.

Fig. 7.— Color-magnitude diagram of the SMC. In the top panel all the stars in Table 3A are plotted; in the middle panel every tenth point is shown. The (de)reddening vector is shown by an arrow. In the bottom panel we show the percentage of stars expected to be foreground; compare to the Fig. 6.

Fig. 8.— The intrinsic relation for dwarfs (solid curve) and supergiants (dashed curve) is shown, based upon Massey (1998c) and FitzGerald (1970). The small trapazoid shows where we expect to find F5-F9 supergiants. The data for the LMC and SMC has been corrected for $E(B-V) = 0.13$ and 0.09, respectively.

Fig. 9.— The reddest stars in the LMC and SMC are shown in the two-color diagram $B-V$ vs. $V-R$. The solid line shows the expectated dividing line between red supergiants and foreground stars (Massey 1998b). The filled circles denote spectroscopically confirmed supergiants.

Fig. 10.— The H-R diagram of the LMC is shown, based upon the data presented in Tables 8A and 10A. The stellar evolutionary tracks of Schaerer et al. (1993) are shown with solid lines, corresponding to $z = 0.008$. The filled circles denote stars with slit spectroscopy. An upper limit of $\log T_{\rm eff} = 4.66$ was imposed for the stars with only photometry.

Fig. 11.— The H-R diagram of the SMC is shown, based upon the data presented in Tables 8B and 10B. The stellar evolutionary tracks of Schaller et al. (1992) are shown with solid lines, corresponding to $z = 0.001$. The filled circles denote stars with slit spectroscopy. An upper limit of $\log T_{\rm eff} = 4.66$ was imposed for the stars with only photometry.

Fig. 12.— The relative number of luminous RSGs ($M_{\rm bol} < -7.5$) and W-R stars is shown as a function of the oxygen abundance.

Fig. 13.— The stellar initial mass functions are show for the field stars of the LMC and SMC.

Table 1. Color Terms and Extinction Coefficients

Filter	Color Terms (c_3) 1999	Color Terms (c_3) 2001	Extinction Coefficients (c_2) 1999	Extinction Coefficients (c_2) 2001
U	-0.12	-0.09 ($U - B > 0.0$) -0.19 ($U - B < 0.0$)	0.51	0.35-0.63
B	$+0.09$	$+0.07$	0.35	0.23-0.31
V	$+0.02$	$+0.02$	0.24	0.10-0.18
R	-0.02	-0.02	0.19	0.07-0.14

Table 2. Average Statistical Errors

Mag.	LMC U	LMC B	LMC V	LMC R	SMC U	SMC B	SMC V	SMC R
12.0	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
12.5	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.02
13.0	0.01	0.02	0.01	0.02	0.01	0.01	0.01	0.02
13.5	0.02	0.02	0.01	0.03	0.01	0.02	0.01	0.02
14.0	0.02	0.02	0.02	0.04	0.02	0.02	0.02	0.03
14.5	0.03	0.02	0.02	0.06	0.03	0.02	0.02	0.05
15.0	0.04	0.03	0.04	0.09	0.04	0.03	0.04	0.07
15.5	0.06	0.04	0.07	0.14	0.06	0.03	0.06	0.11
16.0	0.09	0.05	0.10	0.21	0.08	0.04	0.08	0.18
16.5	0.13	0.07	0.14	0.34	0.12	0.05	0.12	0.27
17.0	0.19	0.08	0.21	0.56	0.17	0.08	0.18	0.44
17.5	0.25	0.11	0.35	0.92	0.23	0.08	0.29	0.75

Table 3A. LMC Catalog[a]

LMC ID	α_{2000}	δ_{2000}	V	$B-V$	$U-B$ [b]	$V-R$ [b]	σ_V	σ_{B-V}	σ_{U-B}	σ_{V-R}	N_{BV}	N_U	N_R
000001	04 43 54.19	−70 57 31.6	14.51	1.04	0.67	0.56	0.02	0.03	0.08	0.04	1	1	1
000002	04 43 57.78	−70 53 35.7	16.64	1.08	99.99	0.93	0.12	0.15	0.00	0.18	1	0	1
000003	04 43 59.92	−70 59 47.0	13.30	0.73	0.19	0.39	0.01	0.01	0.02	0.02	1	1	1
000004	04 44 01.95	−70 53 36.5	16.95	1.13	99.99	0.88	0.17	0.21	0.00	0.25	1	0	1
000005	04 44 02.97	−70 48 11.4	17.01	0.85	99.99	0.90	0.17	0.19	0.00	0.25	1	0	1
000006	04 44 03.35	−70 51 23.0	17.00	0.78	99.99	0.04	0.14	0.17	0.00	0.41	1	0	1
000007	04 44 03.35	−70 49 55.0	16.27	0.94	99.99	0.51	0.09	0.10	0.00	0.16	1	0	1
000008	04 44 03.36	−70 52 53.1	17.02	0.28	0.57	99.99	0.16	0.16	0.34	0.00	1	1	0
000009	04 44 03.53	−70 39 40.0	16.91	−0.18	−0.72	99.99	0.15	0.14	0.09	0.00	1	1	0
000010	04 44 03.98	−70 38 52.9	16.22	1.20	99.99	0.72	0.09	0.12	0.00	0.13	1	0	1

[a] The complete version of this table will be published electronically.

[b] An entry of 99.99 for $U-B$ or $V-R$ indicates no measurement.

Table 3B. SMC Catalog[a]

SMC ID	α_{2000}	δ_{2000}	V	$B-V$	$U-B$ [b]	$V-R$ [b]	σ_V	σ_{B-V}	σ_{U-B}	σ_{V-R}	N_{BV}	N_U	N_R
000001	00 40 00.49	−74 01 57.8	16.82	0.99	99.99	0.83	0.13	0.14	0.00	0.19	1	0	1
000002	00 40 03.08	−73 56 19.4	16.30	−0.07	−0.67	−0.18	0.08	0.08	0.05	0.27	1	1	1
000003	00 40 04.19	−73 56 06.3	15.88	0.89	0.83	0.72	0.06	0.06	0.20	0.09	1	1	1
000004	00 40 07.38	−74 00 56.0	16.73	0.36	0.24	0.48	0.12	0.12	0.18	0.22	1	1	1
000005	00 40 07.59	−73 51 27.6	14.49	0.61	0.30	0.40	0.02	0.02	0.04	0.04	1	1	1
000006	00 40 09.02	−73 48 58.4	16.74	0.99	99.99	0.61	0.11	0.12	0.00	0.18	1	0	1
000007	00 40 09.33	−73 53 11.3	17.19	0.26	0.12	99.99	0.18	0.18	0.23	0.00	1	1	0
000008	00 40 09.59	−73 46 06.8	15.95	1.03	99.99	0.56	0.06	0.07	0.00	0.10	1	0	1
000009	00 40 10.89	−73 59 26.0	16.33	0.20	99.99	0.36	0.08	0.08	0.00	0.15	1	0	1
000010	00 40 11.22	−73 55 03.9	14.58	0.66	99.99	0.45	0.02	0.02	0.00	0.03	1	0	1

[a] The complete version of this table will be published electronically.

[b] An entry of 99.99 for $U-B$ or $V-R$ indicates no measurement.

Table 4. LMC Catalog Stars with Spectral Information

Name[a]	Catalog Number	α_{2000}	δ_{2000}	V	$B-V$	$U-B$	$V-R$	Spectral Data		Other ID
								Type	Source[b]	
Stars from Rousseau et al. (1978)[c]										
FDG 7	0000119	04 44 28.55	-69 40 34.2	13.55	0.01	-0.30	0.12	A0: I	OBJ 1	
FDG 8	0000546	04 45 00.47	-69 53 25.1	14.01	0.16	0.08	0.09	A5	OBJ 1	
Sk -70 1	0001015	04 45 32.43	-70 15 11.2	15.91	-0.23	-0.71	0.19	WN3b	SLIT 11	BAT99-1
Sk -69 1	0001020	04 45 32.82	-69 28 01.5	13.39	-0.08	-0.97	0.07	B1 III	SLIT 7	
Sk -69 2	0002243	04 46 54.97	-69 29 48.8	13.17	-0.14	-0.97	-0.01	B2:	OBJ 2	
Sk -70 1A	0002790	04 47 27.69	-70 33 45.9	13.66	-0.06	-0.91	0.08	O9 II	SLIT 7	
Sk -69 2A	0002885	04 47 33.25	-69 14 33.0	12.53	0.18	-0.06	0.20	A3 I	SLIT 4	
Sk -69 4	0003497	04 48 05.65	-69 38 20.4	12.54	0.03	-0.53	0.12	B6: I	OBJ 2	
FDG 15	0003531	04 48 07.29	-69 28 04.7	13.32	0.13	-0.14	0.18	A0 I	OBJ 1,2	
Sk -69 5	0004029	04 48 34.74	-69 41 56.7	12.94	-0.02	-0.46	0.13	A0: I	OBJ 2	
FDG 18	0004955	04 49 11.21	-68 49 44.0	13.28	0.07	-0.18	0.09	A2 I	OBJ 1,2	
Sk -67 3	0005474	04 49 28.02	-67 42 40.3	13.12	-0.23	-1.06	-0.07	B0.5	OBJ 2	
BI 1	0006256	04 49 50.79	-68 32 47.4	14.00	-0.05	-0.84	-0.04	B1-2	OBJ 2	
Sk -67 4	0006314	04 49 52.01	-67 41 15.0	13.02	-0.16	-1.02	-0.08	B1	OBJ 2	
Sk -70 2	0006563	04 49 58.04	-70 21 03.2	13.52	0.01	-0.64	0.00	B5 II	SLIT 7	
Sk -69 10	0006883	04 50 05.74	-69 19 22.6	12.63	-0.05	-0.87	0.05	B1	OBJ 2	
Sk -69 11	0007403	04 50 17.51	-69 23 49.8	12.83	0.06	-0.75	0.12	B4: I	OBJ 2	
Sk -69 12	0007623	04 50 22.55	-69 19 55.7	12.81	0.06	-0.70	0.13	B0.5	OBJ 2	
FDG 25	0008046	04 50 31.68	-69 33 56.3	13.39	0.10	-0.19	0.13	A2	OBJ 1	
FDG 26	0008470	04 50 40.23	-69 42 44.8	13.23	0.22	0.06	0.20	A7:	OBJ 1	
Sk -70 3	0009809	04 51 07.76	-70 16 40.1	12.29	0.18	-0.08	0.11	A3 I	SLIT 4	
Sk -70 4	0009831	04 51 08.09	-70 52 10.8	13.74	0.08	-0.53	0.07	OB:	OBJ 1	
FDG 31	0010076	04 51 13.60	-69 11 41.1	12.74	0.16	-0.09	0.14	A3 I	OBJ 1,2	
FDG 30	0010123	04 51 14.57	-68 57 44.1	13.38	0.12	-0.10	0.20	A3: I	OBJ 1,2	
FDG 36	0010469	04 51 21.90	-70 18 27.6	13.80	0.05	-0.21	0.07	A1: I	OBJ 1,2	
Sk -67 6	0010876	04 51 30.73	-67 28 23.2	13.58	-0.21	-1.04	-0.07	B0 II	SLIT 7	
Sk -67 7	0011261	04 51 38.69	-67 33 55.4	12.92	-0.02	-0.50	0.06	B9 I	OBJ 2	
BI 2	0011273	04 51 38.93	-69 24 07.7	13.28	0.01	-0.93	0.15	OB0	OBJ 2	BE 154
Sk -69 14	0011392	04 51 41.80	-69 55 46.8	12.44	0.16	-0.29	0.14	B9 I	OBJ 2	
Sk -69 15	0011548	04 51 45.16	-69 46 21.3	12.75	0.01	-0.75	0.06	B2:	OBJ 2	
FDG 39	0011586	04 51 46.06	-68 53 10.8	13.14	0.51	0.25	0.36	F8 I	SLIT 4	
Sk -67 8	0011601	04 51 46.42	-67 44 30.1	13.52	-0.20	-0.99	-0.01	B2	OBJ 2	
BI 3	0011819	04 51 50.37	-68 46 39.5	13.91	-0.12	-0.83	0.02	B1-2	OBJ 2	
Sk -70 5	0011942	04 51 52.77	-70 46 17.2	13.56	-0.15	-1.03	-0.09	B0 n	SLIT 7	
Sk -68 2	0011993	04 51 53.60	-68 25 56.6	12.85	0.07	-0.33	0.09	A0 I	OBJ 2	
BI 4	0012251	04 51 58.75	-68 46 24.5	14.54	-0.18	-0.94	0.02	B0 n	SLIT 7	
BI 5	0012267	04 51 59.10	-68 50 09.7	13.74	0.23	-0.82	0.38	OB0	OBJ 2	
Sk -70 6	0012786	04 52 09.58	-70 30 19.5	12.55	0.15	-0.08	0.10	A4 I	SLIT 4	
Sk -69 17	0013018	04 52 14.42	-69 44 03.4	13.29	0.01	-0.80	0.05	B2.5:	OBJ 2	
Sk -68 3	0013060	04 52 15.53	-68 24 27.1	13.13	-0.13	-0.99	-0.03	O9 I	SLIT 7	
Sk -70 7	0013125	04 52 16.89	-70 40 53.7	13.51	-0.01	-0.64	0.02	B3: I	OBJ 2	
Sk -69 19	0013547	04 52 24.99	-69 30 20.9	12.84	-0.07	-0.92	0.05	B0.5	OBJ 2	
BI 6	0013803	04 52 29.58	-68 49 44.3	13.60	-0.09	-0.73	-0.01	OB0	OBJ 2	
FDG 49	0013831	04 52 30.13	-68 34 50.0	13.19	0.14	-0.17	0.13	A2 I	OBJ 1,2	
Sk -68 4	0014274	04 52 38.47	-68 01 36.8	13.83	-0.16	-0.95	0.02	B1.5	OBJ 2	
FDG 53	0014291	04 52 38.72	-70 19 22.6	13.53	0.06	-0.29	0.06	A0 I	OBJ 1	
Sk -69 20	0014570	04 52 44.27	-69 20 57.4	12.80	-0.08	-0.91	0.02	B0.5	OBJ 2	
BI 11	0014718	04 52 46.87	-70 07 56.5	14.60	-0.02	-0.59	-0.07	OB0	OBJ 2	
BI 9	0014771	04 52 47.95	-68 47 39.1	13.70	-0.22	-0.99	0.07	O8 III	SLIT 6	
Sk -70 7A	0014847	04 52 49.20	-70 39 59.5	13.32	0.04	-0.57	0.08	B6: I	OBJ 2	
Sk -67 9	0015084	04 52 53.35	-67 05 43.1	12.62	0.13	-0.09	0.14	A5 I	OBJ 2	
BI 8	0015216	04 52 55.79	-68 00 27.5	14.13	-0.22	-1.02	-0.04	O8 III	SLIT 6	
FDG 55	0015435	04 52 59.55	-70 17 55.1	13.27	0.10	-0.12	0.07	A2	OBJ 1	
BI 12	0015504	04 53 00.88	-68 01 32.5	13.50	-0.20	-1.04	-0.04	O7.5 III	SLIT 6	
Sk -67 9A	0015712	04 53 04.72	-67 08 00.8	13.69	-0.14	-1.02	-0.06	O9 III	SLIT 7	
BI 13	0015830	04 53 06.48	-68 03 23.1	13.75	-0.09	-1.08	-0.06	O6.5 V	SLIT 7	BE 156
Sk -69 21	0015847	04 53 06.72	-69 44 39.2	12.96	-0.11	-0.93	-0.01	B1	OBJ 2	
Sk -70 9	0015958	04 53 08.55	-70 41 31.7	13.60	-0.06	-0.83	-0.04	B0 Iab	SLIT 7	
Sk -70 8	0016126	04 53 11.27	-70 14 26.0	13.72	0.03	-0.32	0.02	A0: I:	OBJ 2	
BI 14	0016424	04 53 16.32	-68 16 45.4	14.56	-0.10	-0.83	-0.06	B1 I:	SLIT 6	
Sk -68 6	0016909	04 53 24.62	-68 15 23.7	13.40	0.07	-0.80	0.15	B1	OBJ 2	

Table 4—Continued

Name[a]	Catalog Number	α_{2000}	δ_{2000}	V	$B-V$	$U-B$	$V-R$	Spectral Data		Other ID
								Type	Source[b]	
Sk -70 10	0016948	04 53 25.45	-70 35 39.7	13.25	-0.13	-1.03	-0.05	B0	OBJ 2	
Sk -68 7	0017030	04 53 26.97	-68 29 59.3	12.97	-0.09	-0.92	0.04	B1.5	OBJ 2	
BI 15	0017373	04 53 33.03	-69 37 22.0	14.06	-0.19	-1.01	-0.01	B1-2	OBJ 2	
BI 18	0017430	04 53 34.00	-70 35 56.5	13.80	-0.06	-0.90	0.03	B1-2	OBJ 2	
FDG 62	0017629	04 53 37.25	-69 43 07.2	12.66	0.27	0.07	0.18	F2 I	OBJ 1,2	
BI 17	0017717	04 53 38.82	-68 48 54.8	14.16	-0.16	-0.92	-0.03	B1-2	OBJ 2	
BI 19	0017753	04 53 39.34	-68 53 19.1	14.50	-0.02	-0.85	0.10	B1-2	OBJ 2	
Sk -69 23	0018546	04 53 52.44	-69 25 44.4	13.09	0.03	-0.71	0.10	B2	OBJ 2	
Sk -67 12	0018871	04 53 57.98	-67 13 36.0	13.28	-0.23	-1.06	-0.02	B0.5	OBJ 2	
BI 20	0018901	04 53 58.40	-69 36 34.3	14.62	-0.13	-0.83	0.03	B1-2	OBJ 2	
Sk -69 24	0018971	04 53 59.57	-69 22 43.1	12.60	0.05	-0.49	0.13	B9 Ia	SLIT 4	
BI 21	0019016	04 54 00.36	-69 39 10.1	14.31	-0.04	-0.94	0.12	B1-2	OBJ 2	
Sk -70 13	0019062	04 54 01.22	-69 59 47.6	12.29	-0.14	-0.99	-0.06	O9 V	SLIT 9	
Sk -70 12	0019064	04 54 01.25	-70 08 47.1	12.90	0.04	-0.53	0.04	B8 I	OBJ 2	
Sk -70 11	0019124	04 54 02.31	-70 05 05.3	13.50	0.02	-0.56	0.10	B3: I	OBJ 2	
FD S 19	0019165	04 54 03.10	-69 50 04.8	12.69	0.16	-0.06	0.14	A2	OBJ 1	
FDG 67	0019333	04 54 05.81	-69 45 57.6	13.47	0.08	-0.17	0.12	A2 I	OBJ 1,2	
Sk -69 28	0019843	04 54 14.18	-69 18 23.8	12.83	-0.07	-0.85	0.06	B1	OBJ 2	
Sk -69 29	0019850	04 54 14.34	-69 15 13.9	12.89	-0.13	-0.96	0.01	O9 I	SLIT 10	
FDG 65	0020153	04 54 18.86	-67 05 47.4	12.54	0.01	-0.31	0.04	B8: I	OBJ 1	BE 2
Sk -67 13	0020851	04 54 28.49	-67 08 06.7	13.04	-0.16	-1.02	-0.03	B2	OBJ 2	
Sk -68 9	0021454	04 54 38.26	-68 21 57.7	13.33	-0.15	-1.01	-0.03	B0.5	OBJ 2	
Sk -70 15	0021499	04 54 38.92	-70 47 47.8	13.15	-0.04	-0.69	-0.01	B4 I	OBJ 2	
Sk -69 31	0021661	04 54 41.55	-69 26 12.2	12.54	0.12	-0.51	0.16	B5 I	OBJ 2	
FDG 78	0021800	04 54 43.53	-70 21 27.8	12.71	0.25	-0.34	0.33	CLUS	OBJ 1	
Sk -69 34	0022597	04 54 55.67	-69 50 33.0	13.32	0.05	-0.46	0.06	B2.5	OBJ 2	
BI 23	0022611	04 54 55.87	-68 21 44.6	14.13	-0.15	-0.95	-0.04	B0 II	SLIT 7	
Sk -70 16	0022715	04 54 57.46	-70 02 28.4	13.10	-0.06	-0.85	0.00	B4 I	OBJ 2	
Sk -69 33	0022788	04 54 58.59	-69 37 18.7	13.23	-0.10	-0.87	-0.01	B1.5:	OBJ 2	
BI 25	0023505	04 55 08.76	-69 37 44.9	13.69	-0.06	-0.73	0.04	B1-2	OBJ 2	
Sk -67 16	0023564	04 55 09.73	-67 31 39.0	13.50	-0.13	-0.97	-0.03	B2 III	SLIT 7	
FDG 87	0024797	04 55 27.50	-67 32 35.9	13.38	0.06	-0.10	0.09	A5: I	OBJ 1,2	
Sk -69 36	0024913	04 55 28.98	-69 11 28.8	12.75	-0.13	-0.95	-0.01	B0.5 III	SLIT 9	
Sk -67 20	0025077	04 55 31.35	-67 30 03.4	13.79	-0.26	-0.64	0.16	WN4b	SLIT 11	BAT99-7, HD32109
FDG 89	0025197	04 55 33.08	-67 20 18.6	12.74	0.07	-0.12	0.05	A3: I	OBJ 1,2	
BI 28	0025325	04 55 34.85	-69 48 35.7	14.34	-0.12	-0.83	-0.01	B1 V	SLIT 9	
BI 29	0025402	04 55 35.70	-69 01 21.7	14.74	-0.23	-0.98	-0.08	O8 V	SLIT 6	
BI 27	0025415	04 55 35.98	-69 44 56.5	13.80	-0.15	-1.03	-0.05	B1-2	OBJ 2	
Sk -69 38	0025559	04 55 38.29	-69 31 40.4	12.81	-0.10	-0.92	0.02	B0.5	OBJ 2	
Sk -69 39A	0025715	04 55 40.52	-69 26 41.3	12.34	0.11	-0.25	0.10	A0 I	OBJ 2	
Sk -69 39	0025728	04 55 40.72	-69 52 21.1	12.72	0.07	-0.45	0.09	B8 I	OBJ 2	
BI 32	0025765	04 55 41.34	-69 00 55.0	14.52	-0.18	-0.82	0.07	B1-2	OBJ 2	
BI 33	0025998	04 55 44.87	-69 46 17.6	13.97	-0.11	-0.92	-0.02	B1-2	OBJ 2	
BI 30	0026094	04 55 45.82	-68 16 13.2	14.51	0.09	-0.06	0.12	OB0	OBJ 2	
Sk -69 40	0026173	04 55 46.91	-69 30 25.7	12.92	-0.07	-0.77	0.03	B0.5	OBJ 2	
BI 31	0026259	04 55 47.96	-68 38 40.0	13.93	-0.15	-0.98	-0.06	O7 (f)	SLIT 7	
Sk -69 41	0026857	04 55 57.09	-69 14 45.8	13.12	-0.16	-0.94	-0.07	B1.5	OBJ 2	
BI 34	0026981	04 55 58.89	-70 20 00.4	14.26	-0.03	-0.99	0.17	B1-2	OBJ 2	HV 5516
Sk -69 42	0027276	04 56 02.96	-69 27 21.9	14.14	-0.15	-0.46	0.25	WC4	SLIT 11	BAT99-8, HD32257
FDG 98	0027504	04 56 06.19	-69 46 52.1	13.03	0.05	-0.35	0.10	A3 I	OBJ 1,2	
Sk -70 17	0027967	04 56 12.74	-70 02 37.2	13.22	-0.01	-0.69	0.01	B3 I:	OBJ 2	
FDG 96	0028066	04 56 14.11	-67 24 49.0	12.79	0.14	-0.03	0.10	A5: I	OBJ 1,2	
Sk -70 18	0028255	04 56 16.65	-69 59 38.0	13.12	-0.13	-0.97	-0.03	B0 n	SLIT 7	
Sk -69 44	0028565	04 56 20.70	-69 13 59.4	13.03	-0.13	-0.91	-0.03	B5: I	OBJ 2	
Sk -70 19	0028617	04 56 21.39	-70 25 35.8	13.58	-0.10	-0.86	0.02	B4: I	OBJ 2	
Sk -67 21	0028916	04 56 25.26	-67 07 29.5	12.80	-0.09	-0.82	-0.04	B1.5	OBJ 2	
FDG 102	0029093	04 56 27.45	-67 56 01.3	12.49	0.26	0.07	0.19	A9 I	OBJ 1,2	
FDG 108	0029179	04 56 28.59	-69 42 43.3	13.12	0.10	-0.02	0.09	A3 I	OBJ 1,2	
BI 36	0029233	04 56 29.05	-69 06 01.9	14.89	-0.20	-0.94	-0.01	B0.5 IV	SLIT 6	
Sk -70 20	0029345	04 56 30.38	-70 47 40.6	12.87	0.02	-0.56	0.01	B6 I	OBJ 2	
FDG 117	0029663	04 56 34.19	-70 59 09.0	14.02	0.13	0.00	0.09	A0	OBJ 1	
Sk -67 21A	0030088	04 56 39.31	-67 19 49.7	12.39	0.07	-0.43	0.08	A3 I	OBJ 2	
BI 41	0030742	04 56 47.23	-69 13 38.3	13.88	-0.16	-0.93	-0.07	B1-2	OBJ 2	
Sk -69 45	0031044	04 56 51.20	-69 18 49.8	12.37	-0.08	-0.96	-0.07	B1	OBJ 2	
FDG 111	0031077	04 56 51.65	-68 00 19.5	13.51	0.03	-0.33	0.07	B9 I	OBJ 1,2	

Table 4—Continued

Name[a]	Catalog Number	α_{2000}	δ_{2000}	V	$B-V$	$U-B$	$V-R$	Spectral Data		Other ID
								Type	Source[b]	
Sk -69 48	0031700	04 56 59.06	-69 29 30.9	12.94	-0.11	-0.96	-0.02	B2.5	OBJ 2	
Sk -67 21B	0031870	04 57 01.45	-67 46 27.2	13.07	0.02	-0.56	0.06	B8 I	OBJ 2	
Sk -69 49	0031931	04 57 02.13	-69 14 51.7	13.23	-0.13	-0.96	-0.04	B2	OBJ 2	
Sk -68 13	0032058	04 57 03.44	-68 47 21.2	12.58	-0.10	-0.96	-0.01	B1:	OBJ 2	
Sk -70 21	0032264	04 57 05.80	-70 47 40.6	13.01	-0.06	-0.74	-0.03	B3 I	OBJ 2	
FDG 119	0032456	04 57 08.19	-70 06 25.1	13.82	0.09	-0.09	0.11	A-F I	OBJ 1,2	
BI 44	0032666	04 57 10.71	-68 24 52.6	13.75	-0.17	-0.94	-0.09	B1-2	OBJ 2	
Sk -69 50	0033053	04 57 15.19	-69 20 20.4	13.31	-0.16	-0.99	-0.01	O7 If	SLIT 9	
Sk -68 15	0033780	04 57 24.10	-68 23 57.5	12.90	-0.13	-0.59	0.17	WC4	SLIT 11	BAT99-11, HD32402
Sk -67 22	0034056	04 57 27.47	-67 39 03.3	13.44	-0.18	-1.05	0.01	O3 If*/WN6	SLIT 5	BAT99-12
FDG 120	0034254	04 57 30.27	-67 39 33.9	13.21	0.11	-0.18	0.07	A I	OBJ 1	
BI 47	0034303	04 57 30.81	-70 00 15.8	13.72	-0.09	-0.81	0.01	B1-2	OBJ 2	
Sk -67 23	0034772	04 57 36.80	-67 47 37.5	12.47	0.07	-0.71	0.33	BE	SLIT 4	BE 175
Sk -68 16	0034847	04 57 37.82	-68 24 36.1	12.85	-0.19	-0.98	-0.01	O7 III	SLIT 7	
Sk -69 51	0035869	04 57 50.64	-69 41 09.7	12.54	-0.10	-0.95	0.00	B1	OBJ 2	
FDG 124	0035897	04 57 50.98	-68 24 47.8	13.03	0.12	-0.10	0.10	A2: I	OBJ 1,2	
BI 48	0036257	04 57 55.24	-69 55 43.4	13.66	-0.12	-0.88	-0.06	B1-2	OBJ 2	
Sk -70 22	0036904	04 58 03.50	-70 36 31.1	13.92	-0.16	-0.91	-0.01	B1 Iab	SLIT 7	
Sk -70 23	0037361	04 58 09.18	-70 24 13.5	13.37	-0.05	-0.77	-0.01	OB,CLUS?	OBJ 1	
Sk -70 24	0037676	04 58 12.84	-70 28 20.1	13.43	0.05	-0.30	0.08	A0: I	OBJ 2	
Sk -69 55	0037708	04 58 13.21	-69 51 20.0	13.48	-0.03	-0.92	0.13	B1:	OBJ 2	
Sk -69 54	0037783	04 58 14.17	-69 43 21.3	13.35	-0.06	-0.84	-0.01	B2.5	OBJ 2	
Sk -67 24	0037969	04 58 16.46	-67 43 33.8	12.98	-0.09	-0.74	0.00	B3 I	OBJ 2	
Sk -70 25	0038266	04 58 19.94	-70 13 05.0	13.02	-0.11	-0.97	-0.05	B1	OBJ 2	
Sk -70 26	0038938	04 58 28.21	-70 15 31.5	12.76	0.01	-0.55	0.04	B9 I	OBJ 2	
BI 49	0038995	04 58 28.93	-69 53 21.6	14.16	-0.03	-0.87	0.06	B1-2	OBJ 2	
Sk -67 26	0039273	04 58 32.63	-67 21 30.4	13.03	-0.20	-1.04	-0.07	B0.5	OBJ 2	
FDG 141	0039369	04 58 34.01	-69 47 34.4	13.26	0.03	-0.41	0.06	B8: I	OBJ 1	
Sk -68 17	0039405	04 58 34.41	-68 45 52.0	13.01	-0.08	-0.86	0.02	B3: I	OBJ 2	
Sk -68 18A	0039602	04 58 36.69	-68 50 33.4	12.47	0.08	-0.50	0.08	B8 I	OBJ 2	
Sk -70 27	0039911	04 58 40.71	-70 31 38.7	13.08	0.01	-0.51	0.03	B8 I	OBJ 2	
Sk -70 28	0040610	04 58 49.72	-70 44 58.1	13.40	-0.07	-0.75	-0.03	B3: I	OBJ 2	
Sk -67 29	0040714	04 58 50.93	-67 26 40.9	13.61	-0.14	-0.99	-0.07	B0 III	SLIT 7	
FDG 144	0040820	04 58 52.18	-69 25 33.2	12.77	0.28	0.12	0.19	F0 I	OBJ 1,2	
BI 51	0041257	04 58 58.04	-69 43 40.4	13.77	-0.16	-0.94	-0.02	B1-2	OBJ 2	
Sk -68 20	0041461	04 59 00.97	-68 49 17.0	13.01	-0.14	-0.94	0.03	B3 I	OBJ 2	
Sk -69 57	0041466	04 59 01.03	-69 38 22.3	13.18	-0.08	-0.87	-0.03	B1	OBJ 2	
BI 53	0042588	04 59 15.91	-69 42 55.9	14.15	-0.15	-0.95	-0.04	B0 III	SLIT 9	
Sk -67 30	0042751	04 59 18.34	-67 38 26.5	13.09	-0.08	-0.84	0.01	B2:	OBJ 2	
BI 54	0042841	04 59 19.86	-69 54 47.4	14.23	-0.21	-0.99	-0.06	B1-2	OBJ 2	
Sk -67 31	0043227	04 59 25.78	-67 42 25.1	13.08	-0.10	-0.80	-0.02	B0.5	OBJ 2	
Sk -68 21	0043237	04 59 25.89	-68 35 04.2	12.65	-0.11	-0.93	0.01	B3 I	OBJ 2	
Sk -69 58	0044318	04 59 41.99	-69 51 06.1	13.04	-0.08	-0.87	0.04	B2.5	OBJ 2	
FDG 148	0044793	04 59 48.70	-67 49 08.2	12.55	0.11	-0.02	0.10	A7 I	OBJ 1,2	
FDG 152	0044994	04 59 51.45	-70 13 22.0	12.66	0.11	-0.17	0.10	A2	OBJ 1	
Sk -67 32	0045002	04 59 51.53	-67 56 56.0	14.48	-0.21	-0.75	0.08	WN4b	SLIT 11	BAT99-15, HDE268847
Sk -70 30A	0045212	04 59 54.55	-70 08 07.0	13.52	-0.05	-1.02	0.16	B1:	OBJ 2	BE 502
Sk -70 31	0045821	05 00 03.52	-70 43 15.9	12.65	-0.01	-0.59	0.05	B8 I	OBJ 2	
Sk -67 33	0046098	05 00 07.81	-67 07 59.8	13.07	-0.10	-1.02	0.06	B2	OBJ 2	BE 11
Sk -70 31A	0046164	05 00 08.69	-70 04 00.5	13.38	0.04	-0.60	0.08	B5: I	OBJ 2	
Sk -70 32	0046268	05 00 10.37	-70 11 09.7	13.06	-0.21	-1.01	-0.05	O9.5 II:	SLIT 8	
FDG 154	0046390	05 00 12.38	-70 26 10.7	12.88	0.02	-0.28	0.09	A0 I	OBJ 1,2	
ARDB C 11	0047117	05 00 23.55	-68 01 56.0	13.66	-0.07	-0.64	0.00	B5 I	OBJ 2	
Sk -70 33	0047638	05 00 31.28	-70 24 56.6	13.73	-0.13	-0.95	-0.10	O9.5 III	SLIT 9	
FDG 156	0047695	05 00 32.07	-67 56 27.3	13.30	0.10	-0.09	0.09	A3 I	OBJ 1,2	
Sk -70 34	0047753	05 00 32.94	-70 29 49.4	12.66	0.01	-0.59	0.01	B8 I	OBJ 2	
Sk -67 33A	0047777	05 00 33.34	-67 32 29.9	13.23	0.03	-0.22	0.04	A3: I	OBJ 2	
FDG 158	0048084	05 00 37.97	-67 45 53.1	13.12	0.18	0.03	0.13	A5: I	OBJ 1	
Sk -70 35	0048478	05 00 43.51	-70 19 22.2	13.45	-0.10	-0.86	-0.03	B3: I	OBJ 2	
Sk -68 24	0048787	05 00 47.92	-68 37 46.6	12.61	0.08	-0.42	0.11	B8 I	OBJ 2	
Sk -68 23A	0048819	05 00 48.28	-68 05 58.8	13.05	-0.08	-0.94	-0.01	B1 III	SLIT 9	
Sk -67 34	0048834	05 00 48.46	-67 07 15.6	13.36	-0.13	-0.91	-0.06	B1.5	OBJ 2	
Sk -68 23	0048902	05 00 49.53	-68 07 10.3	12.83	0.16	-0.64	0.15	OB	OBJ 1	
FDG 163	0048957	05 00 50.28	-69 38 32.2	13.05	0.14	-0.03	0.11	A3 I	OBJ 1,2	
Sk -68 25	0049552	05 00 58.90	-68 16 11.2	13.00	-0.05	-0.78	0.03	B1:	OBJ 2	

Table 4—Continued

Name[a]	Catalog Number	α_{2000}	δ_{2000}	V	$B-V$	$U-B$	$V-R$	Spectral Data		Other ID
								Type	Source[b]	
Sk -67 35	0050091	05 01 06.96	-67 05 49.1	13.06	-0.15	-0.95	-0.08	B0.5	OBJ 2	
BI 57	0050208	05 01 08.60	-68 11 45.5	13.96	-0.17	-1.02	-0.05	B1-2	OBJ 2	
Sk -70 36	0050234	05 01 08.99	-70 33 55.1	13.49	-0.03	-0.85	0.07	B0 n	SLIT 7	
Sk -71 1	0050511	05 01 13.05	-70 58 50.7	13.46	0.04	-0.42	0.06	B8 I	OBJ 2	
Sk -70 38	0051158	05 01 22.51	-70 15 29.2	12.98	-0.05	-0.66	0.04	B5 I	OBJ 2	
Sk -70 39	0051753	05 01 31.05	-70 14 52.0	12.94	-0.04	-0.72	0.00	B3 I	OBJ 2	
Sk -68 27	0051871	05 01 32.82	-68 13 15.0	12.55	0.15	-0.71	0.13	B6 I	OBJ 2	
Sk -70 40	0051952	05 01 33.83	-70 07 23.8	12.91	0.02	-0.55	0.11	B8 I	OBJ 2	
Sk -68 28	0052546	05 01 43.22	-68 27 59.5	13.38	-0.19	-1.04	-0.08	B2:	OBJ 2	
Sk -70 42	0053257	05 01 53.23	-70 39 41.5	13.41	-0.17	-0.98	-0.05	B2.5	OBJ 2	
Sk -70 43	0053739	05 02 00.28	-70 01 23.2	12.29	-0.06	-0.82	0.03	B3 I	OBJ 2	
Sk -67 37	0053808	05 02 01.23	-67 32 03.6	13.61	-0.22	-1.06	-0.06	O9 II	SLIT 7	
FDG 173	0053870	05 02 02.23	-70 09 04.3	12.87	0.10	-0.10	0.11	A3 I	OBJ 1,2	
Sk -70 43A	0054028	05 02 04.70	-70 43 55.8	14.00	-0.21	-1.06	-0.07	O9:	SLIT 7	
Sk -67 37A	0054663	05 02 14.14	-67 46 18.2	13.68	-0.07	-0.98	0.03	B extr	SLIT 7	BE 188
Sk -70 45	0054903	05 02 17.85	-70 26 57.0	12.55	-0.01	-0.59	0.03	B8 I	OBJ 2	
Sk -70 45A	0055234	05 02 22.72	-70 35 05.8	13.34	-0.18	-0.97	-0.07	B2.5	OBJ 2	
FDG 176	0055621	05 02 28.30	-70 01 40.4	13.14	0.09	-0.09	0.03	A0	OBJ 1	
Sk -69 60	0059331	05 03 23.25	-69 28 16.3	13.21	0.09	-0.22	0.05	A1 I:	SLIT 4	
Sk -70 47	0059337	05 03 23.35	-70 20 51.7	13.01	-0.15	-0.99	-0.04	B0 II	SLIT 7	
Sk -68 29A	0059384	05 03 24.02	-68 55 32.6	12.50	0.12	-0.13	0.10	A3 I	OBJ 2	
Sk -67 38	0059721	05 03 29.76	-67 52 25.5	13.66	-0.22	-1.06	-0.03	O8 III	SLIT 7	
Sk -68 30	0059726	05 03 29.88	-68 12 57.3	13.18	-0.18	-1.04	-0.08	B0.5:	OBJ 2	
Sk -70 49	0060029	05 03 34.47	-70 21 57.1	12.71	-0.08	-0.93	-0.04	B1	OBJ 2	
Sk -69 61	0060701	05 03 44.78	-69 06 02.2	12.53	0.05	-0.70	0.09	OB	OBJ 1	
Sk -68 32	0061150	05 03 51.19	-68 27 11.4	13.71	-0.20	-1.03	-0.04	O9 III	SLIT 7	
Sk -70 52	0061289	05 03 53.05	-70 33 16.5	13.05	0.04	-0.42	0.07	A0 I	OBJ 2	
Sk -70 53	0061523	05 03 56.24	-70 31 23.1	12.72	-0.02	-0.70	0.04	B8 I	OBJ 2	
BI 62	0061674	05 03 58.46	-70 40 45.9	13.88	-0.11	-0.84	-0.09	OB0	OBJ 2	
Sk -68 33	0062027	05 04 04.14	-68 11 48.6	12.74	-0.01	-0.48	0.03	A0 I	OBJ 2	
Sk -70 55	0062266	05 04 08.48	-70 15 45.9	12.67	-0.13	-0.98	0.02	B0.5 I	SLIT 4	
Sk -70 54	0062470	05 04 12.50	-70 03 55.5	14.37	-0.17	-0.78	0.12	WN4o	SLIT 11	BAT99-17, HD269015
Sk -69 62	0062572	05 04 14.55	-69 18 31.9	13.30	-0.09	-0.84	-0.04	B1:	OBJ 2	
Sk -70 57	0062592	05 04 14.81	-70 37 06.4	13.37	-0.18	-1.05	-0.07	O7.5 III	SLIT 7	
Sk -70 60	0064006	05 04 40.88	-70 15 34.7	13.88	-0.16	-1.09	-0.04	O4 V	SLIT 7	
Sk -70 59A	0064054	05 04 41.99	-70 41 40.0	12.91	-0.14	-1.01	-0.04	B0	OBJ 2	
Sk -70 58	0064071	05 04 42.26	-70 06 51.4	12.84	-0.08	-0.93	0.03	B0.5	OBJ 2	
Sk -70 61	0064509	05 04 50.53	-70 38 23.2	12.87	-0.13	-0.94	-0.01	B2:	OBJ 2	
Sk -70 62	0064718	05 04 54.47	-70 32 27.9	13.04	-0.16	-0.99	-0.05	B1:	OBJ 2	
Sk -70 63	0065059	05 05 00.50	-70 28 21.5	12.81	-0.07	-0.91	-0.01	B0.5:	OBJ 2	
Sk -70 64	0065479	05 05 08.49	-70 22 45.5	14.64	-0.15	-0.90	0.05	WN4(h)	SLIT 11	BAT99-18, BE 521
Sk -70 65	0065609	05 05 11.18	-70 26 14.7	13.54	-0.12	-0.91	-0.04	B0 III	SLIT 7	
FDG 532	0065705	05 05 13.19	-68 33 12.0	12.62	0.08	-0.40	0.08	CLUS	OBJ 2	
Sk -70 68	0065964	05 05 18.34	-70 09 25.9	13.18	-0.13	-0.96	-0.03	B1.5	OBJ 2	
Sk -70 69	0065981	05 05 18.69	-70 25 50.3	13.95	-0.23	-1.09	-0.07	O4 V	SLIT 7	
Sk -70 71	0066044	05 05 19.94	-70 40 05.6	12.62	-0.09	-0.91	-0.05	B1	OBJ 2	
Sk -70 70	0066299	05 05 24.72	-70 27 40.9	13.65	-0.13	-1.03	0.10	O6 IIIf	SLIT 7	
ARDB C 17	0066302	05 05 24.75	-68 30 04.3	13.17	0.05	-0.31	0.04	CLUS	OBJ 2	
FDG 198	0066403	05 05 26.71	-70 05 47.6	13.48	0.07	-0.10	0.09	A1: I	OBJ 1,2	
BI 70	0066813	05 05 34.02	-70 01 25.8	13.79	-0.06	-0.94	-0.02	B1-2	OBJ 2	
BI 68	0066877	05 05 35.24	-68 59 29.2	13.28	0.02	-0.85	0.06	B1-2	OBJ 2	BE 202
Sk -70 73	0067065	05 05 38.95	-70 41 03.5	12.88	-0.10	-0.90	-0.01	B1	OBJ 2	
Sk -70 74	0067368	05 05 44.72	-70 38 06.1	12.48	-0.09	-0.91	-0.02	B1	OBJ 2	
Sk -70 76	0067428	05 05 45.88	-70 43 45.6	13.66	-0.13	-0.96	-0.07	B1	OBJ 2	
Sk -68 44	0067857	05 05 54.14	-68 40 17.3	12.66	0.07	-0.42	0.03	A2: I	OBJ 2	
Sk -70 77	0068093	05 05 58.81	-70 16 09.5	12.86	0.01	-0.45	0.03	B8 I	OBJ 2	
Sk -68 46	0068900	05 06 14.87	-68 33 01.6	12.46	-0.03	-0.94	0.03	B0:	OBJ 2	
Sk -68 48	0069520	05 06 27.52	-68 30 40.6	11.95	0.25	-0.43	0.20	B8 Ie	OBJ 2	E 208
Sk -70 79	0069992	05 06 37.24	-70 29 24.4	12.71	-0.06	-0.95	0.02	B0 III	SLIT 9	
BI 77	0070310	05 06 44.04	-70 23 19.6	14.96	-0.13	-0.77	0.02			
BI 78	0070381	05 06 45.68	-70 24 20.3	13.74	-0.13	-0.94	-0.02	B1 Ib	SLIT 9	
FDG 207	0070383	05 06 45.70	-68 59 11.2	12.86	0.30	0.08	0.17	A9 I	OBJ 1,2	
OM 5	0070434	05 06 46.76	-68 33 07.3	13.34	0.25	-0.49	0.21	B8:	OBJ 2	BE 209
BI 75	0070508	05 06 48.01	-68 38 01.1	13.18	-0.06	-0.92	-0.03	B1-2	OBJ 2	
BI 76	0070611	05 06 49.81	-68 54 08.0	14.03	-0.14	-0.98	-0.01	B1-2	OBJ 2	

Table 4—Continued

Name[a]	Catalog Number	α_{2000}	δ_{2000}	V	$B-V$	$U-B$	$V-R$	Spectral Data		Other ID
								Type	Source[b]	
Sk -69 63	0070643	05 06 50.48	-69 55 09.4	13.19	-0.03	-0.64	0.03	B6 I	OBJ 2	
Sk -68 50	0070838	05 06 54.53	-68 29 51.3	13.37	-0.15	-0.97	-0.07	B0.5:	OBJ 2	
Sk -70 79A	0071194	05 07 02.24	-70 29 48.1	13.21	-0.04	-0.90	0.02	B1.5	OBJ 2	
FDG 543	0071791	05 07 14.17	-69 08 29.9	12.70	0.09	-0.36	-0.01	B	OBJ 1	
BI 81	0072505	05 07 28.10	-70 30 37.6	14.07	-0.05	-0.91	0.06	B[e]	SLIT 9	
Sk -70 80	0073719	05 07 52.50	-70 26 05.0	12.63	0.39	-0.63	0.61	O-B0:	OBJ 2	
BI 83	0073723	05 07 52.58	-69 12 27.4	13.22	-0.07	-0.81	-0.04	B1-2	OBJ 2	
Sk -70 80A	0074227	05 08 02.13	-70 22 44.6	13.27	0.05	-0.20	0.08	A0 I	OBJ 2	
Sk -69 64	0074261	05 08 02.75	-69 03 25.7	13.21	0.01	-0.87	0.02	B0.5	OBJ 2	
Sk -69 65	0074791	05 08 12.47	-69 13 54.0	12.67	-0.07	-0.81	-0.04	B1	OBJ 2	
Sk -68 55	0075447	05 08 24.95	-68 34 18.9	13.43	-0.06	-0.71	0.01	B1.5:	OBJ 2	
Sk -70 81	0077462	05 08 55.59	-70 03 58.6	12.99	0.00	-0.59	0.02	B8 I	OBJ 2	
FDG 221	0077487	05 08 55.84	-69 16 21.5	12.43	0.23	0.04	0.17	F0 I	OBJ 1,2	
Sk -69 66	0077560	05 08 56.71	-69 57 25.7	13.20	-0.01	-0.53	0.03	B8 I	OBJ 2	
Sk -68 57	0080420	05 09 40.56	-68 53 25.1	13.69	-0.15	-0.77	0.21	WN4b+0B?	SLIT 11	BAT99-19
FDG 224	0081248	05 09 53.57	-68 36 43.8	13.39	0.16	-0.04	0.09	A7 I	OBJ 1,2	
BI 90	0081518	05 09 57.60	-69 14 36.7	14.12	-0.15	-0.93	-0.11	O9.5 IV	SLIT 6	
Sk -69 68	0081591	05 09 58.91	-69 07 01.8	12.56	0.02	-0.88	0.08	B0.5	OBJ 2	
Sk -70 82	0082260	05 10 09.19	-70 05 40.4	13.40	-0.09	-0.94	0.05	B3: I	OBJ 2	
BI 94	0083345	05 10 24.48	-69 06 51.5	13.61	-0.07	-1.16	0.03	O7 V((f))	SLIT 9	
Sk -69 70	0084997	05 10 48.47	-69 20 31.5	12.76	0.02	-0.59	0.06	B7 I	OBJ 2	
OM 17	0087136	05 11 21.07	-69 09 39.6	13.06	0.05	-0.38	0.09	B8:	OBJ 2	
FDG 557	0088754	05 11 50.59	-69 21 04.6	13.28	0.20	0.03	0.16	A7: I:	OBJ 1,2	
OM 10	0088823	05 11 51.77	-69 01 34.1	13.07	0.01	-0.43	0.00	A0:	OBJ 2	
Sk -69 71	0089310	05 12 01.48	-69 15 17.7	13.12	-0.07	-0.85	-0.05	B5 I	OBJ 2	
Sk -69 72	0090902	05 12 33.98	-69 17 10.9	11.94	0.23	-0.59	0.40	B5 I	OBJ 2	
Sk -69 73	0091822	05 12 53.78	-69 52 34.5	13.73	-0.15	-0.94	-0.03	B2	OBJ 2	
BI 105	0091996	05 12 57.10	-69 22 55.8	13.98	-0.16	-1.01	-0.04	B0.5 V	SLIT 9	
BI 101	0092141	05 13 00.26	-69 23 36.8	13.29	-0.14	-0.95	0.04	O9 II	SLIT 7	
Sk -69 74	0092159	05 13 00.55	-69 15 28.2	12.91	0.01	-0.74	0.03	B1.5	OBJ 2	
BI 103	0092547	05 13 08.52	-69 18 04.2	14.06	0.01	-0.81	0.05	B2 Ia	SLIT 9	
OM 11	0093602	05 13 29.92	-68 43 52.2	14.03	-0.01	-0.43	0.01			
Sk -70 83	0093656	05 13 31.09	-70 17 59.2	13.84	0.04	-0.97	0.12	B extr	SLIT 7	BE 541
BI 108	0094226	05 13 43.15	-69 18 37.2	13.20	-0.11	-0.91	0.02	B1-2	OBJ 2	
BI 109	0094378	05 13 46.34	-69 19 28.7	12.72	-0.09	-0.95	0.03	B1-2	OBJ 2	
Sk -69 81	0095796	05 14 12.82	-69 19 26.0	14.46	-0.21	-0.69	0.18	WN4b	SLIT 11	BAT99-24, HD34783
BI 111	0096012	05 14 17.12	-69 18 16.4	13.16	-0.07	-0.99	0.07	O9 II	SLIT 7	
OM 19	0096975	05 14 35.18	-69 38 17.1	13.45	0.00	-0.60	0.10			
BI 115	0101164	05 15 48.37	-69 28 00.6	13.42	-0.06	-0.88	0.04	B1-2	OBJ 2	
BI 113	0101356	05 15 51.60	-69 34 03.3	13.29	-0.14	-0.86	-0.04	B1-2	OBJ 2	
BI 114	0102142	05 16 04.64	-69 08 10.6	13.74	0.19	-0.75	99.99			
BI 120	0104138	05 16 35.98	-70 30 11.1	14.39	-0.08	-0.88	-0.12	B1-2	OBJ 2	
OM 24	0104195	05 16 36.96	-69 20 12.7	13.24	-0.03	-0.67	0.05	B5:	OBJ 2	
Sk -69 86	0104322	05 16 38.94	-69 16 40.9	14.32	0.03	-0.72	0.23	WN4b	SLIT 11	BAT99-26
BI 121	0105113	05 16 51.90	-69 11 29.5	14.16	-0.17	-0.93	0.02	B1 III:	SLIT 9	BE 236
BI 122	0105288	05 16 54.98	-69 08 32.7	13.11	-0.14	-0.97	-0.03	B1-2	OBJ 2	
Sk -69 88	0105697	05 17 01.54	-69 36 34.9	13.12	-0.18	-1.03	0.01	B2	OBJ 2	
Sk -70 85	0105989	05 17 05.74	-70 19 23.1	12.32	-0.03	-1.05	0.01	B0	OBJ 2	
BI 123	0106125	05 17 07.97	-69 45 46.1	13.28	-0.14	-1.02	-0.10	B1-2	OBJ 2	
BI 126	0108626	05 17 48.92	-69 09 08.5	13.48	-0.08	-0.94	0.05	B1-2		BE 240
BI 127	0108922	05 17 53.99	-69 08 24.2	14.09	-0.19	-1.02	-0.03	O6.5 V	SLIT 7	
BI 130	0109725	05 18 06.06	-69 14 34.5	12.53	-0.16	-1.03	-0.04	O8.5V((f))	SLIT 9	BE 243
BI 131	0110164	05 18 13.01	-69 15 50.5	13.53	-0.20	-1.04	-0.08	O9 III	SLIT 6	
Sk -69 96	0110171	05 18 13.16	-69 52 28.3	12.94	0.13	-0.18	0.13	A3 I	OBJ 2	
Sk -69 97	0110516	05 18 18.17	-69 45 48.6	12.86	0.02	-0.88	0.08	B0	OBJ 2	
Sk -70 86	0110694	05 18 20.91	-70 35 06.0	13.44	-0.11	-0.96	-0.05	B2	OBJ 2	
BI 133	0110852	05 18 23.73	-69 11 01.3	12.97	-0.14	-1.02	0.00	O9 III	SLIT 6	
BI 135	0111451	05 18 33.80	-69 15 18.6	12.57	-0.17	-1.02	-0.02	O9.5 III	SLIT 6	
BI 134	0111504	05 18 34.67	-69 27 40.7	13.16	0.05	-0.46	0.11	B1-2	OBJ 2	
FDG 256	0111708	05 18 37.97	-69 02 24.6	12.81	0.03	-0.55	0.11	B6 I	OBJ 1,2	
BI 138	0111738	05 18 38.52	-69 14 19.1	13.40	-0.14	-1.01	-0.08			
BI 136	0111929	05 18 41.86	-69 10 51.8	14.12	-0.05	-0.94	0.08			
BI 137	0112593	05 18 51.88	-69 12 06.2	12.89	-0.18	-0.95	-0.04	O8 V	SLIT 6	
BI 139	0112741	05 18 54.16	-69 30 45.5	13.04	0.01	-0.83	0.15	B1-2	OBJ 2	BE 558
Sk -69 105	0113142	05 18 59.74	-69 44 53.1	12.77	-0.15	-1.03	-0.04	B0	OBJ 2	

Table 4—Continued

Name[a]	Catalog Number	α_{2000}	δ_{2000}	V	$B-V$	$U-B$	$V-R$	Spectral Data		Other ID
								Type	Source[b]	
BI 140	0113265	05 19 01.92	-69 13 06.9	13.03	-0.18	-1.08	-0.09	B1-2	OBJ 2	
FDG 261	0113490	05 19 05.03	-69 41 05.7	12.46	0.01	-0.60	0.06	B7 I	OBJ 1,2	
0519-6907	0114113	05 19 14.32	-69 05 12.0	13.60	-0.08	-0.84	0.02			
BI 143	0114890	05 19 25.25	-69 24 34.3	14.35	-0.05	-0.76	0.06			
Sk -68 69	0114935	05 19 25.87	-68 51 33.6	12.00	0.06	-0.48	0.10	B8 I	OBJ 2	
BI 144	0116614	05 19 49.27	-69 21 01.2	13.30	-0.13	-0.96	-0.03	B0.5 I	SLIT 6	
FDG 263	0116648	05 19 49.74	-69 30 03.6	11.65	0.13	-0.46	0.28	CLUS	OBJ 2	
Sk -69 108	0116798	05 19 51.99	-69 53 08.7	12.12	0.24	-0.61	0.18	B3 I	OBJ 2	
0520-6906	0117579	05 20 02.50	-69 05 07.6	13.33	0.04	-0.38	0.07			
OM 40	0118060	05 20 09.18	-69 38 13.6	12.81	-0.03	-0.71	0.03	B5:	OBJ 2	
Sk -69 109	0118875	05 20 19.58	-69 11 15.6	13.08	-0.16	-1.01	-0.03	B2	OBJ 2	BE 254
BI 147	0123567	05 21 24.91	-69 04 58.9	13.57	-0.16	-1.01	-0.05	B1-2	OBJ 2	
0521-6939	0123811	05 21 28.65	-69 37 58.2	12.71	0.06	-0.46	0.06	B8:	OBJ 2	
FDG 276	0126670	05 22 10.90	-69 05 45.1	12.63	0.14	-0.04	0.15	A3 I	OBJ 1,2	
Sk -70 88	0127347	05 22 20.30	-70 36 06.9	12.53	-0.05	-0.90	0.00	B2	OBJ 2	
FDG 278	0128265	05 22 33.22	-68 16 40.0	12.92	0.08	-0.13	0.09	A0 I	OBJ 1,2	
0523-6916	0130137	05 22 58.88	-69 14 33.7	13.34	0.01	-0.46	0.00			
Sk -70 89	0130461	05 23 03.38	-70 39 44.2	13.49	-0.13	-0.95	-0.07	B2	OBJ 2	
Sk -68 74	0130647	05 23 06.11	-68 13 55.4	12.41	0.06	-0.48	0.04	A0: I	OBJ 2	
BI 154	0131860	05 23 41.09	-69 22 06.9	13.74	-0.14	-0.98	-0.09	B0 I:	SLIT 6	
BI 160	0132487	05 24 15.16	-69 22 26.3	14.15	-0.13	-0.96	0.02	B1-2	OBJ 2	
Sk -68 77	0132665	05 24 24.26	-68 31 35.8	14.32	0.08	-0.81	0.20	WN4b/WNE	SLIT 11	BAT99-36, HDE269485
BI 161	0132673	05 24 24.60	-69 06 51.8	14.24	-0.10	-0.97	-0.04	B1-2	OBJ 2	
BI 163	0133355	05 24 59.02	-68 28 48.1	13.60	-0.21	-1.05	-0.08	B1-2	OBJ 2	
BI 164	0133419	05 25 02.00	-68 31 58.3	13.91	-0.22	-1.05	-0.17	O8 V	SLIT 9	
Sk -69 123	0133680	05 25 14.62	-69 04 49.6	12.57	-0.12	-0.97	-0.01	B1 I	SLIT 6	
Sk -69 124	0133770	05 25 18.35	-69 03 11.3	12.77	-0.16	-1.03	-0.04	O9 Ib	SLIT 7	
BI 166	0134025	05 25 29.71	-68 36 45.7	13.94	0.05	-1.04	0.25	OB0	OBJ 2	
Sk -69 125	0134160	05 25 35.30	-69 13 33.5	12.08	0.20	-0.13	0.16	A8: I	SLIT 4	
Sk -67 101	0134666	05 25 56.43	-67 30 28.6	12.67	-0.23	-1.03	99.99	O9 III	SLIT 7	
BI 168	0134701	05 25 57.84	-69 12 55.3	13.61	-0.02	-0.99	0.06	B1-2	OBJ 2	BE 273
Sk -67 103	0134716	05 25 58.29	-67 24 14.5	13.50	-0.20	-1.04	99.99	B0.5	OBJ 2	
BI 167	0134760	05 25 59.64	-69 11 14.6	14.20	-0.02	-0.95	0.06	B extr	SLIT 7	BE 274
Sk -67 102	0134811	05 26 01.01	-67 03 10.1	13.55	-0.21	-0.98	99.99	B2 III	SLIT 7	
BI 169	0135057	05 26 08.81	-67 29 45.8	12.51	-0.22	-1.01	99.99	B1-2	OBJ 2	
Sk -67 107	0135476	05 26 20.86	-67 29 55.8	12.32	-0.19	-0.99	-0.01	B0	OBJ 2	
Sk -67 108	0135697	05 26 26.65	-67 37 20.3	12.57	-0.20	-1.04	-0.03	O4-5 III	SLIT 8	
Sk -69 127	0135748	05 26 28.21	-69 06 42.7	12.79	-0.08	-0.94	0.00	B1	OBJ 2	
Sk -67 109	0135807	05 26 29.39	-67 22 55.6	13.18	-0.12	-0.93	0.04	B0-1	OBJ 2	
Sk -69 133	0136372	05 26 42.68	-69 06 57.0	14.71	-0.15	-0.78	0.14	WN4b	SLIT 11	BAT99-41, HDE269549
BI 170	0136612	05 26 47.79	-69 06 11.9	13.06	-0.20	-1.04	0.02	O9.5 II	SLIT 6	
Sk -67 111	0136636	05 26 48.22	-67 29 30.1	12.60	-0.21	-1.05	-0.03	O7 f	SLIT 7	
Sk -69 134	0136747	05 26 50.41	-69 10 11.7	12.93	-0.17	-1.04	-0.04	B0 n	SLIT 7	
Sk -67 113	0137231	05 27 01.44	-67 20 01.0	13.42	-0.24	-1.05	-0.07	B1.5:	OBJ 2	
Sk -67 114	0137363	05 27 04.42	-67 26 06.8	12.23	0.43	-0.59	0.66	B6: I	OBJ 2	
BI 173	0137610	05 27 10.05	-69 07 56.3	12.96	-0.16	-1.02	-0.06	O8 III	SLIT 6	
Sk -67 115	0137630	05 27 10.47	-67 10 54.0	13.43	-0.09	-0.67	0.05	B4: I	OBJ 2	
BI 172	0137955	05 27 17.36	-67 28 53.3	13.28	-0.18	-0.98	-0.05	B0.5 III	SLIT 6	
BI 174	0138294	05 27 24.51	-68 55 40.3	12.91	-0.09	-0.92	0.04	B1-2	OBJ 2	
Sk -68 84A	0138407	05 27 26.94	-68 54 04.3	12.71	-0.09	-0.96	-0.02	B1 Ib	SLIT 9	
Sk -67 117A	0138449	05 27 27.53	-67 27 43.0	12.65	-0.18	-1.01	0.02	0B:	OBJ 2	BE 52
Sk -67 117B	0138492	05 27 28.51	-67 27 24.0	12.64	-0.17	-0.99	-0.05	B0 Ib	SLIT 7	
Sk -67 117C	0138598	05 27 30.81	-67 27 32.4	12.72	-0.19	-1.01	-0.05	B0.5	OBJ 2	
Sk -67 118	0138717	05 27 33.41	-67 17 30.2	12.98	-0.19	-1.03	-0.06	O7 V	SLIT 9	
Sk -68 85	0138858	05 27 36.17	-68 58 14.3	12.41	-0.12	-0.97	-0.01	B1.5:	OBJ 2	
Sk -67 118A	0138898	05 27 36.96	-67 19 02.1	12.00	0.10	-0.11	0.11	A6 I	OBJ 2	
Sk -69 140	0139017	05 27 39.53	-69 12 41.7	12.71	-0.10	-0.95	-0.03	B4 I	OBJ 2	
Sk -67 119	0139081	05 27 40.72	-67 18 10.6	13.31	-0.20	-1.04	-0.06	O7 III(f)	SLIT 9	
Sk -68 86	0139130	05 27 41.79	-68 50 18.8	12.59	-0.15	-1.02	-0.04	B1:	OBJ 2	
Sk -69 141	0139177	05 27 42.78	-69 10 00.4	13.37	-0.16	-0.97	0.07	WN8h	SLIT 11	BAT99-44
Sk -67 121	0139485	05 27 49.24	-67 47 44.2	13.51	-0.20	-1.01	-0.05	B1.5:	OBJ 2	
Sk -68 91	0139738	05 27 54.35	-68 56 19.4	12.52	-0.17	-1.03	-0.06	B0	OBJ 2	
Sk -67 123	0139812	05 27 56.04	-67 15 25.0	13.31	-0.13	-0.87	-0.02	B2 III	SLIT 7	
Sk -67 123A	0140060	05 28 01.29	-67 27 54.8	13.13	-0.17	-0.95	0.00	B1.5	OBJ 2	
Sk -69 144	0140118	05 28 02.57	-69 13 49.5	12.87	-0.17	-1.03	-0.07	B1.5:	OBJ 2	

Table 4—Continued

Name[a]	Catalog Number	α_{2000}	δ_{2000}	V	$B-V$	$U-B$	$V-R$	Spectral Data		Other ID
								Type	Source[b]	
Sk -69 146	0140917	05 28 18.79	-69 15 19.8	12.67	-0.17	-0.99	-0.03	B3: I	OBJ 2	
Sk -67 124	0141010	05 28 20.18	-67 02 19.6	12.22	0.07	-0.13	0.12	A4 I	OBJ 2	
Sk -69 148	0141377	05 28 28.01	-69 12 57.2	10.93	1.61	1.55	0.70	PEC	OBJ 1	
Sk -69 150	0141603	05 28 32.18	-69 12 03.1	12.27	0.08	-0.33	0.09	A0 I	OBJ 2	
Sk -67 127A	0141937	05 28 39.90	-67 12 54.3	13.51	-0.13	-0.93	0.04	B0	SLIT 6	
Sk -69 153	0142155	05 28 44.48	-69 13 43.5	12.51	0.03	-0.48	0.06	B8: I	OBJ 2	
Sk -67 129	0142223	05 28 46.11	-67 33 36.4	13.36	-0.19	-0.98	0.01	B1:	OBJ 2	
Sk -67 128	0142277	05 28 47.11	-67 09 32.5	12.79	-0.13	-0.86	0.00	B3: I	OBJ 2	
Sk -68 95	0142555	05 28 53.41	-68 48 44.1	12.66	-0.07	-0.92	0.00	B1 III	SLIT 9	
Sk -68 94	0142673	05 28 55.86	-68 29 44.0	13.30	-0.16	-1.03	-0.04	B0.5	OBJ 2	
Sk -67 131	0143017	05 29 03.25	-67 20 25.7	12.43	-0.16	-0.99	0.00	B0.5: Ia	SLIT 8	
Sk -68 97	0143037	05 29 03.63	-68 29 12.8	13.78	-0.14	-0.94	-0.01	B0	OBJ 2	
Sk -67 132	0143436	05 29 11.91	-67 06 01.3	13.04	-0.17	-0.95	-0.01	B0.5:	OBJ 2	
Sk -68 98	0143463	05 29 12.47	-68 45 36.0	14.19	-0.45	99.99	-0.12	WN3	SLIT 11	BAT99-47, HDE269618
BI 178	0143637	05 29 16.14	-67 12 27.5	14.08	-0.08	-0.96	0.06	B1 III	SLIT 9	
BI 179	0143801	05 29 19.65	-67 12 21.9	13.69	-0.20	-1.05	-0.05	O8 III	SLIT 6	
Sk -67 133	0143920	05 29 21.81	-67 20 11.5	12.62	-0.10	-0.82	-0.01	B2:	OBJ 2	
Sk -68 99	0144222	05 29 27.73	-68 46 00.4	12.64	-0.14	-0.95	-0.03	B3: I	OBJ 2	
Sk -67 134	0144285	05 29 28.61	-67 08 29.9	12.82	-0.11	-0.81	0.00	B2	OBJ 2	
Sk -69 157	0144289	05 29 28.68	-69 23 31.8	12.49	-0.10	-0.94	-0.02	B6: I	OBJ 2	
Sk -68 102	0144436	05 29 31.75	-68 54 28.7	14.94	-0.28	-0.78	0.06	WN4b	SLIT 11	BAT99-48, HDE269624
Sk -68 103	0144567	05 29 34.18	-68 54 14.5	12.67	-0.03	-0.67	0.04	B3: I	OBJ 2	
Sk -67 135	0144751	05 29 37.41	-67 03 41.8	12.93	-0.13	-0.91	-0.01	B3: I	OBJ 2	
Sk -69 158	0145199	05 29 45.51	-69 09 40.6	12.90	-0.03	-0.78	0.00	OB	OBJ 1	
Sk -67 140	0145807	05 29 56.59	-67 27 31.0	12.49	0.05	-0.41	0.11	A0 Ia	SLIT 4	
Sk -67 142	0145952	05 29 59.10	-67 13 33.3	13.18	-0.15	-0.86	0.02	B1.5	OBJ 2	
Sk -68 104	0146131	05 30 02.54	-68 45 18.2	15.16	-0.26	-0.81	-0.07	WN3b	SLIT 11	BAT99-51
Sk -68 105	0146506	05 30 08.99	-68 48 36.6	13.06	-0.14	-1.02	-0.03	B0 Ia	SLIT 9	
Sk -69 163	0146594	05 30 10.36	-69 14 37.1	12.67	-0.05	-0.83	0.02	B3: I	OBJ 2	
Sk -67 144	0146696	05 30 12.26	-67 26 08.6	13.50	-0.23	-0.50	0.19	WC4	SLIT 11	BAT99-52, HD37026
Sk -69 164	0146856	05 30 14.92	-69 21 01.6	12.51	0.06	-0.42	0.08	B8 I	OBJ 2	
Sk -67 148	0147531	05 30 27.28	-67 37 41.4	13.29	-0.23	-1.06	-0.02	B1:	OBJ 2	
Sk -67 147	0147579	05 30 28.19	-67 12 08.7	12.86	-0.08	-0.70	0.04	B3 I	OBJ 2	
Sk -67 149	0147712	05 30 30.21	-67 33 15.0	13.72	-0.09	-0.94	0.12	B0:	OBJ 2	BE 325
Sk -67 150A	0148092	05 30 36.68	-67 03 03.7	12.77	-0.01	-0.39	0.07	A0 I	OBJ 2	
Sk -69 167	0148119	05 30 37.24	-69 15 06.4	12.33	-0.08	-0.91	0.01	B2:	OBJ 2	
Sk -68 107	0148172	05 30 37.96	-68 24 39.0	12.20	-0.02	-0.90	0.07	B0 Ia	SLIT 4	
Sk -69 168	0148314	05 30 40.38	-69 04 46.0	12.90	-0.05	-0.85	0.03	B1.5	OBJ 2	
Sk -67 152	0148999	05 30 51.92	-67 33 23.0	13.34	-0.17	-0.95	-0.01	B1.5:	OBJ 2	
Sk -67 151	0149005	05 30 52.02	-67 38 10.2	12.49	0.04	-0.31	0.09	A2 I	OBJ 2	
Sk -68 109	0149015	05 30 52.21	-68 41 37.3	12.53	0.12	-0.28	0.12	A1 I	OBJ 2	
Sk -68 109A	0149152	05 30 54.25	-68 16 05.6	13.45	0.12	-0.31	0.14	A0 I	OBJ 2	
Sk -67 154	0149737	05 31 03.82	-67 21 20.6	12.61	-0.08	-0.90	99.99	B1	OBJ 2	
Sk -68 112	0149973	05 31 08.12	-68 36 54.3	12.76	-0.18	-1.04	-0.05	B1:	OBJ 2	
Sk -69 173	0149989	05 31 08.34	-69 17 56.1	12.60	-0.04	-0.85	0.00	B2.5	OBJ 2	
BI 186	0150006	05 31 08.58	-67 38 08.7	13.90	-0.18	-0.92	-0.10	B1-2	OBJ 2	
Sk -67 155A	0150415	05 31 15.97	-67 10 25.1	12.20	0.07	-0.13	0.09	A4 I	OBJ 2	
Sk -67 159	0151006	05 31 26.44	-67 37 20.7	12.78	-0.21	-1.02	-0.02	B1	OBJ 2	
Sk -67 158	0151096	05 31 28.32	-67 31 06.3	13.37	-0.16	-0.91	-0.04	B1 III	SLIT 9	
Sk -67 161	0151339	05 31 32.90	-67 40 46.6	14.53	-0.17	-0.85	0.27	WN4b	SLIT 11	BAT99-56, HDE269692
Sk -67 160	0151416	05 31 34.46	-67 16 29.3	14.84	-0.19	-0.78	0.23	WN4b	SLIT 11	BAT99-57
Sk -69 176	0151460	05 31 35.25	-69 30 47.7	12.76	0.00	-0.71	0.05	B3 I	OBJ 2	
BI 190	0151643	05 31 38.59	-68 28 08.2	14.08	-0.06	-0.96	0.00	O8 V((f))	SLIT 9	
Sk -67 164	0151776	05 31 41.26	-67 37 01.4	13.12	-0.16	-0.88	0.01	B1.5	OBJ 2	
0531-6731	0152068	05 31 46.48	-67 31 07.4	13.31	-0.04	-0.42	0.07	A I	OBJ 2	
Sk -69 177	0152239	05 31 49.46	-69 13 14.7	12.10	0.04	-0.66	0.07	B4 I	OBJ 2	
Sk -67 167	0152366	05 31 51.99	-67 39 41.6	12.53	-0.22	-1.07	-0.05	O4 Inf+	SLIT 5,7	
OM 48	0152390	05 31 52.27	-68 59 32.1	12.75	0.03	-0.69	0.04	B5:	OBJ 2	
Sk -67 170	0152433	05 31 53.03	-67 12 15.3	12.52	0.02	-0.40	0.07	B9 I	OBJ 2	
BI 192	0152788	05 32 00.00	-67 32 55.4	13.75	-0.22	-1.03	-0.13	O9.5 III	SLIT 6	
Sk -67 171	0152843	05 32 00.86	-67 20 23.2	12.08	-0.04	-0.65	0.06	B7 I	OBJ 2	
BI 193	0153074	05 32 04.85	-67 33 33.8	13.50	-0.22	-0.96	-0.07	B0 II	SLIT 7	
Sk -69 180	0153167	05 32 06.65	-69 26 56.9	12.92	-0.13	-0.94	-0.01	B1	OBJ 2	
Sk -68 115	0153219	05 32 07.61	-68 26 31.4	14.98	0.34	-0.53	0.30	WN6h	SLIT 11	BAT99-58
BI 194	0153300	05 32 08.97	-67 53 20.9	14.48	-0.06	-0.99	0.11	OB0	OBJ 2	BE 345

Table 4—Continued

Name[a]	Catalog Number	α_{2000}	δ_{2000}	V	$B-V$	$U-B$	$V-R$	Spectral Data		Other ID
								Type	Source[b]	
BI 196	0153860	05 32 19.20	-67 49 50.1	14.53	-0.23	-1.02	-0.02	O9 V	SLIT 6	
Sk -68 116	0153864	05 32 19.27	-68 35 51.4	12.36	-0.10	-0.99	-0.02	B1.5	OBJ 2	
Sk -68 117	0154206	05 32 25.90	-68 55 15.9	13.47	-0.11	-0.92	-0.01	B1 III	SLIT 9	
Sk -68 118	0154333	05 32 27.89	-68 49 38.4	12.86	-0.14	-1.02	-0.05	B0	OBJ 2	
BI 197	0154375	05 32 28.65	-67 22 32.6	13.74	-0.15	-0.86	-0.01	B0 II	SLIT 7	
FDG 368	0154467	05 32 30.06	-67 11 46.7	12.49	0.07	-0.18	0.07	A2	OBJ 1	
BI 199	0154808	05 32 36.92	-67 34 42.1	13.70	-0.17	-0.88	-0.02	B1-2	OBJ 2	
Sk -68 119	0155050	05 32 41.76	-68 54 17.4	13.62	-0.14	-1.01	-0.09	O9 V	SLIT 9	
BI 198	0155180	05 32 44.19	-67 12 45.1	13.35	-0.14	-0.90	-0.04	B1-2	OBJ 2	
Sk -67 180	0155360	05 32 47.32	-67 10 05.3	12.60	-0.08	-0.77	-0.01	B3: I	OBJ 2	
Sk -68 120	0155390	05 32 47.88	-68 37 26.1	13.36	-0.21	-1.03	-0.04	B4: I	OBJ 2	
Sk -67 181	0155452	05 32 49.11	-67 20 40.6	12.19	-0.12	-0.85	0.02	B0.5	OBJ 2	
BI 200	0155612	05 32 52.01	-67 33 54.9	13.63	-0.16	-0.91	-0.01	B0 II	SLIT 7	
Sk -67 182	0155763	05 32 55.15	-67 12 31.6	13.17	-0.15	-0.95	-0.04	B1	OBJ 2	
Sk -67 184	0156590	05 33 10.63	-67 42 42.8	13.13	-0.13	-0.91	0.04	WN4o+B	SLIT 11	BAT99-59, HDE269748
Sk -69 183	0156601	05 33 10.94	-69 29 00.7	14.47	-0.14	-0.97	-0.03	WN3+OB	SLIT 11	BAT99-60
BI 201	0156660	05 33 12.09	-67 28 39.7	13.21	-0.08	-0.91	0.05	B1-2	OBJ 2	
Sk -67 185	0156975	05 33 18.60	-67 31 21.8	12.39	-0.13	-0.93	0.01	B1.5	OBJ 2	
Sk -68 122	0157075	05 33 20.80	-68 41 23.2	12.72	-0.09	-0.96	0.01	B3 I	OBJ 2	
Sk -67 188	0157200	05 33 22.91	-67 45 46.1	13.41	-0.08	-0.85	-0.02	A3: I	OBJ 2	
Sk -67 187	0157236	05 33 23.61	-67 31 05.7	12.09	-0.12	-0.95	0.01	B1	OBJ 2	
Sk -67 190	0157326	05 33 25.34	-67 21 38.3	12.67	-0.11	-0.87	0.00	B1:	OBJ 2	
Sk -69 184	0157645	05 33 31.71	-69 18 28.6	12.99	-0.12	-0.95	-0.02	B1.5	OBJ 2	
Sk -67 192	0157926	05 33 37.08	-67 05 35.5	13.16	-0.14	-0.84	0.00	B2:	OBJ 2	
Sk -67 193	0157942	05 33 37.32	-67 26 02.4	13.03	0.46	-0.09	0.32	OB	OBJ 1	
Sk -69 185	0158115	05 33 40.47	-69 06 58.3	12.67	0.17	-0.62	0.14	B5: I	OBJ 2	
Sk -69 186	0158212	05 33 42.48	-69 26 35.7	12.98	-0.07	-0.90	0.01	B0.5	OBJ 2	
Sk -67 195	0158636	05 33 52.04	-67 08 02.0	12.84	-0.02	-0.61	0.07	B6 I	OBJ 2	
Sk -67 196	0158715	05 33 53.71	-67 34 17.1	13.08	-0.14	-0.96	0.04	B0	OBJ 2	
BI 208	0158880	05 33 57.38	-67 24 20.3	13.94	-0.22	-1.09	-0.05	O7 V	SLIT 6	
Sk -68 123	0158919	05 33 58.33	-68 41 41.5	12.92	0.06	-0.42	0.10	OB	OBJ 1	
Sk -67 197	0158955	05 33 59.15	-67 32 15.7	12.34	0.01	-0.72	0.11	B7 I	OBJ 2	
BI 210	0159240	05 34 05.38	-68 06 50.8	14.67	-0.18	-1.01	-0.03			
BI 214	0159276	05 34 06.32	-69 25 09.0	13.18	-0.15	-1.03	-0.10	O6.5 f	SLIT 7	
BI 212	0159832	05 34 18.23	-68 30 09.8	14.56	-0.12	-0.91	-0.04	B1-2	OBJ 2	
BI 213	0159833	05 34 18.24	-68 32 27.8	14.24	-0.09	-0.86	0.04	B1-2	OBJ 2	BE 367
Sk -67 200	0159871	05 34 19.12	-67 06 29.1	12.60	-0.18	-1.01	-0.01	B1.5	OBJ 2	
Sk -69 192	0160436	05 34 32.04	-69 10 21.7	12.85	-0.02	-0.92	0.04	B1.5	OBJ 2	
FDG 391	0160784	05 34 40.06	-67 30 09.9	12.51	0.20	-0.06	0.18	F0: I:	OBJ 1,2	
BI 220	0160933	05 34 43.90	-68 36 29.1	13.88	-0.14	-0.96	-0.07	B0.5 III	SLIT 9	
Sk -67 205	0161320	05 34 52.92	-67 16 20.6	13.72	-0.21	-1.04	-0.07	O8 V	SLIT 7	
Sk -69 195	0161352	05 34 53.74	-69 14 02.6	13.31	-0.13	-0.99	0.01	B2:	OBJ 2	
BI 226	0161440	05 34 55.79	-69 20 30.1	13.59	-0.06	-0.82	-0.06	B1-2	OBJ 2	
BI 225	0161558	05 34 58.59	-68 27 25.2	13.56	0.07	-0.99	0.17	OB0	OBJ 2	
Sk -67 209	0161792	05 35 04.46	-67 41 23.2	13.29	-0.22	-0.97	0.00	B2:	OBJ 2	
BI 227	0161941	05 35 08.34	-69 13 53.7	13.90	0.07	-0.85	0.19	OB0	OBJ 2	
Sk -67 210	0161971	05 35 09.21	-67 41 58.6	13.78	-0.19	-0.99	-0.10	B0 III	SLIT 7	
0535-6916	0162129	05 35 13.30	-69 14 34.1	12.73	0.20	-0.32	0.15			
Sk -69 199	0162144	05 35 13.66	-68 59 21.0	12.87	0.10	-0.78	0.11	B1:	OBJ 2	
Sk -67 212	0162285	05 35 17.28	-67 41 52.9	13.37	-0.12	-0.88	-0.02	B1.5	OBJ 2	
BI 231	0162302	05 35 17.52	-69 19 53.5	13.04	-0.02	-0.78	-0.02	B1-2	OBJ 2	
BI 230	0162572	05 35 23.37	-68 32 01.5	14.54	-0.19	-0.97	-0.01	B1 II	SLIT 6	
Sk -68 124	0162823	05 35 28.82	-68 38 21.8	13.66	-0.03	-0.90	0.04	B0.5 V	SLIT 9	
Sk -67 213	0162867	05 35 29.85	-67 06 49.5	15.30	-0.19	-1.02	0.17	WN3b(h)	SLIT 11	BAT99-66
Sk -68 125	0162970	05 35 32.10	-68 49 37.2	13.34	-0.10	-0.93	-0.02	B1.5	OBJ 2	
Sk -67 215	0163081	05 35 34.88	-67 45 47.1	13.84	-0.19	-0.99	-0.03	B1	OBJ 2	
Sk -69 206	0163131	05 35 36.01	-69 07 06.1	12.87	0.14	-0.81	0.16	B2:	OBJ 2	
Sk -68 126	0163232	05 35 38.50	-68 56 49.0	12.62	-0.01	-0.83	0.09	B1 I	SLIT 10	
Sk -69 208	0163352	05 35 41.18	-69 28 48.1	12.80	-0.07	-0.91	0.02	B2.5	OBJ 2	
Sk -69 207	0163453	05 35 43.65	-69 10 57.6	13.27	0.26	-0.63	0.24	WC4	SLIT 11	BAT99-70, HDE269818
Sk -67 221	0164173	05 35 59.42	-67 28 43.4	12.83	-0.05	-0.86	0.05	B2:	OBJ 2	
Sk -69 210	0164379	05 36 03.81	-69 01 29.8	12.65	0.30	-0.64	0.23	B1.5 I	SLIT 10	
Sk -67 218	0163913	05 35 54.07	-67 02 48.8	14.48	-0.26	-0.83	0.11	WN3	SLIT 11	BAT99-75
DachsLMC2-29	0164594	05 36 08.22	-67 20 24.6	14.48	-0.06	-1.03	0.10			BE 135
Sk -67 223	0164734	05 36 10.88	-67 06 23.5	13.56	-0.07	-0.96	0.06	B1:	OBJ 2	BE 136

Table 4—Continued

Name[a]	Catalog Number	α_{2000}	δ_{2000}	V	$B-V$	$U-B$	$V-R$	Spectral Data		Other ID
								Type	Source[b]	
Sk -68 127	0164857	05 36 12.98	-68 28 24.9	13.67	-0.12	-0.96	0.00	B0.5 Ia	SLIT 9	
BI 236	0164887	05 36 13.43	-67 28 31.9	13.52	-0.06	-0.86	0.07	B1-2	OBJ 2	
BI 237	0164942	05 36 14.68	-67 39 19.3	13.89	-0.12	-0.97	0.01	O3 V	SLIT 9	
BI 238	0164963	05 36 15.09	-68 53 56.6	13.34	-0.03	-0.84	0.02	B1 Ib	SLIT 9	BE 387
Sk -67 224	0165174	05 36 19.07	-67 07 16.6	13.01	-0.20	-1.02	-0.07	B0	OBJ 2	
Sk -68 129	0165542	05 36 26.84	-68 57 31.8	12.78	0.03	-0.84	0.12	B1 I	SLIT 10	
Sk -68 130	0165748	05 36 31.45	-68 17 20.9	13.40	-0.12	-0.92	0.04	B1.5	OBJ 2	
FDG 406	0165879	05 36 34.46	-67 40 31.3	12.36	0.46	0.24	0.30	F5: I	SLIT 4	
0536-6738	0166006	05 36 37.20	-67 37 26.0	14.15	-0.04	-0.54	0.07			
BI 247	0166233	05 36 42.23	-67 35 10.6	13.60	0.06	-0.82	0.11	B1-2	OBJ 2	
Sk -69 222	0166715	05 36 51.43	-69 25 56.5	12.93	-0.17	-0.74	0.09	WC5+OB	SLIT 11	BAT99-84, HD38030
Sk -68 132	0166772	05 36 52.71	-68 22 09.0	13.95	-0.15	-1.02	-0.05	B0 V	SLIT 9	
Sk -67 226	0166919	05 36 55.78	-67 45 22.2	13.38	-0.15	-1.02	-0.06	B2:	OBJ 2	
Sk -69 225	0166972	05 36 56.87	-69 16 17.7	12.21	0.22	-0.35	0.20	B8 I	OBJ 2	
Sk -68 133	0167166	05 37 01.34	-68 46 06.2	13.15	-0.12	-1.01	-0.01	B1.5	OBJ 2	
0537-6911	0167295	05 37 04.01	-69 10 03.2	12.95	0.20	-0.66	0.23			
Sk -69 229	0167791	05 37 14.87	-69 29 52.2	12.69	-0.12	-1.02	-0.01	O8.5 III	SLIT 9	
Sk -67 227	0167813	05 37 15.27	-67 50 10.5	12.92	0.04	-0.51	0.11	B8 I	OBJ 2	
BI 250	0167937	05 37 17.96	-69 09 46.1	13.56	0.32	-0.63	0.24	OB0	OBJ 2	
BI 249	0167963	05 37 18.67	-68 59 17.9	13.38	-0.07	-0.97	0.08	O9.5 V	SLIT 9	
BI 251	0168349	05 37 27.67	-68 56 58.7	13.83	-0.06	-0.94	0.01	B1-2	OBJ 2	
Sk -69 231	0168415	05 37 29.36	-69 20 47.0	13.60	0.12	-0.99	0.01	WC4+OB?	SLIT 11	BAT99-87
BI 253	0168644	05 37 34.48	-69 01 10.4	13.76	-0.09	-1.02	0.07	O3 V	SLIT 9	
Sk -68 134	0168722	05 37 36.29	-68 50 56.4	13.74	-0.01	-0.88	0.10	B1 Ib	OBJ 1	
Sk -69 233	0168930	05 37 40.60	-69 07 57.6	13.89	0.13	-0.64	0.37	WN7h	SLIT 11	BAT99-89, HDE269883
Sk -69 234	0169130	05 37 44.75	-69 14 25.2	14.61	0.15	-0.76	0.22	WC4	SLIT 11	BAT99-90, HDE269888
Sk -69 239A	0170281	05 38 12.06	-69 23 08.1	12.81	0.00	-0.85	0.04	B1	OBJ 2	
Sk -67 229	0170397	05 38 14.92	-67 36 33.7	13.36	-0.04	-0.65	-0.04	B3: I	OBJ 2	
Sk -68 136	0170597	05 38 19.31	-68 57 15.6	13.65	-0.02	-0.84	0.09	OB:	OBJ 1	
Sk -69 240	0170783	05 38 24.30	-69 29 13.1	12.98	0.28	-0.60	0.37	BE	OBJ 2	BE 415
Sk -68 137	0170808	05 38 24.77	-68 52 32.8	13.29	-0.07	-0.98	0.07	O3 III(f*)	SLIT 5,7	
Sk -69 241	0170914	05 38 27.79	-69 29 58.4	14.38	0.09	-0.40	0.27	WN4b	SLIT 11	BAT99-94, HDE269908
Sk -67 230	0171436	05 38 39.25	-67 33 59.0	13.57	-0.12	-0.92	-0.01	B2 III	SLIT 7	
Sk -67 231	0171809	05 38 48.22	-67 17 56.3	13.37	-0.15	-0.98	0.01	B1:	OBJ 2	
Sk -68 139	0171810	05 38 48.22	-68 29 31.6	13.88	-0.16	-1.02	-0.07	OB	OBJ 1	
BI 255	0172048	05 38 53.78	-67 24 17.7	14.28	-0.18	-0.94	-0.05	B0 III	SLIT 7	
Sk -68 140	0172194	05 38 57.19	-68 56 53.2	12.79	0.05	-0.85	0.11	B0:	OBJ 2	BE 422
Sk -67 232	0172484	05 39 04.75	-67 52 45.1	13.09	0.05	-0.24	0.12	A1: I	OBJ 2	
Sk -67 233	0172577	05 39 07.13	-67 28 39.4	13.72	-0.15	-0.97	0.00	B0 n	SLIT 7	
Sk -68 141	0172616	05 39 08.16	-68 29 07.5	12.87	-0.02	-0.65	0.03	B8 I	OBJ 2	
Sk -68 142	0172770	05 39 11.93	-68 11 38.8	13.50	-0.08	-0.69	0.00	B1	OBJ 2	
Sk -68 143	0172922	05 39 15.12	-68 12 01.7	12.89	-0.02	-0.55	0.08	B7 I	OBJ 2	
0539-6907	0173123	05 39 20.26	-69 06 26.3	12.83	0.29	-0.44	0.23			
Sk -67 234	0173168	05 39 21.34	-67 06 53.5	12.82	-0.02	-0.59	0.03	B8 I	OBJ 2	
BI 257	0173209	05 39 22.95	-67 35 07.0	14.25	-0.18	-1.01	-0.11	B0 n	SLIT 7	
BI 258	0173528	05 39 32.61	-69 00 02.6	13.97	0.00	-0.92	0.13	B1-2	OBJ 2	
Sk -68 144	0173571	05 39 33.86	-68 39 01.7	13.22	0.03	-0.48	0.05	B8 I	OBJ 2	
BI 259	0173594	05 39 34.96	-68 59 48.6	14.04	-0.08	-0.95	-0.03	B1-2	OBJ 2	
BI 262	0173962	05 39 51.23	-69 16 39.7	12.73	0.02	-0.80	0.09	B1-2	OBJ 2	
Sk -69 256	0174078	05 39 55.79	-69 16 25.9	12.61	-0.02	-0.88	0.03	B0.5	OBJ 2	
BI 261	0174192	05 40 01.42	-69 07 59.4	14.50	0.18	-0.77	0.20			
ARDB C 56	0174389	05 40 11.06	-69 23 12.9	13.76	0.04	-0.82	-0.02			
Sk -68 146	0174575	05 40 18.45	-68 23 00.0	13.53	-0.11	-0.76	0.01	B1:	OBJ 2	
Sk -68 147	0175482	05 40 56.32	-68 30 35.5	12.91	-0.07	-0.92	-0.01	B1.5	OBJ 2	
Sk -68 148	0175618	05 41 01.89	-68 53 59.2	13.43	-0.13	-1.02	-0.07	B0.5:	OBJ 2	
Sk -68 149	0175761	05 41 07.82	-68 42 54.5	13.24	0.11	-0.24	0.07	A0 I	OBJ 2	
BI 267	0176538	05 41 37.57	-68 32 33.2	14.26	-0.13	-1.03	-0.03	B0 III	SLIT 9	
Sk -69 278	0176621	05 41 40.76	-69 22 05.1	12.72	0.06	-0.63	0.07	B5 I	OBJ 2	
Sk -69 280	0176854	05 41 49.02	-69 17 52.2	12.71	0.07	-0.80	0.06	B1	OBJ 2	
FDG 439	0177375	05 42 09.46	-68 27 30.9	11.89	0.54	0.25	0.31	F6 Ia	SLIT 4	
FDG 444	0177772	05 42 25.02	-68 22 18.9	12.97	0.23	0.06	0.15	A8 I	OBJ 1,2	
Sk -69 286	0177990	05 42 35.22	-69 16 47.8	12.95	0.06	-0.69	0.10	B4 I	OBJ 2	
Sk -69 245	0171780	05 38 47.60	-69 00 25.1	13.06	-0.14	-0.97	0.07	WN5+B	SLIT 11	BAT99-117, HDE269926
Sk -69 251	0172745	05 39 11.41	-69 02 01.2	13.01	0.05	-0.74	0.23	WN5(h)	SLIT 11	BAT99-122, HD38344
Sk -68 145	0173582	05 39 34.36	-68 44 09.2	15.13	0.42	-1.17	0.24	WO3	SLIT 11	BAT99-123

Table 4—Continued

Name[a]	Catalog Number	α_{2000}	δ_{2000}	V	$B-V$	$U-B$	$V-R$	Spectral Data		Other ID
								Type	Source[b]	
Sk -69 255	0174085	05 39 56.21	-69 24 24.1	12.94	-0.10	-0.77	0.08	WC5+O7	SLIT 11	BAT99-125, HD38448
Sk -69 258	0174323	05 40 07.66	-69 24 31.8	13.11	-0.15	-0.92	0.04	WN3+O7	SLIT 11	BAT99-126, HD38472
Sk -69 266	0175356	05 40 50.91	-69 26 31.8	14.99	-0.31	99.99	0.30	WN4b	SLIT 11	BAT99-128
Sk -69 288	0178117	05 42 41.49	-69 03 44.3	12.68	-0.04	-0.91	0.03	B0.5	OBJ 2	
Sk -68 155	0178408	05 42 55.06	-68 56 54.4	12.75	-0.01	-0.90	0.07	B0.5	OBJ 2	
Sk -68 156	0178591	05 43 04.29	-68 43 20.6	13.19	0.06	-0.45	0.11	A0: I	OBJ 1	
Sk -68 157	0178979	05 43 24.79	-68 56 59.7	13.27	-0.13	-0.97	-0.02	B2:	OBJ 2	
FDG 453	0179109	05 43 32.49	-68 18 51.8	12.77	0.19	0.05	0.15	A7	OBJ 1	
Sk -69 295	0179557	05 43 59.19	-69 30 58.4	13.70	-0.16	-1.02	-0.04	B3: I	OBJ 2	
Wolf-Rayet stars from Breysacher et al. (1999)										
BAT99-1	0001015	04 45 32.43	-70 15 11.2	15.91	-0.23	-0.71	0.19	WN3b	SLIT 11	Sk -70 1
BAT99-2	0005735	04 49 36.29	-69 20 55.4	16.36	-0.14	-0.67	-0.73	WN1	SLIT 11	
BAT99-5	0020822	04 54 28.18	-69 12 51.4	16.35	0.10	-0.50	0.17	WN2b+OB?	SLIT 11	
BAT99-7	0025077	04 55 31.35	-67 30 03.4	13.79	-0.26	-0.64	0.16	WN4b	SLIT 11	Sk -67 20, HD32109
BAT99-8	0027276	04 56 02.96	-69 27 21.9	14.14	-0.15	-0.46	0.25	WC4	SLIT 11	Sk -69 42, HD32257
BAT99-11	0033780	04 57 24.10	-68 23 57.5	12.90	-0.13	-0.59	0.17	WC4	SLIT 11	Sk -68 15, HD32402
BAT99-12	0034056	04 57 27.47	-67 39 03.3	13.44	-0.18	-1.05	0.01	O3If*/WN6-A	SLIT 5	Sk -67 22
BAT99-15	0045002	04 59 51.53	-67 56 56.0	14.48	-0.21	-0.75	0.08	WN4b	SLIT 11	Sk -67 32, HDE268847
BAT99-17	0062470	05 04 12.50	-70 03 55.5	14.37	-0.17	-0.78	0.12	WN4o	SLIT 11	Sk -70 54, HD269015
BAT99-18	0065479	05 05 08.49	-70 22 45.5	14.64	-0.15	-0.90	0.05	WN4(h)	SLIT 11	Sk -70 64
BAT99-19	0080420	05 09 40.56	-68 53 25.1	13.69	-0.15	-0.77	0.21	WN4b+OB?	SLIT 11	Sk -68 57, HD34187
BAT99-20	0081268	05 09 53.83	-68 52 52.8	13.61	0.28	-0.81	0.20	WC5+O	SLIT 11	
BAT99-24	0095796	05 14 12.82	-69 19 26.0	14.46	-0.21	-0.69	0.18	WN4b	SLIT 11	Sk -69 81, HD34783
BAT99-26	0104322	05 16 38.94	-69 16 40.9	14.32	0.03	-0.72	0.23	WN4b	SLIT 11	Sk -69 86
BAT99-36	0132665	05 24 24.26	-68 31 35.8	14.32	0.08	-0.81	0.20	WN4b/WNE	SLIT 11	Sk -68 77, HDE269485
BAT99-40	0136134	05 26 36.95	-68 51 01.3	14.70	-0.14	-0.98	-0.02	WN5o+O	SLIT 11	
BAT99-41	0136372	05 26 42.68	-69 06 57.0	14.71	-0.15	-0.78	0.14	WN4b	SLIT 11	Sk -69 133, HDE269549
BAT99-44	0139177	05 27 42.78	-69 10 00.4	13.37	-0.16	-0.97	0.07	WN8h	SLIT 11	Sk -69 141
BAT99-46	0140882	05 28 18.03	-69 02 36.0	15.26	-0.04	-0.78	0.00	WN4o	SLIT 11	
BAT99-47	0143463	05 29 12.47	-68 45 36.0	14.19	-0.45	99.99	-0.12	WN3	SLIT 11	Sk -68 98, HDE269618
BAT99-48	0144436	05 29 31.75	-68 54 28.7	14.94	-0.28	-0.78	0.06	WN4b	SLIT 11	Sk -68 102, HDE269624
BAT99-50	0145660	05 29 53.82	-69 01 04.8	13.70	0.28	-0.67	99.99	WN4.5	SLIT 11	
BAT99-51	0146131	05 30 02.54	-68 45 18.2	15.16	-0.26	-0.81	-0.07	WN3b	SLIT 11	Sk -68 104
BAT99-52	0146696	05 30 12.26	-67 26 08.6	13.50	-0.23	-0.50	0.19	WC4	SLIT 11	Sk -67 144, HD37026
BAT99-54	0150553	05 31 18.21	-69 08 45.7	14.25	0.25	-0.74	0.30	WN9h	SLIT 11	
BAT99-56	0151339	05 31 32.90	-67 40 46.6	14.53	-0.17	-0.85	0.27	WN4b	SLIT 11	Sk -67 161, HDE269692
BAT99-57	0151416	05 31 34.46	-67 16 29.3	14.84	-0.19	-0.78	0.23	WN4b	SLIT 11	Sk -67 160
BAT99-58	0153219	05 32 07.61	-68 26 31.4	14.98	0.34	-0.53	0.30	WN6h	SLIT 11	Sk -68 115
BAT99-59	0156590	05 33 10.63	-67 42 42.8	13.13	-0.13	-0.91	0.04	WN4o+B	SLIT 11	Sk -67 184, HDE269748
BAT99-60	0156601	05 33 10.94	-69 29 00.7	14.47	-0.14	-0.97	-0.03	WN3+OB	SLIT 11	Sk -69 183
BAT99-63	0161290	05 34 52.12	-67 21 28.9	14.63	-0.22	-1.02	0.01	WN4h+abs	SLIT 11	FD 47
BAT99-65	0162213	05 35 15.23	-69 05 43.1	15.33	0.09	-0.53	0.36	WN4	SLIT 11	FD 50
BAT99-66	0162867	05 35 29.85	-67 06 49.5	15.30	-0.19	-1.02	0.17	WN3b(h)	SLIT 11	Sk -67 213
BAT99-68	0163386	05 35 42.02	-69 11 54.2	12.40	0.69	-0.44	0.60	WN5-6	SLIT 11	
BAT99-67	0163400	05 35 42.24	-69 12 34.5	13.47	0.10	-0.85	0.24	WN5o?+OB	SLIT 11	FD 51
BAT99-70	0163453	05 35 43.65	-69 10 57.6	13.27	0.26	-0.63	0.24	WC4	SLIT 11	Sk -69 207, HDE269818
BAT99-71	0163480	05 35 44.29	-68 59 36.7	14.59	0.17	-0.66	0.18	WN3opec	SLIT 11	
BAT99-72	0163516	05 35 45.12	-68 58 44.4	15.57	-0.09	-0.90	0.25	WN4	SLIT 11	
BAT99-73	0163753	05 35 50.71	-68 53 39.3	14.69	-0.18	-0.98	-0.04	WN4.5	SLIT 11	
BAT99-74	0163833	05 35 52.44	-68 55 08.7	15.45	-0.01	-0.88	0.12	WN3	SLIT 11	
BAT99-75	0163913	05 35 54.07	-67 02 48.8	14.48	-0.26	-0.83	0.11	WN3	SLIT 11	Sk -67 218
BAT99-76	0163937	05 35 54.45	-68 59 07.6	13.21	0.06	-0.81	0.18	WN9h	SLIT 11	BE 381
BAT99-80	0164167	05 35 59.22	-69 11 50.5	11.27	0.01	-0.83	0.09	O4If/WN6	SLIT 11	
BAT99-79	0164199	05 35 59.87	-69 11 21.7	13.43	0.30	-0.60	0.37	WN7h+OB	SLIT 11	FD 53
BAT99-81	0164793	05 36 12.15	-67 34 58.0	15.38	-0.04	-1.02	0.15	WN5	SLIT 11	
BAT99-84	0166715	05 36 51.43	-69 25 56.5	12.93	-0.17	-0.74	0.09	WC5+OB	SLIT 11	Sk -69 222, HD38030
BAT99-86	0167648	05 37 11.59	-69 07 37.7	15.93	0.50	-0.30	0.23	WN4o	SLIT 11	
BAT99-87	0168415	05 37 29.36	-69 20 47.0	13.60	0.12	-0.99	0.01	WC4+OB?	SLIT 11	Sk -69 231
BAT99-88	0168698	05 37 35.75	-69 08 40.5	16.76	0.64	-0.30	0.43	WN4	SLIT 11	
BAT99-89	0168930	05 37 40.60	-69 07 57.6	13.89	0.13	-0.64	0.37	WN7h	SLIT 11	Sk -69 233, HDE269883
BAT99-90	0169130	05 37 44.75	-69 14 25.2	14.61	0.15	-0.76	0.22	WC4	SLIT 11	Sk -69 234, HDE269888
BAT99-91	0169206	05 37 46.43	-69 09 09.1	12.09	0.13	-0.76	0.18	WN7	SLIT 11	
BAT99-93	0169429	05 37 51.45	-69 09 46.7	13.39	0.03	-0.94	0.11	O3If/WN6	SLIT 11	

Table 4—Continued

Name[a]	Catalog Number	α_{2000}	δ_{2000}	V	$B-V$	$U-B$	$V-R$	Spectral Data		Other ID
								Type	Source[b]	
BAT99-94	0170914	05 38 27.79	-69 29 58.4	14.38	0.09	-0.40	0.27	WN4b	SLIT 11	Sk -69 241, HDE269908
BAT99-95	0171177	05 38 33.66	-69 04 50.9	12.33	0.28	-0.93	0.23	WN7h	SLIT 11	
BAT99-97	0171412	05 38 38.82	-69 06 48.7	13.58	0.54	-0.40	0.15	O3If*/WN7-A	SLIT 11	Mk 51
BAT99-98	0171429	05 38 39.07	-69 06 21.8	12.36	0.14	-0.62	0.15	WN6(h)	SLIT 11	Mk 49
BAT99-117	0171780	05 38 47.60	-69 00 25.1	13.06	-0.14	-0.97	0.07	WN5+B	SLIT 11	Sk -69 245,HDE269926
BAT99-121	0172447	05 39 03.82	-69 03 46.5	15.79	0.68	99.99	-0.30	WC4	SLIT 11	
BAT99-122	0172745	05 39 11.41	-69 02 01.2	13.01	0.05	-0.74	0.23	WN5(h)	SLIT 11	Sk -69 251, HD38344
BAT99-123	0173582	05 39 34.36	-68 44 09.2	15.13	0.42	-1.17	0.24	WO3	SLIT 11	Sk -68 145
BAT99-125	0174085	05 39 56.21	-69 24 24.1	12.94	-0.10	-0.77	0.08	WC5+O7	SLIT 11	Sk -69 255, HD38448
BAT99-126	0174323	05 40 07.66	-69 24 31.8	13.11	-0.15	-0.92	0.04	WN3+O7	SLIT 11	Sk -69 258, HD38472
BAT99-127	0174452	05 40 13.69	-69 24 02.8	11.65	0.42	-0.46	0.30	WC5+O6	SLIT 11	
BAT99-128	0175356	05 40 50.91	-69 26 31.8	14.99	-0.31	99.99	0.30	WN4b	SLIT 11	Sk -69 266

[a] For designations, please see the referenced sources.

[b] "OBJ" indicates objective prism type, "SLIT" indicates slit spectral type. References: (1)—Sanduleak 1969a; (2)—Rousseau et al. 1978; (3)—Feast et al. 1960; (4)—Ardenberg et al. 1972 and/or Brunet et al. 1973; (5)—Walborn 1977; (6)—Crampton 1979; (7)—Conti, Garmany, & Massey 1986; (8)—Fitzpatrick 1988; (9)—Massey et al. 1995; (10)—Massey et al. 2000b; (11)—Breysacher, Azzopardi, & Testor 1999

[c] We have included a few stars from the Rousseau et al. 1998 catalog that lack spectral types.

Table 5. Stars in Two Additional LMC Fields with Spectral Types

Name[a]	α_{2000}	δ_{2000}	V	$B-V$	$U-B$	Spectral Type	Other ID
BI185	05 30 40.18	-71 17 13.7	14.25	-0.14	-0.94	O9V	lmc1- 23
lmc1- 94	05 32 00.28	-71 14 08.4	13.67	0.05	-0.69	B1III	
lmc1- 170	05 31 06.97	-71 10 47.7	14.14	-0.17	-1.01	O8.5V	
lmc1- 212	05 31 59.44	-71 09 42.1	14.73	-0.18	-0.87	B1III	
lmc1- 226	05 31 11.46	-71 09 29.5	15.34	-0.17	-0.87	B1V	
lmc1- 233	05 29 46.22	-71 09 21.8	13.77	-0.02	-0.84	B0V	
lmc1- 246	05 29 47.30	-71 09 00.4	15.04	0.06	-0.71	B1:V	
lmc1- 249	05 29 55.20	-71 08 58.5	14.95	-0.10	-0.82	B1V	
lmc1- 263	05 29 52.86	-71 08 45.0	14.43	-0.05	-0.91	O8III(f)	
lmc1- 289	05 30 47.78	-71 08 02.2	14.22	0.11	-0.81	O7.5Ve	
Sk -71 35	05 30 04.35	-71 07 56.6	12.97	-0.09	-0.94	B1.5V	lmc1- 294
lmc1- 390	05 30 22.77	-71 06 19.7	14.34	-0.16	-0.96	O8V	
lmc1- 402	05 30 19.60	-71 06 07.4	15.05	-0.06	-0.80	B0V	
lmc1- 408	05 29 13.38	-71 05 58.6	15.94	-0.21	-0.92	B1V	
lmc1- 413	05 30 11.78	-71 05 59.7	14.54	-0.17	-0.94	B0.5V	
lmc1- 436	05 29 23.82	-71 05 33.5	14.99	-0.16	-0.87	B1III	
Sk -71 41	05 30 40.24	-71 05 37.3	12.82	-0.07	-0.97	O8.5I	lmc1- 437
BI187	05 30 54.56	-71 05 10.6	13.38	-0.09	-0.95	B0III	lmc1- 466
lmc1- 493	05 30 11.28	-71 04 46.3	14.61	-0.06	-0.87	O9V	
lmc1- 504	05 31 19.01	-71 04 38.9	14.54	0.17	-0.81	O7:Ve	
lmc1- 507	05 29 51.67	-71 04 32.5	14.17	-0.22	-1.04	O8V	
BI188	05 30 56.54	-71 04 19.7	12.91	-0.12	-0.98	B0Ia	lmc1- 538
lmc1- 541	05 30 36.72	-71 04 15.8	14.52	-0.14	-0.99	O9V	
lmc1- 546	05 31 23.83	-71 04 12.8	13.88	0.05	-0.90	O6Ve	
lmc1- 548	05 29 51.78	-71 04 06.7	14.82	0.04	-0.68	B1.5V	
lmc1- 550	05 31 11.98	-71 04 09.8	12.90	-0.16	-1.01	O5V	
lmc1- 555	05 30 11.84	-71 04 02.7	13.98	-0.04	-0.89	B1III	
lmc1- 556	05 31 21.69	-71 04 05.8	14.64	0.02	-0.88	O8V	
Sk -71 42	05 30 47.92	-71 04 02.3	11.19	-0.04	-0.85	B1Iab	lmc1- 559
lmc1- 572	05 31 09.75	-71 03 52.0	15.85	0.02	-0.80	B1III	
lmc1- 576	05 31 13.97	-71 03 50.8	14.53	-0.10	-0.94	O7.5V	
lmc1- 584	05 30 24.79	-71 03 44.5	14.62	-0.18	-1.07	O7V	
BI189	05 30 57.71	-71 03 33.6	13.45	-0.06	-0.94	O8V((f))	lmc1- 598
lmc1- 620	05 30 47.19	-71 03 15.7	13.34	0.01	-0.83	B0Ia	
lmc1- 642	05 30 50.73	-71 02 47.8	14.32	-0.17	-1.04	O8V	
BI184	05 30 30.78	-71 02 31.5	13.84	-0.08	-0.96	B0.5V	lmc1- 662
lmc1- 702	05 30 35.32	-71 01 57.1	14.87	-0.06	-0.90	B1Ve	
lmc1- 703	05 32 08.97	-71 01 58.2	14.67	-0.20	-1.03	O9V	
lmc1- 713	05 30 44.66	-71 01 44.7	15.87	-0.17	-0.87	B1III	
lmc1- 715	05 30 36.86	-71 01 42.9	14.70	-0.14	-0.88	B0.5V	
lmc1- 716	05 31 10.79	-71 01 43.6	14.32	-0.11	-0.98	O8III((f))	
Sk -71 44	05 31 08.35	-71 01 42.5	13.04	-0.11	-0.99	B0Ia	lmc1- 719
lmc1- 732	05 30 57.71	-71 01 31.5	14.60	-0.17	-0.90	B1III	
Sk -71 39	05 30 39.96	-71 01 29.6	12.54	-0.13	-0.98	O8II(f)	lmc1- 733
lmc1- 756	05 30 39.24	-71 01 00.1	14.60	-0.19	-0.92	B1III	
lmc1- 859	05 30 28.38	-70 59 23.5	13.68	-0.16	-0.97	B0.5III	
lmc1- 929	05 29 38.19	-70 57 49.7	14.33	-0.20	-0.98	O8.5V	
lmc1- 930	05 31 50.01	-70 57 53.0	13.98	-0.15	-0.98	B0.5V	

Table 5—Continued

Name[a]	α_{2000}	δ_{2000}	V	$B-V$	$U-B$	Spectral Type	Other ID
lmc1- 938	05 31 41.16	-70 57 41.6	15.06	-0.15	-0.91	B1V	
lmc1-1015	05 31 34.26	-70 56 25.6	14.46	-0.17	-0.84	B1V	
lmc1-1027	05 31 24.57	-70 56 05.1	14.86	-0.14	-0.87	B1V	
lmc1-1044	05 29 44.96	-70 54 58.8	13.86	-0.19	-0.98	B0V	
lmc1-1052	05 30 22.27	-70 54 36.4	14.97	-0.16	-0.91	B0.5V	
lmc2- 8	05 41 29.36	-68 09 53.9	15.54	-0.01	-0.75	B0.5Ve:	
Sk -68 150	05 42 11.59	-68 00 51.3	13.82	-0.10	-0.82	B2II	lmc2- 277
lmc2- 341	05 44 12.83	-67 59 12.1	14.94	-0.22	-1.00	B0.5V	
lmc2- 486	05 44 46.74	-67 55 26.7	15.56	-0.16	-0.83	B1V	
lmc2- 627	05 43 10.24	-67 52 21.4	15.34	-0.10	-0.94	B1.5:V	
lmc2- 675	05 43 13.00	-67 51 16.0	13.66	-0.25	-1.14	O3III(f)*	
lmc2- 696	05 43 18.25	-67 50 59.2	15.02	-0.19	-0.94	B1V	
lmc2- 702	05 43 12.37	-67 50 52.5	15.37	-0.08	-0.95	B0V	
lmc2- 703	05 43 08.43	-67 50 52.2	14.11	-0.23	-1.03	O9.5V	
lmc2- 716	05 43 11.21	-67 50 39.7	15.63	-0.20	-0.95	B0V	
lmc2- 718	05 43 35.09	-67 50 39.9	14.91	-0.18	-0.91	B0.5V	
lmc2- 724	05 43 24.75	-67 50 30.3	14.48	-0.23	-1.02	B0V	
lmc2- 733	05 43 23.93	-67 50 20.5	15.46	-0.23	-1.04	B0V	
lmc2- 747	05 43 06.74	-67 49 55.3	15.40	-0.19	-0.91	B1V	
lmc2- 755	05 43 16.10	-67 49 50.2	14.37	-0.22	-1.06	O8V	
lmc2- 759	05 43 20.64	-67 49 43.7	14.99	-0.19	-0.84	B0.5V	

[a] Designations are from Massey et al. 1995.

Table 6. SMC Catalog Stars with Spectral Information

Name	Catalog Number	α_{2000}	δ_{2000}	V	$B-V$	$U-B$	$V-R$	Spectral Data		Other ID
								Type	Source[a]	
Azzopardi & Vigneau (1982) Catalog										
AV 1A	0001830	00 42 24.08	-73 16 51.2	13.94	-0.10	-0.85	0.09	B3	OBJ 1	
AV 1	0002325	00 42 53.33	-73 10 25.9	12.62	0.11	-0.12	0.10	A0	OBJ 1	
AV 2B	0003459	00 43 49.95	-73 09 02.4	13.46	-0.14	-0.99	-0.02	B0 IWW	SLIT 8	
AV 3	0004297	00 44 28.22	-72 58 05.0	13.93	-0.01	-0.60	-0.10	B0	OBJ 1	
AV 5	0005127	00 45 05.86	-73 23 11.6	13.79	-0.02	-0.90	-0.04	B1 I	SLIT 8	
AV 6	0005391	00 45 18.22	-73 15 23.0	13.31	0.05	-0.91	0.17	B pec	SLIT 8	
AV 8	0005768	00 45 35.45	-72 59 21.3	13.50	-0.04	-0.66	-0.06	B8	OBJ 1	
AV 9	0005779	00 45 35.86	-73 14 12.2	12.96	-0.04	-0.76	0.06	B2	OBJ 1	
AV 7	0005869	00 45 39.18	-73 04 43.9	14.41	-0.13	-0.92	-0.02	O7 V	SLIT 9	
AV 10	0006038	00 45 47.05	-73 39 54.4	12.58	-0.02	-0.80	0.02	B5 I	SLIT 6	
AV 11	0006191	00 45 53.37	-73 16 17.8	13.49	-0.08	-0.82	-0.01	B2	OBJ 1	
AV 12	0006406	00 46 02.16	-73 06 27.2	13.16	-0.10	-1.11	-0.07	O9+NEB	SLIT 3	
AV 13	0006940	00 46 23.76	-73 02 24.0	14.33	-0.08	-0.96	0.09	B1:	OBJ 1	
AV 15	0007437	00 46 42.17	-73 24 55.2	13.12	-0.19	-1.03	-0.03	O7 II	SLIT 8	
AV 17	0007951	00 47 02.61	-73 06 03.0	13.62	-0.05	-0.84	-0.03	B1	OBJ 1	
AV 17A	0007985	00 47 04.01	-73 06 26.2	13.33	-0.08	-0.85	0.06	B2	OBJ 1	
AV 19	0008268	00 47 14.81	-72 50 02.7	12.89	0.04	-0.39	0.06	B8	OBJ 1	
AV 23	0008983	00 47 38.91	-73 22 53.4	12.18	0.09	-0.71	0.09	B0	OBJ 1	
AV 24	0009079	00 47 41.93	-73 02 37.0	13.70	-0.12	-0.87	-0.04	B1.5 V	SLIT 9	
AV 25	0009334	00 47 49.78	-73 12 37.5	13.26	0.02	-0.63	0.03	B5	OBJ 1	
AV 26	0009337	00 47 49.99	-73 08 20.7	12.46	-0.17	-1.00	-0.06	O7 III	SLIT 8	
AV 27	0009352	00 47 50.37	-73 14 22.5	12.14	0.14	-0.26	0.12	A2	OBJ 1	
AV 28	0009488	00 47 53.94	-73 21 21.3	13.37	-0.08	-0.87	-0.05	B1 I	SLIT 9	
AV 30	0009849	00 48 03.09	-72 30 01.3	14.15	0.03	-0.37	-0.01	B5	OBJ 1	
AV 31	0009975	00 48 06.28	-73 06 37.8	12.47	0.27	-0.24	0.24	B8: Ia	SLIT 6	
AV 32	0010118	00 48 09.49	-72 43 49.5	14.13	-0.16	-0.92	-0.04	B1	OBJ 1	
AV 33	0010303	00 48 14.38	-73 39 25.4	13.49	-0.12	-0.79	-0.01	B3	OBJ 1	
AV 34	0010462	00 48 17.91	-73 23 43.4	13.77	0.18	-0.30	0.08	B2:	OBJ 1	
AV 35	0010575	00 48 20.49	-72 51 08.0	14.11	0.21	-0.29	0.19	B0:	OBJ 1	
AV 36	0010720	00 48 23.42	-72 43 48.7	13.93	-0.05	-0.95	0.16	B1	OBJ 1	
AV 37	0010865	00 48 26.50	-73 03 26.9	12.81	-0.02	-0.63	0.02	B5	OBJ 1	
AV 39	0010912	00 48 27.71	-73 26 48.7	12.93	0.03	-0.57	0.04	B0	OBJ 1	
AV 38	0010915	00 48 27.74	-73 00 41.1	12.79	0.12	-0.38	0.09	A0 Ia	SLIT 6	
AV 44	0011138	00 48 33.13	-73 24 34.2	14.11	-0.14	-1.02	-0.06	B0 IIWW	SLIT 8	
AV 42	0011413	00 48 39.52	-72 58 22.8	13.43	-0.02	-0.76	0.04	B5	OBJ 1	
AV 43	0011777	00 48 47.97	-72 46 24.5	13.88	-0.12	-0.96	0.01	O9 II	SLIT 8	
AV 45	0011836	00 48 49.45	-73 22 11.4	13.96	0.06	-0.43	0.07	B8	OBJ 1	
AV 47	0011925	00 48 51.48	-73 25 58.3	13.44	-0.18	-1.00	-0.05	O8 III	SLIT 8,14	
AV 49	0012906	00 49 12.66	-73 23 33.8	13.72	0.04	-0.38	0.09	A0	OBJ 1	
AV 50	0013075	00 49 15.88	-72 52 43.4	13.05	-0.12	-0.95	-0.02	B0.5 III	SLIT 9	
AV 51	0013831	00 49 32.05	-72 51 16.4	14.06	-0.15	-0.94	-0.02	B0.5 V	SLIT 9	
AV 52	0013896	00 49 33.21	-73 42 18.3	13.76	-0.20	-1.04	0.04	B1	OBJ 1	
AV 54	0014434	00 49 45.00	-73 37 40.4	13.95	-0.08	-0.70	-0.02	B3	OBJ 1	
AV 53	0014456	00 49 45.44	-72 52 47.4	12.77	0.18	-0.39	0.18	A0	OBJ 1	
AV 55	0014553	00 49 47.54	-73 17 52.8	13.38	0.06	-0.48	0.05	B5	OBJ 1	
AV 57	0014878	00 49 54.38	-72 24 37.2	14.25	-0.14	-0.97	-0.05	B2	OBJ 1	
AV 58	0015060	00 49 57.84	-72 51 54.4	14.29	-0.18	-0.96	-0.02	B2	OBJ 1	
AV 59	0015067	00 49 58.06	-73 11 44.6	13.48	0.04	-0.58	0.07	A0	OBJ 1	
AV 63	0015176	00 50 00.13	-73 10 16.5	13.43	0.04	-0.64	0.05	A0	OBJ 1	
AV 61	0015271	00 50 01.77	-72 11 26.0	13.54	-0.18	-1.05	-0.09	O5 V	SLIT 5	
AV 64	0015380	00 50 03.84	-73 24 13.3	14.02	-0.12	-0.98	-0.09	B1	OBJ 1	
AV 66	0015503	00 50 06.28	-73 16 31.4	13.56	-0.07	-0.92	-0.02	B0.5 V	SLIT 9	
AV 67	0015742	00 50 11.13	-72 32 34.8	13.64	-0.13	-1.00	-0.06	B0 IIWW	SLIT 8	
AV 67A	0015915	00 50 14.19	-72 43 40.1	14.03	0.32	-0.04	0.19	F5	OBJ 1	
AV 68	0016039	00 50 16.93	-72 24 01.1	14.54	-0.01	-1.00	0.09	B2	OBJ 1	
AV 69	0016056	00 50 17.19	-72 53 29.8	13.27	-0.18	-1.00	-0.04	O7 III	SLIT 8	
AV 72	0016647	00 50 28.32	-72 09 02.8	12.86	-0.03	-0.63	0.05	B8 I	SLIT 6	
AV 74	0016665	00 50 28.86	-72 45 08.7	11.63	0.63	0.44	0.38	G0: I	SLIT 2	
AV 75	0016828	00 50 32.39	-72 52 36.1	12.70	-0.15	-1.00	-0.04	O5 III(f)	SLIT 8,14	
AV 77	0016885	00 50 33.50	-72 47 44.5	13.92	-0.19	-0.99	-0.07	O7 III	SLIT 8	
AV 79	0017289	00 50 40.66	-72 50 02.6	13.58	0.22	-0.12	0.15	F2	OBJ 1	

Table 6—Continued

Name	Catalog Number	α_{2000}	δ_{2000}	V	$B-V$	$U-B$	$V-R$	Spectral Data		Other ID
								Type	Source[a]	
AV 81	0017438	00 50 43.39	-73 27 05.6	13.37	-0.12	-0.89	0.02	WN6p	SLIT 13	
AV 80	0017457	00 50 43.78	-72 47 41.1	13.32	-0.13	-0.97	-0.03	O7 III	SLIT 9	
AV 82	0017798	00 50 49.69	-72 42 39.5	14.03	-0.19	-1.02	-0.10	B2	OBJ 1	
AV 83	0017927	00 50 52.05	-72 42 14.8	13.31	-0.12	-0.96	-0.02	O7.5Iaf+	SLIT 9	
AV 84	0018301	00 50 58.81	-72 08 16.3	14.58	-0.18	-0.97	-0.11	B1 V	SLIT 9	
AV 89	0018497	00 51 02.35	-73 14 48.7	14.42	-0.11	-0.86	-0.02	B0	OBJ 1	
AV 87	0018614	00 51 04.41	-72 39 54.1	13.94	-0.19	-0.89	-0.08	B0 IIW	SLIT 8	
AV 93	0018700	00 51 06.00	-72 40 57.0	14.11	-0.17	-0.96	0.01	B1 Ib	SLIT 9	
AV 88	0018912	00 51 09.40	-72 48 35.5	12.95	0.14	-0.21	0.12	F2	OBJ 1	
AV 91	0019020	00 51 11.08	-72 55 16.5	12.54	0.05	-0.59	0.04	B8	OBJ 1	
AV 90	0019066	00 51 11.91	-72 28 17.5	12.54	0.08	-0.13	0.10	A2 II:	SLIT 4	
AV 92	0019346	00 51 16.76	-72 18 05.8	13.53	-0.07	-0.77	0.04	B3	OBJ 1	
AV 94	0019550	00 51 20.22	-72 49 43.1	14.01	-0.17	-0.93	-0.14	B1	OBJ 1	
AV 95	0019650	00 51 21.65	-72 44 14.4	13.78	-0.18	-1.03	0.14	O7.5 III	SLIT 8,14	
AV 97	0019713	00 51 22.78	-73 15 42.2	13.18	-0.05	-0.82	0.01	B3	OBJ 1	
AV 96	0019728	00 51 23.13	-72 07 20.6	12.59	-0.10	-0.95	-0.05	B2 I	SLIT 6	
AV 99	0019853	00 51 25.03	-72 47 54.6	12.97	-0.06	-0.80	-0.02	B3	OBJ 1	
AV 100	0019926	00 51 26.31	-72 57 52.9	14.18	-0.07	-0.81	-0.01	B3	OBJ 1	
AV 103	0020526	00 51 36.18	-72 46 04.2	13.30	-0.10	-0.91	-0.01	B1	OBJ 1	
AV 104	0020656	00 51 38.49	-72 48 05.7	13.17	-0.16	-0.96	-0.05	B0 I	SLIT 8	
AV 106	0020939	00 51 43.36	-72 37 24.9	14.18	-0.04	-0.86	0.03	B1	OBJ 1	
AV 107	0021090	00 51 45.91	-72 35 53.1	13.53	0.31	0.09	0.26	F5	OBJ 1	
AV 109	0021350	00 51 50.18	-72 39 23.1	13.74	-0.14	-0.96	-0.03	B1	OBJ 1	
AV 113	0021473	00 51 52.36	-72 24 24.0	14.47	-0.11	-0.65	-0.06	B1	OBJ 1	
AV 102	0021514	00 51 53.17	-72 31 48.5	14.45	-0.11	-0.95	0.06	B2	OBJ 1	
AV 110A	0021577	00 51 54.25	-73 22 37.9	13.76	-0.09	-0.91	-0.02	B1	OBJ 1	
AV 111	0021685	00 51 55.87	-72 32 03.6	13.90	-0.13	-0.87	0.01	B1	OBJ 1	
AV 112	0021801	00 51 57.87	-72 33 24.4	14.00	-0.17	-0.97	-0.14	B pec	SLIT 8	
AV 115	0022178	00 52 03.74	-72 12 16.8	13.49	-0.15	-0.98	-0.03	B0 IIW	SLIT 8	
AV 116	0022461	00 52 08.32	-72 08 03.7	13.46	-0.18	-1.02	-0.11	B0 II	SLIT 8	
AV 117	0022714	00 52 12.38	-73 18 38.7	13.71	0.03	-0.63	0.05	A0	OBJ 1	
AV 114	0022837	00 52 14.49	-72 39 58.1	14.90	-0.02	-0.84	0.04	O7.5 V	SLIT 9	
AV 120	0022877	00 52 15.15	-72 09 15.3	14.56	-0.23	-0.98	-0.15	O9 V	SLIT 5	
AV 118	0022989	00 52 17.15	-72 08 46.4	13.04	-0.01	-1.03	0.10	B extr	SLIT 8	
AV 122	0023385	00 52 25.05	-72 41 02.9	12.69	0.03	-0.65	0.10	B8	OBJ 1	
AV 123	0023493	00 52 27.05	-72 51 09.0	13.17	-0.01	-0.59	0.02	B8	OBJ 1	
AV 125	0023527	00 52 27.65	-73 18 55.7	12.54	0.03	-0.72	0.06	B1-3 Ia	SLIT 4	
AV 124	0023602	00 52 29.02	-72 11 00.4	13.36	-0.10	-0.99	0.05	O7.5 Ve	SLIT 9	
AV 126	0023702	00 52 30.73	-72 39 30.7	13.40	-0.01	-0.87	0.09	B0 IW	SLIT 8	
AV 127	0023707	00 52 30.83	-73 13 14.3	12.42	0.27	0.00	0.21	F2	OBJ 1	
AV 129	0024151	00 52 38.70	-72 21 03.6	14.11	-0.10	-0.80	-0.02	B1	OBJ 1	
AV 131	0024262	00 52 40.78	-72 45 21.7	12.55	0.06	-0.57	0.08	A0	OBJ 1	
AV 132	0024290	00 52 41.20	-73 12 08.1	13.75	-0.07	-0.83	0.09	B2:	OBJ 1	
AV 133	0024442	00 52 44.00	-72 36 52.6	13.82	-0.20	-1.05	-0.09	B0n+O8:	SLIT 8	
AV 134	0024530	00 52 45.66	-73 04 24.0	12.77	0.14	-0.11	0.14	F2	OBJ 1	
AV 135	0024754	00 52 49.52	-72 08 26.6	13.96	-0.23	-1.05	-0.11	O7 III	SLIT 8	
AV 138	0024914	00 52 52.30	-72 48 29.7	14.19	0.00	-0.92	0.21	B extr	SLIT 8	
AV 137	0024929	00 52 52.52	-72 44 12.9	12.35	-0.07	-0.82	0.01	B3 I	SLIT 6	
AV 142	0026289	00 53 15.69	-72 22 02.8	12.79	0.21	0.01	0.16	F5	OBJ 1	
AV 143	0026901	00 53 26.86	-72 38 27.9	13.94	-0.18	-0.99	0.01	B2 IIIW	SLIT 8	
AV 146	0027369	00 53 35.14	-73 10 03.8	13.52	0.05	-0.77	0.17	B3	OBJ 1	
AV 145	0027378	00 53 35.42	-72 37 43.9	13.38	-0.11	-0.93	-0.02	B1	OBJ 1	
AV 147	0027600	00 53 39.51	-73 05 37.9	13.90	-0.11	-0.93	0.00	B1	OBJ 1	
AV 148	0027731	00 53 42.19	-72 42 35.2	14.12	-0.20	-1.00	-0.05	O8.5 V	SLIT 9	
AV 149	0028361	00 53 53.42	-72 48 28.2	13.87	-0.10	-0.87	0.00	B2	OBJ 1	
AV 150	0028607	00 53 57.60	-72 28 40.7	12.62	0.01	-0.64	0.02	B9	OBJ 1	
AV 151	0028713	00 53 59.38	-72 45 59.5	12.26	-0.02	-0.80	0.03	B0: I	SLIT 8	
AV 153	0028921	00 54 03.36	-72 37 21.4	13.50	0.00	-0.56	0.12	B8	OBJ 1	
AV 156	0029381	00 54 11.80	-72 17 09.6	14.23	0.06	-0.22	0.03	A0	OBJ 1	
AV 158	0029937	00 54 22.88	-72 19 07.4	14.10	-0.20	-0.98	-0.09	B1	OBJ 1	
AV 159	0030191	00 54 27.75	-72 15 57.9	13.41	0.27	0.07	0.17	F2	OBJ 1	
AV 160	0030994	00 54 43.12	-72 51 57.8	13.87	-0.15	-0.86	-0.09	B0	OBJ 1	
AV 162	0032000	00 55 00.85	-72 56 17.3	13.63	0.01	-1.00	0.14	B extr	SLIT 8	
AV 163	0032224	00 55 04.52	-72 46 37.1	14.01	-0.13	-0.87	0.02	B1 II:	SLIT 8	
AV 164	0032907	00 55 15.39	-72 41 24.2	14.11	-0.20	-0.91	-0.04	B2 II	SLIT 8	

Table 6—Continued

Name	Catalog Number	α_{2000}	δ_{2000}	V	$B-V$	$U-B$	$V-R$	Spectral Data		Other ID
								Type	Source[a]	
AV 166	0033091	00 55 18.22	-73 14 20.6	12.41	0.03	-0.50	0.11	A0 I	SLIT 6	
AV 165	0033144	00 55 19.25	-72 26 05.9	12.76	0.01	-0.53	0.04	A0	OBJ 1	
AV 167	0033283	00 55 21.65	-72 21 50.0	14.09	0.18	0.00	0.18	F2	OBJ 1	
AV 167A	0033492	00 55 24.87	-72 44 38.7	14.46	-0.12	-0.86	0.02	B1	OBJ 1	
AV 168	0033711	00 55 28.46	-72 48 48.9	13.79	0.02	-0.72	0.27	B2	OBJ 1	
AV 169	0034315	00 55 39.79	-72 45 01.7	13.78	-0.10	-0.90	0.06	B1	OBJ 1	
AV 170	0034457	00 55 42.37	-73 17 30.2	13.93	-0.19	-1.00	-0.04	O9 III	SLIT 8	
AV 171	0034775	00 55 47.61	-72 39 31.0	13.23	0.05	-0.49	0.03	B8	OBJ 1	
AV 172	0035151	00 55 53.81	-72 08 59.0	13.31	0.07	-0.41	0.12	B8	OBJ 1	
AV 173	0036175	00 56 11.50	-72 54 37.0	12.68	-0.04	-0.86	0.01	B2 Ia	SLIT 6	
AV 174	0037700	00 56 37.50	-72 01 38.9	12.43	0.23	0.00	0.22	A5 I	SLIT 6	
AV 175	0037732	00 56 38.11	-72 36 34.8	13.53	-0.08	-0.84	-0.02	B1 IIW	SLIT 8	
AV 176	0037763	00 56 38.87	-72 25 13.8	13.90	-0.12	-0.87	-0.02	B1	OBJ 1	
AV 177	0038024	00 56 44.17	-72 03 31.3	14.53	-0.21	-1.05	-0.06	O5 V	SLIT 5	
AV 178	0038251	00 56 48.06	-72 28 46.7	14.18	-0.09	-0.83	-0.08	B2	OBJ 1	
AV 179	0038445	00 56 51.61	-71 56 16.5	14.68	-0.01	-1.03	0.17	B extr	SLIT 8	
AV 180	0038648	00 56 55.30	-72 24 20.5	13.03	0.02	-0.77	0.04	B5	OBJ 1	
AV 181	0038719	00 56 56.82	-72 17 44.6	13.75	-0.02	-0.45	0.05	A0	OBJ 1	
AV 183	0038982	00 57 02.03	-71 40 38.5	13.02	-0.09	-0.62	0.00	B5	OBJ 1	
AV 184	0039644	00 57 13.85	-72 22 29.8	14.05	-0.07	-0.60	0.00	B8	OBJ 1	
AV 185	0040139	00 57 23.32	-72 01 35.3	13.23	0.03	-0.60	0.14	B8:	OBJ 1	
AV 186	0040341	00 57 26.99	-72 33 13.3	13.98	-0.21	-1.02	-0.05	O7 III	SLIT 8	
AV 188	0040504	00 57 30.37	-71 53 47.4	14.15	-0.17	-0.93	0.02	O9 III	SLIT 8	
AV 189	0040610	00 57 32.51	-72 28 51.0	14.37	-0.11	-0.94	0.04	O9 V	SLIT 9	
AV 190	0040702	00 57 34.28	-72 26 54.4	13.45	0.03	-0.48	0.04	A0	OBJ 1	
AV 193	0040846	00 57 37.21	-72 23 55.7	15.30	-0.24	-0.97	0.03	B1	OBJ 1	
AV 191	0040851	00 57 37.27	-72 13 09.2	13.46	-0.10	-1.00	0.04	B extr	SLIT 8	
AV 195	0041228	00 57 44.96	-72 40 17.6	13.61	0.05	-0.40	0.13	A0	OBJ 1	
AV 196	0041648	00 57 53.87	-72 27 43.3	13.95	-0.09	-0.93	0.02	B0.5 III	SLIT 9	
AV 199	0042047	00 58 01.42	-72 35 39.3	13.29	0.16	-0.27	0.12	A5	OBJ 1	
AV 198	0042061	00 58 01.72	-72 19 35.2	13.28	0.39	0.12	0.24	F5	OBJ 1	
AV 204	0042614	00 58 11.89	-72 35 52.4	14.40	-0.17	-0.93	0.00	B1:	OBJ 1	
AV 202	0042740	00 58 14.50	-72 07 29.3	14.23	-0.16	-0.92	-0.05	B1 III	SLIT 8	
AV 205	0043215	00 58 23.26	-72 21 34.9	12.27	0.12	-0.39	0.11	A0 I	SLIT 6	
AV 206	0043497	00 58 28.64	-71 44 44.1	13.37	-0.17	-1.00	-0.08	B0 IIW	SLIT 8	
AV 207	0043724	00 58 33.20	-71 55 46.8	14.25	-0.20	-1.06	-0.04	O7 V	SLIT 5	
AV 208	0043734	00 58 33.31	-72 39 31.9	14.07	0.00	-0.96	0.16	O8 V	SLIT 9	
AV 209	0043807	00 58 34.97	-72 24 56.6	14.41	-0.17	-0.93	0.01	B1 V	SLIT 9	
AV 210	0043844	00 58 35.75	-72 16 24.9	12.60	-0.02	-0.85	0.04	B3 I	SLIT 6	
AV 212	0044649	00 58 51.84	-72 43 40.3	14.44	-0.15	-0.94	0.00	B1	OBJ 1	
AV 214	0044784	00 58 54.83	-72 13 17.1	13.31	0.03	-0.83	0.06	B1 III	SLIT 9	
AV 214A	0044786	00 58 54.85	-72 47 30.5	14.88	-0.19	-0.91	-0.17	B1	OBJ 1	
AV 215	0044828	00 58 55.64	-72 32 08.0	12.69	-0.09	-0.96	-0.01	B3 I	SLIT 6	
AV 216	0044984	00 58 59.20	-72 44 33.7	14.22	-0.13	-0.90	0.02	B0 IIW	SLIT 8	
AV 217	0045114	00 59 01.94	-72 18 53.2	14.44	-0.10	-0.90	-0.04	B1 III	SLIT 9	
AV 219	0045360	00 59 06.90	-72 16 35.9	14.31	-0.13	-0.87	-0.05	B2:	OBJ 1	
AV 221	0045484	00 59 09.25	-72 31 31.9	13.40	-0.06	-0.82	0.00	B0	OBJ 1	
AV 220	0045521	00 59 10.02	-72 05 48.0	14.35	-0.18	-1.05	-0.09	O7 If	SLIT 8	
AV 222	0045638	00 59 12.67	-72 21 00.3	13.11	-0.06	-0.78	0.01	B3	OBJ 1	
AV 223	0045677	00 59 13.41	-72 39 02.2	13.66	-0.14	-0.98	-0.01	O9 III	SLIT 8	
AV 224	0045809	00 59 16.05	-72 04 44.3	14.12	-0.15	-0.95	-0.10	B1 III	SLIT 8	
AV 225	0045820	00 59 16.24	-72 29 44.8	13.96	0.01	-0.54	0.03	B8	OBJ 1	
AV 226	0046035	00 59 20.69	-72 17 10.3	14.24	-0.19	-1.04	-0.04	O7 III	SLIT 8	
AV 227	0046657	00 59 34.92	-72 42 54.2	14.49	-0.15	-0.92	-0.05	B1	OBJ 1	
AV 228	0046090	00 59 22.15	-72 45 12.7	14.66	-0.08	-0.92	-0.02	B extr	SLIT 8	
AV 233	0046657	00 59 34.92	-72 42 54.2	14.49	-0.15	-0.92	-0.05	B1 V	SLIT 9	
AV 231	0046393	00 59 29.09	-72 20 16.8	14.11	0.00	-0.49	0.00	A0	OBJ 1	
AV 230	0046398	00 59 29.20	-72 01 04.6	12.64	0.03	-0.86	0.18	B2	OBJ 1	
AV 234	0047028	00 59 43.55	-72 04 18.6	12.94	-0.10	-0.82	-0.03	B3 I	SLIT 6	
AV 236	0047262	00 59 49.15	-72 43 21.1	14.59	-0.12	-0.92	-0.01	B0 III	SLIT 9	
AV 237	0047422	00 59 52.80	-72 19 03.4	12.47	0.08	-0.54	0.07	B8	OBJ 1	
AV 238	0047540	00 59 55.50	-72 13 37.4	13.64	-0.17	-0.98	-0.04	O9 III	SLIT 8,15	
AV 239	0047723	00 59 59.64	-71 46 39.8	13.65	-0.14	-0.83	-0.04	B2	OBJ 1	
AV 240	0047756	01 00 00.61	-72 23 52.8	14.11	-0.11	-0.83	0.01	B3	OBJ 1	
AV 241	0047762	01 00 00.68	-72 55 22.7	14.24	0.10	-0.45	0.14	B8	OBJ 1	

Table 6—Continued

Name	Catalog Number	α_{2000}	δ_{2000}	V	$B-V$	$U-B$	$V-R$	Spectral Data		Other ID
								Type	Source[a]	
AV 243	0048019	01 00 06.78	-72 47 18.7	13.84	-0.17	-1.04	-0.04	O6 III	SLIT 8	
AV 244	0048170	01 00 10.62	-71 48 05.9	14.29	-0.13	-1.00	0.03	B0 IIIW	SLIT 8	
AV 245	0048416	01 00 16.29	-71 57 08.9	13.31	-0.09	-0.59	-0.01	B5	OBJ 1	
AV 249	0048601	01 00 20.37	-72 41 22.3	13.71	-0.13	-0.96	0.02	O9 III	SLIT 8	
AV 250	0048732	01 00 23.38	-71 59 33.4	12.74	0.02	-0.36	0.01	A0 I	SLIT 6	
AV 252	0049031	01 00 30.37	-72 10 57.5	13.01	-0.11	-0.84	-0.02	B2:	OBJ 1	
AV 253	0049242	01 00 35.44	-72 50 44.9	13.28	-0.05	-0.66	0.00	B6	OBJ 1	
AV 256	0049497	01 00 41.95	-72 30 28.7	14.49	-0.12	-0.95	0.05	B extr	SLIT 8	
AV 257	0049606	01 00 44.50	-72 23 54.7	12.73	-0.05	-0.80	0.02	B3 I	SLIT 6	
AV 258	0049610	01 00 44.54	-72 29 50.1	13.69	-0.01	-1.00	0.17	O9	OBJ 1	
AV 259	0049760	01 00 48.61	-71 34 13.9	14.77	-0.16	-0.91	-0.10	B0.5 V	SLIT 9	
AV 260	0049884	01 00 51.67	-72 13 34.0	13.19	-0.11	-0.87	-0.04	B1	OBJ 1	
AV 261	0050178	01 00 58.77	-72 30 49.7	13.88	-0.07	-0.91	0.08	O8.5 I	SLIT 9	
AV 262	0050331	01 01 02.70	-72 39 30.0	12.99	-0.16	-1.00	-0.03	B0 I:W	SLIT 8	
AV 263	0050475	01 01 06.46	-72 13 00.3	12.74	0.00	-0.51	0.04	B8 Iab	SLIT 6	
AV 265	0050596	01 01 09.04	-72 45 40.5	14.36	-0.15	-0.80	-0.05	B2	OBJ 1	
AV 266	0050609	01 01 09.42	-72 27 28.4	12.55	-0.12	-0.96	-0.04	B1 III	SLIT 9	
AV 267	0050825	01 01 15.68	-72 06 35.4	14.84	-0.26	-1.05	-0.08	O8 Vn	SLIT 5	
AV 268	0050826	01 01 15.69	-72 12 44.1	13.19	-0.14	-0.86	-0.02	B2.5 III	SLIT 9	
AV 271	0051009	01 01 20.17	-72 17 17.8	13.37	-0.12	-0.91	-0.06	B1.5 III	SLIT 9	
AV 272	0051118	01 01 22.83	-72 20 11.9	14.45	-0.13	-0.69	0.01	B2	OBJ 1	
AV 277	0051486	01 01 32.58	-72 14 40.9	14.01	-0.15	-0.86	-0.07	B2	OBJ 1	
AV 278	0051503	01 01 32.83	-72 41 49.0	14.18	-0.19	-0.92	-0.03	B0	OBJ 1	
AV 279	0051575	01 01 34.72	-72 03 09.5	14.06	-0.20	-1.00	-0.15	B0 III	SLIT 8	
AV 281	0052091	01 01 47.90	-71 55 51.3	14.29	-0.05	-0.98	0.03	O7 III:	SLIT 9	
AV 282	0052170	01 01 49.87	-72 13 14.7	14.67	-0.23	-1.03	-0.10	O7 V	SLIT 5	
AV 283	0052295	01 01 52.91	-72 45 16.3	13.70	-0.09	-0.81	-0.01	B3	OBJ 1	
AV 284	0052440	01 01 56.78	-71 40 22.7	14.12	-0.15	-0.90	-0.08	B1	OBJ 1	
AV 288	0052457	01 01 57.20	-72 55 44.3	14.52	-0.18	-0.89	-0.06	B0	OBJ 1	
AV 286	0052465	01 01 57.44	-72 04 16.9	12.25	0.15	-0.02	0.14	A3 I	SLIT 6	
AV 289	0052528	01 01 58.82	-72 35 38.7	12.34	-0.11	-1.00	-0.02	B0.5 I	SLIT 5	
AV 291	0052545	01 01 59.24	-72 14 13.3	14.87	-0.10	-0.55	0.12	B1	OBJ 1	
AV 290	0052583	01 02 00.43	-72 02 22.2	13.82	-0.13	-0.84	-0.06	B1	OBJ 1	
AV 292	0052733	01 02 03.77	-72 19 08.5	13.04	-0.06	-0.67	0.03	B6	OBJ 1	
AV 295	0052799	01 02 05.14	-72 58 25.9	15.03	-0.18	-0.86	-0.09	B0	OBJ 1	
AV 294	0052865	01 02 06.65	-71 41 15.9	14.56	-0.08	-1.12	0.07	B0	SLIT 8	
AV 296	0052948	01 02 08.57	-72 13 19.9	14.26	-0.19	-1.02	-0.04	O5 V:	SLIT 8	
AV 297	0052992	01 02 09.80	-72 00 23.3	12.10	-0.03	-0.68	0.01	A1 I	SLIT 2	
AV 298	0053084	01 02 12.23	-72 02 51.7	12.47	0.03	-0.38	0.04	B8-A0 I	SLIT 6	
AV 301	0053225	01 02 15.37	-71 59 46.7	14.17	-0.16	-0.90	-0.05	B1 V	SLIT 9	
AV 302	0053373	01 02 19.01	-72 22 04.4	14.20	-0.12	-0.94	-0.13	O8.5 V	SLIT 9	
AV 300	0053382	01 02 19.13	-72 12 10.0	14.60	-0.19	-0.97	-0.04	B0 IIWW	SLIT 8	
AV 303	0053475	01 02 21.45	-72 00 17.6	12.78	-0.13	-0.90	-0.02	B1	OBJ 1	
AV 305	0053690	01 02 27.05	-72 16 45.4	12.74	0.24	0.04	0.18	F5	OBJ 1	
AV 307	0053902	01 02 32.10	-72 39 42.1	13.96	-0.16	-0.98	-0.08	O9 III	SLIT 8	
AV 306	0053973	01 02 33.76	-71 39 43.9	15.14	-0.10	-0.82	0.01	O9 V((f)	SLIT 9	
AV 308	0054180	01 02 39.18	-72 50 56.5	14.08	0.01	-0.98	0.18	B extr	SLIT 8	
AV 309	0054217	01 02 39.97	-72 25 13.0	13.35	-0.12	-0.95	-0.04	Be	SLIT 9	
AV 311	0054428	01 02 45.12	-71 56 12.3	14.43	-0.03	-0.99	0.06	B1	OBJ 1	
AV 312	0054456	01 02 45.57	-72 12 05.9	13.55	-0.20	-0.99	-0.09	B0 IW	SLIT 8	
AV 314	0054568	01 02 48.44	-72 16 45.5	12.87	-0.10	-0.79	-0.01	B3	OBJ 1	
AV 316	0054571	01 02 48.47	-72 47 02.6	14.01	-0.15	-0.94	0.00	B1	OBJ 1	
AV 317	0054721	01 02 51.91	-71 48 24.7	12.88	-0.19	-1.05	-0.07	B0 IW	SLIT 8	
AV 318	0054818	01 02 53.89	-72 09 56.4	13.51	-0.15	-0.92	-0.07	B2 I	SLIT 8	
AV 319	0054857	01 02 54.54	-72 32 44.9	13.23	0.08	-0.54	0.12	A0	OBJ 1	
AV 321	0054958	01 02 57.00	-72 08 09.2	13.76	-0.19	-1.03	-0.09	B0 IIIWW	SLIT 8	
AV 320	0054985	01 02 57.53	-72 01 04.7	12.96	-0.15	-0.86	-0.04	B2	OBJ 1	
AV 322	0055085	01 02 59.93	-72 25 39.1	13.75	-0.07	-1.03	0.09	Bext	SLIT 8	
AV 323	0055117	01 03 00.66	-72 30 11.9	13.12	0.32	0.06	0.20	F2	OBJ 1	
AV 324	0055226	01 03 03.23	-72 11 15.8	12.84	-0.05	-0.68	0.01	B5	OBJ 1	
AV 325	0055328	01 03 05.76	-71 56 54.3	14.59	-0.18	-0.84	0.01	B1	OBJ 1	
AV 326	0055490	01 03 09.26	-72 25 56.5	13.92	-0.12	-0.96	0.01	O9 V	SLIT 9	
AV 327	0055537	01 03 10.49	-72 02 14.2	13.03	-0.16	-1.04	-0.08	O9 I	SLIT 10	
AV 328	0055987	01 03 19.78	-72 26 24.7	13.67	-0.21	-1.03	-0.11	B0 V	SLIT 9	
AV 329	0056154	01 03 22.97	-72 02 35.9	13.74	-0.17	-0.97	-0.05	B1.5 I	SLIT 10	

Table 6—Continued

Name	Catalog Number	α_{2000}	δ_{2000}	V	$B-V$	$U-B$	$V-R$	Spectral Data		Other ID
								Type	Source[a]	
AV 330	0056262	01 03 25.05	-71 56 35.9	13.66	-0.04	-1.08	0.13	Be	SLIT 9	
AV 331	0056294	01 03 25.54	-72 02 33.4	13.12	0.12	-0.11	0.13	A2 I	SLIT 10	
AV 334	0056335	01 03 26.48	-72 57 02.6	13.78	-0.15	-0.97	-0.02	O8.5 V	SLIT 9	
AV 335	0056446	01 03 28.51	-72 29 27.8	14.77	-0.17	-0.85	-0.05	B1 V	SLIT 9	
AV 336	0056815	01 03 35.90	-72 03 21.9	12.96	-0.06	-0.97	0.07	WN2+abs	SLIT 13	
AV 341	0057156	01 03 42.83	-72 27 24.7	15.15	-0.11	-0.90	0.00	B1	OBJ 1	
AV 338	0057176	01 03 43.07	-72 15 30.0	12.54	0.03	-0.44	0.04	A0 Ib	SLIT 4	
AV 337	0057191	01 03 43.52	-72 03 56.2	12.66	-0.07	-0.80	-0.03	B2 I	SLIT 10	
AV 339	0057225	01 03 44.22	-72 52 25.8	12.66	-0.10	-0.84	0.01	B5 I	SLIT 6	
AV 339A	0057390	01 03 47.44	-72 04 17.2	12.75	0.26	0.00	0.17	F2 fore	SLIT 10	
AV 340	0057496	01 03 49.28	-72 07 28.7	12.69	-0.07	-0.90	0.01	B3	OBJ 1	
AV 342	0057834	01 03 55.97	-72 02 47.6	12.52	-0.07	-0.72	-0.03	B2 I	SLIT 10	
AV 343	0057851	01 03 56.16	-72 42 05.7	12.99	-0.04	-0.63	0.02	B8	OBJ 1	
AV 344	0058101	01 04 01.67	-71 56 35.5	14.55	-0.05	-1.03	-0.01	B extr	SLIT 8	
AV 346	0058555	01 04 11.17	-72 21 03.7	13.67	-0.15	-0.82	-0.05	B2 V	SLIT 9	
AV 348	0058725	01 04 15.06	-72 41 32.8	14.21	-0.15	-0.80	-0.04	B1	OBJ 1	
AV 349	0059015	01 04 21.34	-71 56 42.3	14.42	-0.17	-0.96	-0.04	B0 IIIW	SLIT 8	
AV 350	0058947	01 04 19.88	-72 40 49.0	13.63	0.00	-0.72	0.34	B1.5 V	SLIT 9	
AV 352	0059427	01 04 30.27	-72 21 44.0	13.01	0.08	-0.30	0.09	A0	OBJ 1	
AV 355	0059561	01 04 32.95	-72 48 00.2	14.21	-0.18	-0.92	-0.03	B0	OBJ 1	
AV 356	0059687	01 04 35.50	-72 04 43.6	13.47	-0.12	-0.90	-0.05	B0 IW	SLIT 8	
AV 357	0059760	01 04 37.23	-72 13 53.7	12.91	-0.01	-0.37	99.99	A0	OBJ 1	
AV 351	0059774	01 04 37.61	-72 09 39.3	13.56	-0.12	-0.80	-0.09	B0 V	SLIT 9	
AV 358	0059842	01 04 38.88	-72 00 14.8	14.10	0.02	-0.97	0.18	Be	SLIT 9	
AV 358A	0059903	01 04 40.42	-72 04 32.5	14.00	-0.18	-0.93	-0.05	B1 V	SLIT 9	
AV 359	0060193	01 04 47.29	-72 25 59.7	14.76	-0.09	-0.93	0.06	B0 n	SLIT 8	
AV 360	0060224	01 04 47.99	-72 22 08.3	14.27	-0.20	-0.97	-0.08	B0 IIWW	SLIT 8	
AV 361	0060262	01 04 49.09	-72 00 20.4	14.19	-0.10	-0.90	0.08	B0 III	SLIT 9	
AV 363	0060325	01 04 50.30	-72 22 58.9	14.44	-0.06	-0.87	0.07	B0.5 III	SLIT 9	
AV 366	0060373	01 04 51.24	-72 46 46.7	13.32	-0.02	-0.85	0.08	B2	OBJ 1	
AV 365	0060383	01 04 51.64	-72 27 13.2	14.42	-0.23	-1.00	-0.10	B0 II	SLIT 5	
AV 364	0060438	01 04 52.97	-71 59 19.1	14.17	-0.17	-1.02	-0.05	B0.5 V	SLIT 9	
AV 368	0060459	01 04 53.19	-72 17 32.9	14.29	-0.17	-0.93	-0.07	B0 IIW	SLIT 8	
AV 372	0060577	01 04 55.75	-72 46 47.7	12.59	-0.15	-1.03	-0.04	O9: I	SLIT 6	
AV 374	0060859	01 05 01.75	-72 26 53.6	13.04	-0.13	-0.87	-0.04	B1	OBJ 1	
AV 375	0060851	01 05 01.62	-72 36 11.7	13.87	-0.12	-0.84	-0.05	B2	OBJ 1	
AV 374	0060859	01 05 01.75	-72 26 53.6	13.04	-0.13	-0.87	-0.04	B1	OBJ 1	
AV 376	0061092	01 05 07.23	-72 24 36.8	13.50	-0.08	-0.90	0.08	Be	SLIT 9	
AV 378	0061202	01 05 09.39	-72 05 34.7	13.77	-0.20	-1.02	-0.07	O8 V	SLIT 8	
AV 379	0061290	01 05 11.38	-72 43 27.8	13.36	0.06	-0.21	0.06	B8	OBJ 1	
AV 380	0061842	01 05 24.73	-73 03 52.8	13.47	-0.09	-0.91	-0.01	B1	OBJ 1	
AV 381	0061933	01 05 26.97	-72 17 59.9	14.21	-0.19	-0.95	-0.11	B0 IIW	SLIT 8	
AV 383	0061967	01 05 27.93	-72 28 40.3	13.77	-0.18	-0.97	-0.04	B0 IIWW	SLIT 8	
AV 384	0061983	01 05 28.30	-72 33 33.7	12.56	0.00	-0.53	0.01	A0 I	SLIT 6	
AV 385	0062083	01 05 30.98	-72 17 42.8	13.77	-0.16	-0.87	-0.09	B1	OBJ 1	
AV 386	0062130	01 05 32.07	-72 28 44.5	13.97	-0.18	-0.86	-0.05	B1.5 V	SLIT 9	
AV 388	0062400	01 05 39.45	-72 29 26.8	14.09	-0.21	-1.07	-0.10	O4 V	SLIT 8,15	
AV 387	0062420	01 05 39.87	-72 16 05.7	13.86	-0.22	-1.04	-0.09	B0 IIWW	SLIT 8	
AV 389	0062567	01 05 44.03	-72 14 40.3	13.61	-0.16	-1.00	-0.03	B0 IIWW	SLIT 8	
AV 391	0062648	01 05 46.45	-72 46 43.8	14.57	-0.13	-0.70	-0.05	B2	OBJ 1	
AV 390	0062661	01 05 47.01	-71 46 21.9	12.98	0.03	-0.77	0.16	B1:	OBJ 1	
AV 394	0063120	01 06 01.47	-72 23 28.3	13.27	-0.17	-0.87	-0.06	B1	OBJ 1	
AV 396	0063226	01 06 04.25	-72 13 34.2	14.10	-0.19	-1.00	-0.13	O9 V	SLIT 8	
AV 399	0063390	01 06 08.96	-72 24 08.9	12.33	0.01	-0.44	0.05	A0 I	SLIT 6	
AV 398	0063413	01 06 09.84	-71 56 00.7	13.90	0.07	-0.81	0.12	B2	OBJ 1	
AV 395	0063433	01 06 10.41	-72 50 23.3	15.06	-0.03	-0.78	0.09	B1 III	SLIT 9	
AV 401	0063618	01 06 15.18	-72 35 28.3	13.15	0.20	0.00	0.16	F2	OBJ 1	
AV 402	0063683	01 06 17.15	-72 27 46.7	13.22	-0.13	-1.04	0.00	Be	SLIT 9	
AV 400	0063834	01 06 21.82	-72 13 37.8	14.67	-0.21	-0.94	-0.06	B2	OBJ 1	
AV 403	0063842	01 06 22.03	-72 44 09.4	14.70	-0.14	-0.92	0.01	B0 IIIW	SLIT 8	
AV 405	0064300	01 06 35.99	-71 56 03.0	14.16	-0.18	-0.96	-0.04	B2	OBJ 1	
AV 406	0064308	01 06 36.16	-72 32 32.5	14.77	-0.16	-0.89	-0.06	B1	OBJ 1	
AV 408	0064451	01 06 40.28	-72 37 39.7	13.59	-0.11	-0.87	-0.03	B1	OBJ 1	
AV 409	0064453	01 06 40.32	-73 10 24.2	13.38	0.03	-1.00	0.11	Be	SLIT 9	
AV 409A	0064529	01 06 43.23	-71 57 08.5	14.17	-0.05	-0.89	0.03	B2	OBJ 1	

Table 6—Continued

Name	Catalog Number	α_{2000}	δ_{2000}	V	$B-V$	$U-B$	$V-R$	Spectral Data		Other ID
								Type	Source[a]	
AV 410	0064588	01 06 45.12	-72 03 24.6	13.21	-0.15	-0.95	-0.05	B0 III	SLIT 8	
AV 411	0065110	01 07 00.85	-72 13 16.1	13.71	-0.22	-1.05	-0.07	O8.5 V	SLIT 5	
AV 412	0065201	01 07 03.36	-72 27 37.8	12.92	-0.05	-0.66	0.02	B9	OBJ 1	
AV 414	0065656	01 07 16.53	-72 26 34.2	13.01	-0.03	-0.58	0.03	B8	OBJ 1	
AV 416	0065887	01 07 24.08	-72 46 18.2	13.67	-0.03	-0.49	0.06	B9	OBJ 1	
AV 417	0065963	01 07 26.22	-72 21 51.3	13.79	0.39	0.12	0.28	F5:	OBJ 1	
AV 418	0065991	01 07 27.14	-72 18 13.7	14.44	-0.12	-0.77	-0.06	B2:	OBJ 1	
AV 419	0066057	01 07 29.08	-72 15 19.5	13.67	-0.06	-0.94	0.10	B2	OBJ 1	
AV 420	0066160	01 07 32.52	-72 17 38.7	13.09	-0.17	-1.02	-0.09	B1 I	SLIT 8	
AV 422	0066389	01 07 39.57	-72 15 43.7	14.00	-0.12	-0.82	0.03	B2	OBJ 1	
AV 423	0066415	01 07 40.35	-72 50 59.6	13.25	-0.17	-1.00	-0.06	O9.5 V	SLIT 9	
AV 425	0066538	01 07 44.26	-72 28 11.4	14.66	-0.17	-0.87	-0.03	B2.5 III	SLIT 9	
AV 424	0066542	01 07 44.35	-72 09 09.3	13.06	-0.16	-1.00	-0.03	B0 III	SLIT 8	
AV 426	0066553	01 07 44.66	-72 33 32.1	14.02	-0.22	-0.99	-0.08	B0 III	SLIT 5	
AV 428	0066870	01 07 54.26	-72 40 58.8	12.52	0.05	-0.43	0.04	A0 I	SLIT 6	
AV 429	0067060	01 07 59.87	-72 00 53.9	14.63	-0.20	-1.02	0.01	O7 V	SLIT 8	
AV 430	0067150	01 08 02.76	-72 41 25.1	14.01	0.02	-0.25	0.06	A0	OBJ 1	
AV 431	0067253	01 08 05.51	-72 08 42.7	12.95	0.12	-0.08	0.09	A2	OBJ 1	
AV 432	0067316	01 08 07.45	-72 19 32.8	14.07	-0.18	-0.91	-0.10	B0	OBJ 1	
AV 433	0067389	01 08 09.56	-72 15 56.8	14.29	-0.17	-1.02	0.00	B extr	SLIT 8	
AV 434	0067481	01 08 12.49	-71 41 27.5	12.64	0.38	0.10	0.26	F5	OBJ 1	
AV 435	0067670	01 08 17.88	-71 59 54.3	14.00	-0.06	-0.98	0.10	O4 V	SLIT 9	
AV 436	0067893	01 08 25.80	-72 23 27.3	13.97	-0.05	-1.03	0.10	O7.5 Ve	SLIT 9	
AV 437	0068427	01 08 44.25	-73 14 50.3	13.51	0.01	-1.02	0.08	B extr	SLIT 8	
AV 438	0068485	01 08 46.11	-72 37 31.1	12.92	0.01	-0.46	0.03	A0	OBJ 1	
AV 439	0068621	01 08 51.11	-71 49 51.4	14.64	-0.23	-1.05	-0.06	O9.5 III	SLIT 5	
AV 440	0068756	01 08 56.01	-71 52 46.5	14.48	-0.18	-1.00	0.02	O7 V	SLIT 8	
AV 441	0068790	01 08 57.24	-72 26 02.7	13.74	-0.21	-0.97	-0.08	B0 III	SLIT 8	
AV 445	0069280	01 09 15.75	-72 25 14.0	12.71	-0.06	-0.75	0.02	B5	OBJ 1	
AV 446	0069555	01 09 25.46	-73 09 29.7	14.59	-0.24	-1.06	-0.01	O6.5 V	SLIT 8	
AV 447	0069630	01 09 28.29	-72 17 14.7	14.01	-0.22	-0.98	-0.11	B0 IIWW	SLIT 8	
AV 449	0070632	01 10 09.31	-72 09 14.4	12.74	-0.04	-0.60	0.01	B8	OBJ 1	
AV 450	0070752	01 10 15.23	-71 37 54.8	14.68	0.03	-0.35	0.20	A0	OBJ 1	
AV 451	0071002	01 10 26.06	-72 23 28.9	13.97	-0.22	-1.04	-0.06	O9 V	SLIT 8	
AV 452	0071078	01 10 29.36	-73 16 50.8	13.51	-0.02	-0.50	0.04	A2	OBJ 1	
AV 453	0071209	01 10 35.35	-71 41 56.8	12.56	-0.03	-0.53	0.02	A0 Iab	SLIT 6	
AV 454	0071404	01 10 45.02	-72 43 09.0	13.54	-0.10	-1.00	0.05	B2	OBJ 1	
AV 456	0071614	01 10 55.74	-72 42 56.2	12.83	0.10	-0.78	0.09	O9.5 V	SLIT 9	
AV 458	0071958	01 11 12.70	-71 57 26.8	14.21	-0.06	-1.02	0.07	Be	SLIT 9	
AV 459	0072092	01 11 19.60	-72 28 29.4	13.73	-0.08	-0.80	0.01	B3	OBJ 1	
AV 460	0072176	01 11 24.11	-71 58 40.1	14.22	-0.10	-0.94	0.11	Be	SLIT 9	
AV 461	0072204	01 11 25.53	-72 09 48.5	14.57	-0.23	-1.05	-0.11	O8 V	SLIT 8	
AV 462	0072208	01 11 25.92	-72 31 20.9	12.54	-0.13	-0.95	-0.03	B1	OBJ 1	
AV 463	0072530	01 11 43.20	-72 07 27.6	12.10	0.09	-0.17	0.07	A2 I	SLIT 6	
AV 464	0072535	01 11 43.43	-73 13 53.2	13.45	-0.03	-1.08	0.10	O7.5 V	SLIT 9	
AV 466	0072711	01 11 52.74	-72 21 48.0	13.84	0.01	-0.35	0.01	B5	OBJ 1	
AV 467	0072724	01 11 53.32	-72 44 14.6	14.42	-0.17	-0.96	-0.06	B0 IIWW	SLIT 8	
AV 468	0072941	01 12 05.82	-72 40 56.2	15.11	-0.25	-1.03	-0.09	O8.5 V	SLIT 5	
AV 469	0073337	01 12 28.97	-72 29 29.2	13.12	-0.16	-1.05	-0.06	O8 II	SLIT 8	
AV 471	0073913	01 13 00.32	-73 17 03.7	13.63	-0.06	-0.92	0.03	B0.5 V	SLIT 9	
AV 472	0073952	01 13 01.91	-72 45 48.6	12.62	-0.11	-0.92	0.01	B2	OBJ 1	
AV 473	0074075	01 13 08.34	-73 20 23.5	12.81	0.61	0.23	0.35	F5	OBJ 1	
AV 476	0074608	01 13 42.41	-73 17 29.3	13.52	-0.09	-0.93	0.02	O6.5 V	SLIT 9	
AV 477	0074828	01 13 57.24	-73 09 20.1	13.08	-0.11	-0.92	-0.05	B2	OBJ 1	
AV 480	0075689	01 14 55.06	-72 21 38.1	14.34	-0.03	-1.03	0.15	Oe	SLIT 9	
AV 481	0075719	01 14 56.79	-72 42 02.7	14.87	-0.27	-0.99	-0.10	B0 IIWW	SLIT 8	
AV 482	0076217	01 15 29.93	-73 20 15.9	14.58	-0.24	-1.09	-0.16	B0 n	SLIT 8	
AV 484	0076371	01 15 39.23	-73 23 49.1	13.96	-0.20	-1.04	-0.12	B0 IIWW	SLIT 8	
AV 485	0076549	01 15 51.54	-72 23 55.0	14.87	-0.01	-0.29	0.02	B3	OBJ 1	
AV 486	0076553	01 15 52.11	-73 20 48.6	12.07	-0.19	-0.97	-0.07	O9.5:III	SLIT 3	
AV 487	0076568	01 15 53.37	-73 19 08.2	12.58	-0.15	-1.00	-0.05	B0	OBJ 1	
AV 489	0077392	01 16 59.27	-73 09 56.6	14.46	-0.16	-0.97	-0.05	O8.5 V	SLIT 9	
AV 490	0077458	01 17 05.09	-73 26 36.0	13.15	-0.15	-1.00	-0.06	B2 I	SLIT 8	
AV 491	0077596	01 17 16.81	-73 10 01.1	14.72	-0.20	-0.95	-0.08	O7.5III:	SLIT 9	
AV 492	0077609	01 17 18.01	-73 12 00.3	12.69	-0.14	-0.99	-0.06	B0 IW	SLIT 8	

Table 6—Continued

Name	Catalog Number	α_{2000}	δ_{2000}	V	$B-V$	$U-B$	$V-R$	Spectral Data		Other ID
								Type	Source[a]	
AV 493	0077616	01 17 18.43	-73 17 52.5	14.08	0.03	-1.07	0.07	B0	OBJ 1	
AV 494	0078118	01 18 04.00	-72 45 11.4	14.64	-0.04	-0.80	0.04	B2	OBJ 1	
AV 495	0078413	01 18 27.95	-73 22 31.0	13.88	0.03	-0.50	0.10	A0	OBJ 1	
AV 496	0078435	01 18 29.43	-73 31 12.3	12.69	0.03	-0.44	0.04	A0	OBJ 1	
AV 497	0078685	01 18 52.95	-73 16 59.6	13.74	-0.08	-0.77	-0.01	B2	OBJ 1	
AV 498	0079391	01 19 50.22	-72 41 05.7	12.76	-0.01	-0.50	0.04	A0	OBJ 1	
AV 499	0079561	01 20 06.20	-72 32 07.7	13.21	-0.13	-0.73	0.01	B2	OBJ 1	
AV 500	0079586	01 20 08.30	-72 52 16.2	13.45	-0.17	-0.89	-0.08	B1	OBJ 1	
AV 501	0079782	01 20 25.08	-73 06 04.0	13.11	-0.06	-0.65	0.03	B5	OBJ 1	
AV 502	0080039	01 20 57.14	-73 13 52.2	14.07	-0.04	-0.92	0.01	B1	OBJ 1	
AV 505	0080412	01 21 49.54	-73 37 21.5	13.46	-0.13	-1.00	-0.02	B2	OBJ 1	
AV 506	0080545	01 22 11.24	-73 26 51.9	13.53	-0.17	-0.98	-0.06	B0	OBJ 1	
Massey et al. (1995) SMC "Incompleteness Field"										
smc-3	0041624	00 57 53.37	-72 14 47.2	15.74	-0.10	-0.72	-0.23	B1 III	SLIT 9	
smc-6	0043197	00 58 22.90	-72 17 51.6	14.96	-0.15	-1.02	-0.08	O8.5 V	SLIT 9	
smc-7	0043686	00 58 32.29	-72 17 47.9	15.78	0.06	-0.33	0.26	B0.5 V	SLIT 9	
smc-8	0043758	00 58 33.87	-72 16 58.2	15.08	-0.05	-0.78	0.14	B0.2 V	SLIT 9	
smc-12	0045438	00 59 08.32	-72 29 05.1	15.04	-0.13	-0.81	0.01	B1 Ve	SLIT 9	
smc-13	0045722	00 59 14.35	-72 22 45.2	15.08	0.08	-0.81	0.72	B8 Ve	SLIT 9	
smc-15	0049527	01 00 42.61	-72 24 57.0	15.22	0.00	-0.96	0.21	Be	SLIT 9	
smc-16	0049580	01 00 43.94	-72 26 04.9	14.38	-0.16	-0.98	-0.08	O8.5 V	SLIT 9	
smc-32	0055615	01 03 11.82	-72 17 37.2	15.35	-0.13	-0.68	0.06	B1.5 V	SLIT 9	
smc-34	0055724	01 03 13.93	-72 25 07.3	14.46	-0.21	-1.02	-0.18	O8.5 V	SLIT 9	
smc-37	0056503	01 03 29.73	-72 17 55.7	14.95	-0.08	-0.96	-0.01	O8 V	SLIT 9	
smc-38	0057065	01 03 41.13	-72 26 00.3	15.82	0.13	-0.68	0.24	B0.5 V	SLIT 9	
smc-43	0059034	01 04 21.60	-72 15 42.1	15.75	-0.10	-0.81	-0.03	Be	SLIT 9	
smc-45	0060529	01 04 54.84	-72 22 33.8	14.83	-0.20	-0.94	-0.14	B1.5 V	SLIT 9	
smc-46	0061017	01 05 05.28	-72 23 58.9	14.38	-0.11	-0.78	0.04	B1 V	SLIT 9	
From Feast et al. (1960) or Sanduleak (1968,1969b)										
R 1	0001187	00 41 43.48	-73 43 23.7	12.09	1.33	1.08	0.62	F8 Ia	SLIT 2	
R 12	0027771	00 53 42.67	-72 17 13.5	11.89	0.59	0.26	0.35	F8 Ia	SLIT 2	
R 20	0049478	01 00 41.56	-72 10 37.0	12.17	1.81	0.85	0.99	K5 Ia	SLIT 2	
Sk 4	0005143	00 45 06.75	-73 57 54.8	12.37	0.70	0.29	0.40	OB	OBJ 11	
Sk 170	0081363	01 24 13.92	-73 57 39.8	13.55	-0.09	-0.73	-0.02	OB:	OBJ 11	
Sk 171	0081403	01 24 20.57	-73 58 11.8	13.58	0.05	-0.23	0.03	AI	OBJ 11	
Sk 172	0081817	01 25 16.96	-73 38 29.6	13.41	-0.02	-0.51	0.05	BI	OBJ 11	
Sk 174	0081951	01 25 37.99	-73 22 39.9	13.64	-0.16	-1.00	0.02	OB:	OBJ 11	
Sk 173	0081955	01 25 38.23	-73 07 39.6	13.57	-0.17	-0.96	-0.05	OB:	OBJ 11	
Sk 176	0082430	01 26 53.92	-73 08 40.4	13.73	-0.19	-0.95	-0.07	OB:	OBJ 11	
Sk 177	0082471	01 27 02.87	-73 09 50.1	13.59	-0.23	-1.05	-0.11	OB:	OBJ 11	
Sk 178	0082559	01 27 20.92	-73 10 53.2	13.72	-0.16	-0.83	-0.03	OB:	OBJ 11	
Sk 179	0082928	01 28 28.01	-72 46 55.6	13.06	-0.10	-0.72	0.00	B6 I	OBJ 11	
Sk 180	0083076	01 28 57.04	-72 45 06.6	12.78	-0.04	-0.39	0.04	B8 I	OBJ 11	
Sk 183	0083235	01 29 24.59	-73 33 16.5	13.82	-0.23	-1.08	-0.07	OB:	OBJ 11	N602a-15
Sk 184	0083480	01 30 10.89	-73 18 56.2	13.73	0.01	-0.82	0.19	OB:	OBJ 11	
Sk 185	0083623	01 30 39.77	-73 22 01.3	12.50	0.05	-0.24	0.09	A2 I:	OBJ 11	
Sk 186	0083646	01 30 44.54	-73 04 26.1	12.81	-0.12	-0.85	-0.01	OB	OBJ 11	
Sk 187	0083678	01 30 50.23	-73 22 59.4	13.18	-0.19	-1.06	-0.09	O9 V	SLIT 12	F655
Sk 188	0083750	01 31 04.16	-73 25 04.3	12.83	-0.16	-1.17	-0.07	WO4+abs	SLIT 13	N602c-17
Sk 190	0083853	01 31 28.00	-73 22 14.6	13.54	-0.18	-1.06	-0.04	O8 Iaf	SLIT 12	F766
Massey & Duffy (2001) Wolf-Rayet Stars										
SMC-WR1	0003304	00 43 42.41	-73 28 54.6	15.17	-0.04	-0.95	-0.09	WN3+abs	SLIT 13	AV 2a
SMC-WR2	0011046	00 48 30.83	-73 15 45.8	14.26	-0.18	-1.00	0.03	WN4.5+abs	SLIT 13	AV 39a
SMC-WR3	0015138	00 49 59.35	-73 22 14.1	14.48	-0.12	-0.92	0.08	WN3	SLIT 13	AV 60a
SMC-WR4	0017438	00 50 43.39	-73 27 05.6	13.37	-0.12	-0.89	0.02	WN6p	SLIT 13	AV 81
SMC-WR7	0056815	01 03 35.90	-72 03 21.9	12.96	-0.06	-0.97	0.07	WN2	SLIT 13	AV 336

Table 6—Continued

Name	Catalog Number	α_{2000}	δ_{2000}	V	$B-V$	$U-B$	$V-R$	Spectral Data		Other ID
								Type	Source[a]	
SMC-WR8	0083750	01 31 04.16	-73 25 04.3	12.83	-0.16	-1.17	-0.07	WO4	SLIT 13	Sk 188
SMC-WR9	0030420	00 54 32.17	-72 44 35.2	15.24	-0.12	-0.99	0.06	WN3	SLIT 13	
SMC-WR10	0005625	00 45 28.96	-73 04 45.7	15.28	0.21	-1.09	-0.01	WN3	SLIT 13	
SMC-WR11	0022409	00 52 07.40	-72 35 38.0	14.97	0.17	-0.84	0.26	WN3	SLIT 13	

[a] "OBJ" indicates objective prism type, "SLIT" indicates slit spectral type. References: (1)—Azzopardi & Vigneau 1982 and references therein; (2)—Feast et al. 1960; (3)—Ardeberg & Maurice 1977; (4)—Dubois, Jaschek, & Jaschek 1977; (5)—Crampton & Greasley 1982; (6)—Humphreys 1983; (7)—Walborn 1983; (8)—Garmany et al. 1987; (9)—Massey et al. 1995; (10)—Massey et al. 2000b; (11)—Sanduleak 1969b; (12)—Massey, previously unpublished; (13)—Massey & Duffy 2001; (14)—Walborn et al. 2000; (15)—Walborn et al. 1995.

Table 7. Comparison of the Intrinsic $(U-B)_o$ with that Derived from CCD and Photoelectric Photometry

Star	Catalog	Spectral	FitzGerald(1970)		CCD Photometry					Photoelectric Photometry				
	Number	Type	$(B-V)_o$	$(U-B)_o$	$(B-V)$	$(U-B)$	$E(B-V)$	$(U-B)_o$	$\Delta(U-B)_o$	$(B-V)$	$(U-B)$	$E(B-V)$	$(U-B)_o$	$\Delta(U-B)_o$
							SMC							
AV 90	0019066	A2 II:	0.05	-0.21	0.08	-0.13	0.03	-0.15	0.06	0.08	0.12	0.03	0.10	0.22
AV 174	0037700	A5 I	0.10	-0.09	0.23	0.00	0.13	-0.09	0.00	0.23	0.27	0.13	0.18	0.27
AV 286	0052465	A3 I	0.06	-0.12	0.15	-0.02	0.09	-0.08	0.04	0.15	0.32	0.09	0.26	0.38
AV 331	0056294	A2 I	0.05	-0.26	0.12	-0.11	0.07	-0.16	0.10	0.10	0.12	0.05	0.08	0.34
AV 463	0072530	A2 I	0.03	-0.26	0.09	-0.17	0.06	-0.21	0.05	0.08	0.11	0.05	0.07	0.33
							LMC							
Sk -69 2A	0002885	A3 I	0.06	-0.12	0.18	-0.06	0.09	-0.12	0.00	0.23	0.20	0.17	0.08	0.20
Sk -70 3	0009809	A3 I	0.06	-0.12	0.18	-0.08	0.09	-0.14	-0.02	0.16	0.18	0.10	0.11	0.23
FDG 39	0011586	F8 I	0.55	0.40	0.51	0.25	<0.00	···	···	0.55	0.46	0.00	···	···
Sk -70 6	0012786	A4 I	0.08	-0.10	0.15	-0.08	0.07	-0.13	-0.03	0.16	0.21	0.08	0.15	0.25
Sk -69 60	0059331	A1 I:	0.03	-0.30	0.09	-0.22	0.06	-0.26	0.04	0.05	0.04	0.02	0.03	0.33

Table 8A. LMC Blue Stars with $(B-V)_o < 0.14$ and $M_{bol} < -7.0$[a]

Star	α_{2000}	δ_{2000}	V	$B-V$	$U-B$	Q	$T_{\rm eff}$	$M_{\rm bol}$	Spectral Type
000204	04 44 36.23	-69 28 22.2	14.85	-0.02	-0.85	-0.84	4.485	-7.03	
000277	04 44 42.10	-69 02 52.2	15.85	-0.02	-0.96	-0.95	4.628	-7.01	
000322	04 44 45.45	-69 01 23.8	14.59	-0.01	-1.02	-1.01	4.660	-8.49	
000695	04 45 11.81	-69 22 34.1	15.78	-0.42	99.99	99.99	4.660	-7.30	
000907	04 45 25.33	-69 35 14.4	15.75	-0.19	-0.70	-0.56	4.639	-7.19	
000936	04 45 27.41	-69 00 33.6	14.24	-0.12	-0.93	-0.84	4.495	-7.71	
001015	04 45 32.43	-70 15 11.2	15.91	-0.23	-0.71	-0.54	4.660	-7.17	
001020	04 45 32.82	-69 28 01.5	13.39	-0.08	-0.97	-0.91	4.372	-7.72	B1 III
001485	04 46 05.28	-68 46 50.7	13.83	-0.12	-0.88	-0.79	4.396	-7.44	
001875	04 46 30.57	-69 47 01.3	15.85	-0.24	-0.32	-0.15	4.660	-7.23	

[a] The complete version of this table will be published electronically.

Table 8B. SMC Blue Stars with $(B-V)_o < 0.14$ and $M_{bol} < -7.0$[a]

Star	α_{2000}	δ_{2000}	V	$B-V$	$U-B$	Q	$T_{\rm eff}$	$M_{\rm bol}$	Spectral Type
000107	00 40 28.11	-73 32 32.9	15.00	-0.04	-0.95	-0.92	4.594	-8.00	
000259	00 40 41.66	-73 22 29.8	16.44	-0.31	-0.13	0.09	4.660	-7.01	
000298	00 40 43.96	-73 24 22.8	15.12	0.06	-0.78	-0.82	4.471	-7.04	
000314	00 40 45.24	-73 22 56.6	14.39	-0.15	-0.46	-0.35	4.377	-7.13	
000515	00 40 59.94	-73 20 35.9	15.85	-0.38	-0.51	-0.24	4.660	-7.60	
000665	00 41 11.26	-73 21 39.1	16.30	-0.26	-0.72	-0.53	4.660	-7.15	
000930	00 41 26.92	-73 26 30.9	15.19	0.09	-0.86	-0.92	4.599	-7.85	
001076	00 41 35.75	-73 29 17.5	15.06	-0.14	-0.92	-0.82	4.466	-7.07	
001148	00 41 41.25	-73 32 45.8	15.92	-0.23	-0.24	-0.07	4.639	-7.39	
003459	00 43 49.95	-73 09 02.4	13.46	-0.14	-0.99	-0.89	4.460	-8.63	B0 IWW

[a] The complete version of this table will be published electronically.

Table 9A. Potential F Supergiants in the LMC

Star	α_{2000}	δ_{2000}	V	$B-V$	$U-B$	$V-R$	
000098	04 44 26.30	-69 45 12.2	14.05	0.81	0.46	0.53	
001127	04 45 41.27	-69 49 08.6	13.37	0.80	0.49	0.47	
001634	04 46 14.82	-70 27 06.2	13.96	0.80	0.44	0.49	
002297	04 46 57.91	-69 30 51.0	14.10	0.75	0.49	0.46	
002991	04 47 39.52	-68 45 34.1	13.42	0.79	0.51	0.52	
003155	04 47 49.71	-69 45 08.6	13.55	0.81	0.45	0.48	
004653	04 49 01.35	-68 58 36.9	13.57	0.68	0.40	0.48	
004970	04 49 11.90	-69 36 38.7	11.80	0.76	0.44	0.48	
006307	04 49 51.85	-67 46 38.3	14.36	0.79	0.48	0.44	
006777	04 50 03.17	-68 15 35.3	13.28	0.62	0.39	0.35	
007431	04 50 17.91	-69 10 43.7	13.86	0.80	0.47	0.49	
007794	04 50 26.32	-68 03 25.9	14.31	0.81	0.58	0.52	
009390	04 50 58.69	-68 37 26.4	14.03	0.73	0.45	0.52	
010488	04 51 22.23	-68 25 54.2	14.00	0.77	0.47	0.48	
012931	04 52 12.71	-67 59 32.9	14.25	0.80	0.55	0.43	
015641	04 53 03.31	-67 46 12.3	12.97	0.79	0.45	0.47	
017171	04 53 29.37	-69 00 49.4	13.97	0.70	0.54	0.41	good candidate
017176	04 53 29.55	-69 00 41.3	14.25	0.48	0.28	99.99	
017429	04 53 34.00	-69 59 37.7	13.78	0.76	0.42	0.45	
017903	04 53 41.78	-67 59 53.4	14.09	0.78	0.47	0.45	
019327	04 54 05.70	-68 55 51.7	12.69	0.78	0.44	0.44	
019453	04 54 08.08	-68 04 40.7	14.29	0.74	0.45	0.47	
022796	04 54 58.69	-69 07 04.7	13.98	0.78	0.52	0.45	
025855	04 55 42.46	-67 23 16.4	14.12	0.77	0.43	0.42	
026858	04 55 57.09	-67 38 36.3	14.38	0.78	0.45	0.46	
028458	04 56 19.21	-69 02 21.2	13.93	0.71	0.40	0.48	
029175	04 56 28.55	-67 42 21.8	14.30	0.79	0.46	0.50	
030047	04 56 38.85	-67 11 19.2	13.88	0.77	0.50	0.49	
030049	04 56 38.88	-69 34 16.2	12.75	0.79	0.51	0.46	
034040	04 57 27.32	-69 16 31.5	13.82	0.75	0.45	0.43	
035362	04 57 43.99	-69 27 51.0	14.06	0.47	0.28	0.42	
040392	04 58 46.93	-67 18 49.8	14.17	0.74	0.43	0.40	
041141	04 58 56.52	-69 13 04.0	14.33	0.78	0.46	0.58	
041972	04 59 07.62	-69 33 05.1	12.74	0.74	0.41	0.42	
044436	04 59 43.59	-68 31 22.9	11.46	0.71	0.42	0.41	
045899	05 00 04.77	-70 52 54.9	13.83	0.80	0.45	0.50	
050188	05 01 08.42	-69 23 45.3	12.87	0.73	0.50	0.46	
050193	05 01 08.47	-70 56 46.1	14.25	0.80	0.47	0.47	

Table 9A—Continued

Star	α_{2000}	δ_{2000}	V	$B-V$	$U-B$	$V-R$	
051299	05 01 24.50	-67 09 54.5	14.33	0.66	0.38	0.43	
051909	05 01 33.25	-67 11 58.9	14.37	0.77	0.44	0.43	
052895	05 01 48.17	-68 09 34.5	13.61	0.75	0.44	0.42	
053676	05 01 59.37	-67 52 12.7	14.22	0.81	0.57	0.50	
053804	05 02 01.20	-68 41 56.7	13.45	0.79	0.45	0.47	
056100	05 02 34.95	-71 07 14.6	14.27	0.76	0.45	0.49	
056576	05 02 42.18	-67 51 41.3	14.24	0.75	0.42	0.45	
061070	05 03 49.91	-68 19 57.2	14.05	0.80	0.47	0.51	
065294	05 05 05.00	-69 29 36.7	14.38	0.77	0.51	0.41	
068617	05 06 09.39	-70 47 07.0	14.07	0.81	0.45	0.46	
068660	05 06 10.28	-68 52 53.5	14.15	0.81	0.49	0.46	
069103	05 06 19.26	-69 23 30.3	13.70	0.79	0.47	0.47	
071354	05 07 05.56	-68 43 04.9	13.64	0.70	0.39	0.39	
071882	05 07 16.01	-68 53 00.8	12.06	0.78	0.44	0.39	
074601	05 08 09.29	-70 28 16.1	12.07	0.77	0.43	0.47	
075165	05 08 19.90	-70 41 45.9	14.39	0.80	0.47	0.45	
078383	05 09 08.85	-68 59 07.6	12.35	0.67	0.38	0.35	
080463	05 09 41.13	-68 50 41.1	14.25	0.43	0.26	0.22	
081152	05 09 51.93	-69 16 49.0	14.13	0.79	0.45	0.49	
081761	05 10 01.21	-70 40 19.9	12.34	0.80	0.46	0.45	
086143	05 11 05.03	-70 14 36.3	12.95	0.80	0.48	0.43	
086184	05 11 05.61	-70 26 07.5	13.91	0.39	0.40	0.45	good candidate
087083	05 11 20.20	-69 56 35.7	14.29	0.76	0.42	0.44	
092989	05 13 17.01	-69 33 22.1	13.72	0.81	0.45	0.47	
094437	05 13 47.48	-69 52 33.4	14.06	0.81	0.47	0.47	
095545	05 14 08.15	-68 45 07.6	13.04	0.80	0.52	0.46	
100390	05 15 36.34	-68 53 16.9	13.56	0.76	0.48	0.48	
110232	05 18 14.14	-69 24 27.7	12.06	0.77	0.46	0.47	
111770	05 18 39.03	-70 19 55.4	13.64	0.80	0.54	0.45	
113482	05 19 04.92	-69 22 53.7	13.98	0.73	0.41	0.41	
114888	05 19 25.23	-68 57 09.8	14.27	0.79	0.51	0.50	
115504	05 19 33.73	-69 32 33.6	13.95	0.44	0.30	99.99	
118116	05 20 09.68	-70 29 11.8	12.52	0.77	0.43	0.43	
122731	05 21 12.54	-69 03 07.4	13.28	0.72	0.40	0.41	
122928	05 21 15.67	-70 26 11.1	14.09	0.72	0.40	0.41	
126022	05 22 01.34	-68 24 06.0	12.95	0.78	0.47	0.43	
131762	05 23 35.29	-68 57 39.4	14.22	0.81	0.59	0.44	
131985	05 23 47.87	-68 51 52.2	13.98	0.75	0.44	0.48	

Table 9A—Continued

Star	α_{2000}	δ_{2000}	V	$B-V$	$U-B$	$V-R$
135908	05 26 31.95	-67 37 22.5	14.34	0.79	0.51	0.48
136410	05 26 43.20	-67 44 00.9	13.71	0.77	0.44	0.44
136765	05 26 50.79	-67 36 57.1	14.22	0.72	0.44	0.51
137525	05 27 08.05	-69 04 45.6	13.98	0.75	0.52	0.46
137750	05 27 12.94	-68 31 05.9	14.18	0.81	0.56	0.42
143844	05 29 20.53	-69 05 50.9	13.77	0.62	0.37	0.36
143958	05 29 22.32	-69 29 34.4	14.28	0.45	0.29	0.38
144208	05 29 27.54	-67 35 20.6	14.01	0.78	0.51	0.53
147617	05 30 28.74	-67 56 23.5	13.72	0.76	0.42	0.44
148701	05 30 46.73	-69 16 42.2	14.14	0.75	0.46	0.43
148704	05 30 46.84	-67 48 23.9	14.03	0.75	0.43	0.47
149075	05 30 53.28	-67 51 01.3	13.37	0.77	0.46	0.46
149219	05 30 55.42	-69 16 26.6	14.20	0.81	0.61	0.41
149304	05 30 56.97	-69 25 54.8	14.36	0.76	0.47	0.43
154712	05 32 35.02	-68 40 57.3	12.05	0.80	0.47	0.45
162709	05 35 26.10	-68 06 23.1	12.80	0.79	0.52	0.44
163822	05 35 52.20	-67 08 36.7	12.99	0.73	0.45	0.42
164792	05 36 12.15	-67 32 14.3	13.84	0.80	0.47	0.49
168197	05 37 24.46	-69 13 50.8	14.31	0.45	0.36	0.34
169501	05 37 53.21	-69 11 50.4	13.97	0.78	0.50	0.49
171506	05 38 40.78	-68 17 39.3	13.85	0.79	0.48	0.46
171793	05 38 47.81	-68 48 14.9	14.13	0.80	0.48	0.48
172186	05 38 57.05	-68 28 30.7	12.73	0.81	0.50	0.46
174017	05 39 53.39	-68 16 11.4	12.69	0.76	0.45	0.42
175861	05 41 11.68	-69 08 06.1	13.36	0.72	0.42	0.43
176598	05 41 40.07	-68 31 36.9	13.13	0.77	0.45	0.46
179609	05 44 03.97	-68 53 47.5	12.15	0.79	0.47	0.46

Table 9B. Potential F Supergiants in the SMC

Star	α_{2000}	δ_{2000}	V	$B-V$	$U-B$	$V-R$	
006211	00 45 54.08	-72 52 22.7	14.32	0.76	0.47	0.49	
009160	00 47 44.60	-74 02 33.5	14.30	0.76	0.44	0.51	
010516	00 48 19.20	-73 55 17.2	13.55	0.73	0.42	0.40	
011348	00 48 37.94	-73 41 24.2	13.98	0.75	0.41	0.46	
012116	00 48 55.90	-73 43 44.5	14.20	0.70	0.39	0.42	
013014	00 49 14.85	-73 40 00.7	13.58	0.77	0.49	0.50	
014271	00 49 41.60	-73 26 40.7	12.98	0.67	0.41	0.48	
015240	00 50 01.20	-72 45 16.0	14.33	0.73	0.59	99.99	
016665	00 50 28.86	-72 45 08.7	11.63	0.63	0.44	0.38	AV74 G0: I
018761	00 51 07.01	-72 36 46.1	14.19	0.75	0.43	0.52	
032710	00 55 12.00	-72 41 22.7	13.90	0.76	0.42	0.49	
039287	00 57 07.35	-72 44 01.0	14.00	0.75	0.44	0.44	
042307	00 58 06.42	-71 44 25.4	13.73	0.73	0.41	0.42	
050644	01 01 10.65	-71 37 41.3	13.85	0.77	0.42	0.42	
066473	01 07 41.84	-71 36 31.2	14.09	0.74	0.41	0.40	
066708	01 07 49.30	-72 09 44.8	14.37	0.74	0.48	0.40	
070873	01 10 20.39	-71 45 00.5	14.36	0.77	0.45	0.49	
071303	01 10 40.12	-72 28 30.3	13.05	0.77	0.44	0.46	
072834	01 12 00.15	-72 07 45.0	13.91	0.77	0.42	0.41	
072909	01 12 04.04	-72 09 42.6	14.39	0.76	0.43	0.42	
077480	01 17 07.31	-73 07 12.9	14.13	0.77	0.42	0.41	
079202	01 19 36.28	-72 58 51.9	13.09	0.77	0.46	0.43	
079328	01 19 44.76	-72 39 06.4	13.50	0.73	0.41	0.41	
082125	01 26 03.65	-73 38 25.8	14.22	0.75	0.41	0.48	
082888	01 28 17.44	-72 59 34.2	13.20	0.75	0.41	0.41	

Table 10A. LMC Red Stars with $(V-R)_o > 0.6$ and $M_{bol} < -7.0$

Star	α_{2000}	δ_{2000}	V	$B-V$	$V-R$	Δ_{B-V}[a]	$T_{\rm eff}$	$M_{\rm bol}$	Spectral Type[b]	Id[c]
000202	04 44 36.17	-70 43 02.7	13.45	1.64	1.52	0.02	3.490	-3.09		
000298	04 44 43.66	-70 16 05.2	11.63	1.22	0.67	0.18	3.653	-4.28		
000311	04 44 44.82	-69 05 47.4	12.26	1.57	0.94	0.09	3.580	-4.18		
000415	04 44 51.49	-70 26 41.0	12.78	1.50	0.94	0.02	3.580	-2.58		
000570	04 45 01.92	-70 27 55.6	12.93	1.46	0.99	-0.07	3.569	-3.73		
002634	04 47 18.55	-69 18 29.3	11.55	1.22	0.69	0.14	3.647	-3.57		
003533	04 48 07.44	-69 22 32.2	12.30	1.59	0.92	0.14	3.585	-4.29		
003677	04 48 16.66	-69 57 12.5	11.14	1.34	0.72	0.20	3.638	-2.43		
004299	04 48 46.22	-69 43 25.7	12.11	1.27	0.68	0.21	3.650	-7.83		
005297	04 49 22.49	-69 24 34.4	13.77	2.15	1.50	0.52	3.492	-5.37		
005429	04 49 26.80	-68 45 06.1	13.30	1.94	1.18	0.27	3.534	-7.47		
006193	04 49 49.03	-68 42 31.3	13.28	1.93	1.12	0.29	3.544	-6.26		
006852	04 50 05.02	-68 33 20.2	11.99	1.53	1.05	-0.06	3.557	-3.41		
007127	04 50 11.37	-68 37 24.6	12.67	1.36	0.91	-0.08	3.587	-5.16		
008593	04 50 42.82	-70 21 16.2	11.22	1.20	0.71	0.08	3.641	-3.58		
009392	04 50 58.71	-69 14 03.2	12.88	1.95	1.07	0.35	3.553	-4.59		
010407	04 51 20.56	-69 29 14.4	12.34	2.05	1.11	0.42	3.546	-6.32		
010895	04 51 30.99	-69 14 52.0	13.55	1.94	1.23	0.26	3.526	-7.47		
011118	04 51 35.94	-69 32 33.7	13.03	1.80	0.99	0.27	3.569	-5.15		
011656	04 51 47.29	-69 19 25.1	13.01	1.89	1.01	0.34	3.565	-5.78		
012157	04 51 57.00	-70 11 51.7	12.80	1.96	1.01	0.41	3.565	-4.13		
014125	04 52 35.73	-70 40 42.9	12.95	1.20	0.94	-0.28	3.580	-5.82		
014939	04 52 50.86	-70 46 30.5	12.88	1.88	0.91	0.44	3.587	-6.11		
016332	04 53 14.78	-69 12 18.3	13.73	2.17	1.39	0.49	3.504	-1.66		
016554	04 53 18.50	-69 17 03.5	12.88	1.20	0.97	-0.31	3.574	-4.54		
017261	04 53 30.84	-69 17 49.8	13.00	1.03	1.20	-0.64	3.531	-5.15		
017338	04 53 32.34	-69 01 17.8	10.93	1.54	0.85	0.18	3.602	-4.23		
018301	04 53 48.78	-68 52 40.0	13.01	1.91	1.01	0.36	3.565	-4.05		
018456	04 53 51.19	-68 50 04.3	12.57	1.60	0.98	0.08	3.572	-3.01		
019465	04 54 08.26	-70 06 24.4	12.80	2.00	1.00	0.46	3.567	-2.84		
019496	04 54 08.81	-68 32 31.5	12.90	1.98	1.06	0.39	3.555	-1.78		
019756	04 54 12.91	-70 17 08.8	13.28	1.87	1.10	0.25	3.548	-4.33		
021369	04 54 36.90	-69 20 22.7	11.26	1.77	0.87	0.38	3.597	-5.44		
021480	04 54 38.56	-69 11 17.4	13.19	1.82	1.48	0.18	3.494	-2.24		
021534	04 54 39.46	-69 04 36.7	12.63	2.02	1.07	0.42	3.553	-2.53		
022204	04 54 49.77	-69 30 03.0	12.72	1.98	0.99	0.45	3.569	-3.30		
023095	04 55 03.09	-69 29 13.4	14.38	2.00	1.79	0.68	3.469	-8.22		
024014	04 55 16.11	-69 19 12.8	12.82	1.47	1.23	-0.21	3.526	-7.91		

Table 10A—Continued

Star	α_{2000}	δ_{2000}	V	$B-V$	$V-R$	Δ_{B-V}[a]	$T_{\rm eff}$	$M_{\rm bol}$	Spectral Type[b]	Id[c]
024410	04 55 21.72	-69 47 17.2	14.45	2.07	1.57	0.49	3.485	-3.36		
024987	04 55 30.05	-69 29 11.1	12.08	2.04	1.09	0.42	3.549	-3.87		
025818	04 55 41.86	-69 26 24.8	11.72	2.06	1.05	0.47	3.557	-2.90		
026286	04 55 48.28	-69 24 07.1	12.37	1.96	1.04	0.38	3.559	-3.79		
026575	04 55 52.84	-70 54 12.0	11.75	1.27	0.68	0.21	3.650	-3.89		
026792	04 55 56.09	-68 16 03.6	11.64	1.28	0.69	0.20	3.647	-6.23		
028780	04 56 23.70	-69 42 11.9	12.76	1.83	0.96	0.33	3.576	-5.34		
029153	04 56 28.30	-69 40 37.6	12.85	1.79	0.98	0.27	3.572	-2.79		
030861	04 56 48.61	-69 39 55.9	12.25	1.92	1.09	0.30	3.549	-4.27		
030929	04 56 49.63	-69 48 32.0	12.06	1.64	0.73	0.48	3.635	-5.71		
031775	04 57 00.25	-69 39 07.2	15.27	0.46	1.67	-1.02	3.477	-5.44		
032376	04 57 07.11	-68 29 38.6	11.19	1.30	0.67	0.26	3.653	-1.78		
034380	04 57 31.66	-70 08 59.7	12.56	1.96	1.08	0.35	3.551	-5.96		
035331	04 57 43.49	-70 08 51.0	12.80	2.12	1.29	0.43	3.517	-5.87		
035415	04 57 44.66	-69 30 35.0	13.37	1.93	1.10	0.31	3.548	-2.91		
036503	04 57 58.53	-69 50 37.8	15.21	-0.07	1.63	-1.60	3.480	-5.23		
038347	04 58 21.08	-69 33 38.3	11.30	1.35	0.73	0.19	3.635	-3.98		
038691	04 58 25.64	-70 56 47.2	15.18	0.31	2.28	0.13	3.448	-4.03		
040147	04 58 43.84	-68 50 55.1	12.21	1.29	0.86	-0.08	3.600	-3.87		
040284	04 58 45.61	-70 32 36.5	11.14	1.28	0.69	0.20	3.647	-6.61		
041126	04 58 56.40	-68 48 05.4	10.86	1.28	0.78	0.03	3.621	-5.31		
043754	04 59 33.90	-68 46 25.0	12.90	1.96	0.93	0.50	3.583	-4.14		
048328	05 00 41.30	-67 23 14.6	11.70	1.43	0.76	0.22	3.626	-3.47		
048333	05 00 41.36	-68 06 04.9	13.39	1.96	1.26	0.27	3.521	-4.90		
052432	05 01 41.35	-67 12 41.6	11.46	1.34	0.72	0.20	3.638	-4.34		
054365	05 02 09.57	-70 25 02.4	13.26	1.85	1.10	0.23	3.548	-7.25		
058140	05 03 04.96	-68 08 08.9	11.75	1.55	0.87	0.16	3.597	-6.01		
058692	05 03 13.31	-69 01 22.8	12.49	1.89	1.03	0.32	3.561	-3.04		
058746	05 03 14.33	-68 20 14.8	13.07	1.85	1.00	0.31	3.567	-4.83		
058820	05 03 15.36	-70 17 41.9	13.25	1.81	1.03	0.24	3.561	-6.76		
061753	05 03 59.77	-69 38 15.0	13.16	2.07	1.16	0.41	3.537	-2.12	M2 Ia-Iab	39-2
062090	05 04 05.10	-70 22 46.7	12.50	1.96	1.00	0.42	3.567	-3.00		
062353	05 04 09.92	-70 12 18.0	12.86	1.49	1.00	-0.05	3.567	-5.89		
064048	05 04 41.79	-70 42 37.2	13.28	1.89	1.19	0.22	3.532	-6.31		
064517	05 04 50.69	-70 41 58.0	13.99	0.42	1.31	-1.27	3.514	-4.63		
064613	05 04 52.55	-70 41 58.1	13.25	1.52	1.18	-0.15	3.534	-6.62		
064706	05 04 54.13	-70 33 18.9	12.79	1.63	0.98	0.11	3.572	-6.50		
065204	05 05 03.11	-69 18 31.0	12.87	1.95	1.05	0.36	3.557	-8.45		

Table 10A—Continued

Star	α_{2000}	δ_{2000}	V	$B-V$	$V-R$	Δ_{B-V}[a]	$T_{\rm eff}$	$M_{\rm bol}$	Spectral Type[b]	Id[c]
065426	05 05 07.42	-70 06 12.3	12.66	1.71	0.96	0.21	3.576	-5.07		
065558	05 05 10.03	-70 40 03.2	12.62	1.89	1.01	0.34	3.565	-3.61		
066778	05 05 33.44	-70 33 47.1	12.92	1.40	1.19	-0.27	3.532	-6.11		
067982	05 05 56.61	-70 35 24.0	12.76	1.93	1.09	0.31	3.549	-6.28		
068098	05 05 58.92	-70 29 14.6	13.11	1.90	1.04	0.32	3.559	-6.37		
068125	05 05 59.56	-70 48 11.4	13.43	1.83	1.20	0.16	3.531	-6.85	M5 Iab	40-13
069960	05 06 36.42	-70 32 38.7	13.10	1.91	1.02	0.35	3.563	-3.80		
069998	05 06 37.33	-70 00 52.9	12.66	1.90	0.96	0.40	3.576	-5.75		
071357	05 07 05.62	-70 32 44.3	11.70	2.07	1.09	0.45	3.549	-4.49		
072727	05 07 32.52	-70 39 04.6	13.08	2.15	1.20	0.48	3.531	-4.93		
078306	05 09 07.61	-69 36 15.9	15.35	1.13	2.08	0.39	3.454	-3.18		
078891	05 09 16.78	-69 32 05.0	10.78	1.62	0.99	0.09	3.569	-3.38		
080672	05 09 44.55	-68 46 36.9	12.98	1.92	1.08	0.31	3.551	-2.61		
081614	05 09 59.27	-70 25 00.1	11.96	1.38	0.71	0.26	3.641	-3.87		
085519	05 10 55.88	-68 48 51.2	12.71	1.75	0.89	0.34	3.592	-5.85		
086970	05 11 18.33	-69 30 08.9	12.08	1.27	0.67	0.23	3.653	-3.90		
090837	05 12 32.53	-69 20 02.4	13.44	1.86	1.09	0.24	3.549	-5.92		
092201	05 13 01.37	-70 27 42.0	13.36	1.58	1.18	-0.09	3.534	-3.14		
092220	05 13 01.71	-69 34 45.1	12.28	1.42	0.74	0.24	3.632	-5.60		
093745	05 13 33.04	-69 21 42.3	12.59	1.94	1.03	0.37	3.561	-3.97		
097647	05 14 47.88	-69 11 28.2	11.26	1.64	0.89	0.23	3.592	-2.57		
097767	05 14 50.00	-69 29 11.3	11.64	1.40	0.76	0.19	3.626	-2.39		
098295	05 14 59.75	-69 40 25.5	12.77	2.00	1.03	0.43	3.561	-1.83		
099265	05 15 16.52	-69 33 06.4	12.56	1.89	1.10	0.27	3.548	-3.21		
100341	05 15 35.38	-70 09 37.9	11.87	1.31	0.69	0.23	3.647	-2.85		
103922	05 16 32.46	-70 30 15.0	13.01	1.91	0.97	0.40	3.574	-2.76		
104305	05 16 38.67	-70 45 41.8	14.23	1.79	1.68	0.32	3.476	-5.94		
106201	05 17 09.11	-69 32 21.1	13.29	1.51	1.24	-0.17	3.524	-6.97		
109106	05 17 56.51	-69 40 25.4	12.96	1.85	1.02	0.29	3.563	-2.78		
109242	05 17 58.52	-69 15 53.7	11.48	1.73	1.11	0.10	3.546	-4.97		
113184	05 19 00.44	-69 41 45.2	15.29	-0.33	3.07	2.95	3.437	-7.79		
113364	05 19 03.35	-69 39 55.2	11.70	1.46	0.93	0.00	3.583	-4.82		
113510	05 19 05.25	-69 39 23.7	13.08	1.24	0.98	-0.28	3.572	-3.10		
116895	05 19 53.34	-69 27 33.4	12.43	1.92	1.03	0.35	3.561	-5.77		
119219	05 20 23.69	-69 33 27.3	12.14	2.04	0.98	0.52	3.572	-4.68		
123778	05 21 28.06	-69 30 16.5	13.49	1.78	1.10	0.16	3.548	-6.01		
124836	05 21 43.54	-69 21 27.6	13.19	1.59	1.01	0.04	3.565	-3.74		
124858	05 21 43.85	-69 21 25.6	13.21	1.68	1.01	0.13	3.565	-2.39		

Table 10A—Continued

Star	α_{2000}	δ_{2000}	V	$B-V$	$V-R$	Δ_{B-V}[a]	$T_{\rm eff}$	$M_{\rm bol}$	Spectral Type[b]	Id[c]
125851	05 21 58.19	-68 45 20.1	11.21	1.39	0.74	0.21	3.632	-4.64		
126683	05 22 11.01	-69 17 24.2	11.60	1.24	0.67	0.20	3.653	-6.51		
128130	05 22 31.21	-69 34 05.1	13.07	1.86	1.00	0.32	3.567	-3.80		
128458	05 22 35.78	-70 24 12.4	11.25	1.34	0.68	0.28	3.650	-5.94		
130426	05 23 02.84	-69 20 37.1	13.18	1.88	1.05	0.29	3.557	-3.94		
131126	05 23 13.67	-70 35 56.4	12.39	1.46	0.76	0.25	3.626	-2.14		
131735	05 23 34.09	-69 19 07.0	12.65	1.84	0.89	0.43	3.592	-3.48		
133088	05 24 45.89	-68 29 33.7	12.77	1.95	1.00	0.41	3.567	-4.28		
134383	05 25 44.95	-69 04 48.9	13.46	1.65	1.21	-0.03	3.529	-2.74	M3 I	46-12
134605	05 25 54.36	-68 25 58.9	11.27	1.38	0.74	0.20	3.632	-2.25		
135720	05 26 27.52	-69 10 55.5	13.57	1.85	1.35	0.16	3.509	-4.37		
135754	05 26 28.32	-69 07 57.4	13.07	1.96	1.05	0.37	3.557	-5.68		
136042	05 26 34.92	-68 51 40.1	12.24	1.08	1.09	-0.54	3.549	-3.33	M2 I + B	46-19
136348	05 26 42.20	-68 56 38.7	13.11	1.89	1.05	0.30	3.557	-7.61		
136378	05 26 42.79	-68 57 13.4	13.28	1.97	1.11	0.34	3.546	-9.45		
136404	05 26 43.11	-67 24 33.0	11.88	1.97	1.07	0.37	3.553	-4.12		
137582	05 27 09.49	-67 02 16.4	13.30	1.86	1.04	0.28	3.559	-7.07		
137624	05 27 10.38	-69 16 17.6	13.16	1.88	1.02	0.32	3.563	-2.82		
137818	05 27 14.33	-69 11 10.7	13.33	1.74	1.20	0.07	3.531	-2.13		
138405	05 27 26.86	-69 00 02.0	13.08	1.83	1.02	0.27	3.563	-5.83	M0 Iab	46-24
138475	05 27 28.16	-69 00 36.0	12.65	1.66	1.03	0.09	3.561	-5.82	M1 Ia-Iab	46-25
138552	05 27 29.84	-67 14 12.9	12.80	1.54	1.18	-0.13	3.534	-4.44	M1 Ia	45-16
139027	05 27 39.72	-69 09 01.1	12.13	1.15	0.92	-0.30	3.585	-7.19	M1 Ia	46-25
139161	05 27 42.46	-68 59 09.9	11.72	0.24	0.73	-0.92	3.635	-11.36		
139413	05 27 47.62	-69 13 20.3	12.68	1.53	1.17	-0.13	3.535	-6.35		
139588	05 27 51.22	-67 18 04.3	13.19	1.83	1.05	0.24	3.557	-4.52		
139591	05 27 51.28	-69 10 45.8	12.54	1.40	0.96	-0.10	3.576	-5.12		
140006	05 28 00.12	-69 07 42.3	13.05	1.71	0.97	0.20	3.574	-1.94		
140292	05 28 05.98	-67 37 48.7	12.89	1.88	1.03	0.31	3.561	-2.61		
140296	05 28 06.11	-69 07 13.5	13.12	1.87	1.18	0.20	3.534	-6.22	M0 Ia	46-28
140403	05 28 08.18	-69 13 10.8	13.01	2.01	1.15	0.36	3.539	-7.37		
140782	05 28 16.01	-69 12 01.1	13.00	1.67	1.03	0.10	3.561	-3.33		
140912	05 28 18.69	-69 07 34.7	12.83	1.13	0.97	-0.38	3.574	-5.84	M1 Ia-Iab	46-29
141377	05 28 28.01	-69 12 57.2	10.93	1.61	0.70	0.51	3.644	-6.25		
141430	05 28 28.98	-68 07 07.8	12.30	2.15	1.24	0.47	3.524	-4.13	M0 Ia	46-32
141507	05 28 30.42	-69 00 44.7	12.98	1.90	1.01	0.35	3.565	-2.34		
141568	05 28 31.63	-69 05 31.2	13.23	2.02	1.19	0.35	3.532	-7.81	M2 Iab	46-30
141772	05 28 36.10	-68 26 15.5	12.55	2.01	1.12	0.37	3.544	-6.97	M2 Ia	46-34

Table 10A—Continued

Star	α_{2000}	δ_{2000}	V	$B-V$	$V-R$	Δ_{B-V}[a]	$T_{\rm eff}$	$M_{\rm bol}$	Spectral Type[b]	Id[c]
141795	05 28 36.61	-68 42 38.5	12.65	1.97	1.09	0.35	3.549	-6.88		
142102	05 28 43.26	-67 18 28.5	12.84	1.89	0.99	0.36	3.569	-4.46		
142202	05 28 45.59	-68 58 02.3	12.15	1.65	1.03	0.08	3.561	-6.02	M0-M1 Ia	46-33
142527	05 28 52.82	-67 55 17.4	13.12	1.82	1.01	0.27	3.565	-6.56		
142907	05 29 00.86	-68 46 33.6	13.05	1.89	1.06	0.30	3.555	-5.74		
143035	05 29 03.58	-69 06 46.3	13.52	1.93	1.27	0.24	3.520	-1.77		
143137	05 29 05.59	-67 18 18.0	12.79	1.11	0.91	-0.33	3.587	-5.77	M0 Iab	45-27
143280	05 29 08.49	-69 12 18.6	13.27	1.94	1.13	0.30	3.542	-4.22		
143877	05 29 21.10	-68 47 31.5	11.82	1.94	0.95	0.45	3.578	-4.17	M1Ia	46-39
143898	05 29 21.49	-69 00 20.3	11.96	0.55	0.76	-0.66	3.626	-4.07		
144217	05 29 27.66	-69 08 50.3	12.23	1.67	1.13	0.03	3.542	-4.41	M1 Ia	46-39
144637	05 29 35.49	-68 30 45.4	13.70	2.07	1.17	0.41	3.535	-4.80		
145013	05 29 42.32	-68 57 17.3	12.15	1.89	1.16	0.23	3.537	-6.09	M1Ia	46-44
145112	05 29 44.02	-69 05 50.2	12.31	2.08	1.07	0.48	3.553	-5.41		
145716	05 29 54.85	-69 04 15.6	12.49	1.86	0.96	0.36	3.576	-4.27		
145728	05 29 55.04	-67 18 36.9	12.45	1.19	1.02	-0.37	3.563	-5.19	M1Ia +B	45-34
146126	05 30 02.36	-67 02 45.0	11.17	1.80	0.84	0.46	3.605	-5.31		
146155	05 30 02.99	-68 46 04.0	12.84	1.91	1.02	0.35	3.563	-2.96	M0 Iab	46-49
146244	05 30 04.63	-68 47 28.9	12.92	1.92	0.98	0.40	3.572	-5.74		
146266	05 30 04.99	-69 03 59.9	13.15	1.84	1.01	0.29	3.565	-6.86		
146548	05 30 09.67	-69 11 03.9	13.80	2.08	1.18	0.41	3.534	-4.61		
147199	05 30 21.00	-67 20 05.7	12.73	1.57	1.20	-0.10	3.531	-5.85	M1 Ia	45-38
147257	05 30 22.20	-67 06 31.4	12.76	1.45	0.94	-0.03	3.580	-7.67		
147276	05 30 22.49	-67 05 05.9	11.94	1.33	0.71	0.21	3.641	-6.17		
147372	05 30 24.36	-67 29 13.0	11.91	1.31	0.73	0.15	3.635	-4.84		
147479	05 30 26.37	-69 30 24.7	12.78	1.90	1.02	0.34	3.563	-4.94		
147928	05 30 33.55	-67 17 15.4	12.38	1.30	0.95	-0.19	3.578	-7.80	M2 I + B	45-41
148035	05 30 35.61	-68 59 23.6	13.88	1.66	1.38	-0.02	3.505	-4.48		
148041	05 30 35.69	-67 12 04.3	13.06	1.81	0.99	0.28	3.569	-2.29		
148381	05 30 41.58	-69 15 33.7	12.24	1.86	1.10	0.24	3.548	-4.37		
148409	05 30 42.10	-69 05 23.2	13.32	1.81	1.05	0.22	3.557	-3.93	M1 Iab	46-52
148600	05 30 45.25	-67 07 59.2	13.23	1.90	1.11	0.27	3.546	-7.11		
148693	05 30 46.62	-67 17 35.2	14.92	0.24	2.29	0.09	3.448	-8.16		
149026	05 30 52.38	-67 17 34.5	12.80	1.43	0.93	-0.03	3.583	-6.67		
149065	05 30 53.17	-67 30 52.0	12.09	1.21	0.68	0.15	3.650	-5.28		
149560	05 31 00.62	-69 10 39.6	13.05	0.60	1.20	-1.07	3.531	-7.93		
149587	05 31 01.19	-69 10 59.2	12.51	0.69	0.82	-0.62	3.610	-4.18		
149721	05 31 03.50	-69 05 40.0	12.71	1.86	0.97	0.35	3.574	-6.62		

Table 10A—Continued

Star	α_{2000}	δ_{2000}	V	$B-V$	$V-R$	Δ_{B-V}[a]	T_{eff}	M_{bol}	Spectral Type[b]	Id[c]
149767	05 31 04.33	-69 19 02.9	13.10	2.03	1.29	0.34	3.517	-7.69		
150040	05 31 09.35	-67 25 55.1	12.81	1.96	1.20	0.29	3.531	-5.65	M4 Ia-Iab	45-48
150396	05 31 15.58	-69 03 58.8	13.26	1.81	1.15	0.16	3.539	-4.93		
150430	05 31 16.18	-67 54 24.2	11.24	1.29	0.71	0.17	3.641	-2.93		
150572	05 31 18.42	-68 44 00.2	12.89	1.80	0.99	0.27	3.569	-7.39		
150577	05 31 18.56	-69 09 28.2	13.27	1.80	1.08	0.19	3.551	-4.07		
150976	05 31 25.82	-69 21 17.9	13.17	1.85	1.06	0.26	3.555	-8.21		
152132	05 31 47.50	-67 23 03.3	13.16	1.90	1.06	0.31	3.555	-8.33	M0 Ia-Iab	45-56
153298	05 32 08.91	-67 11 18.6	13.11	1.85	1.03	0.28	3.561	-7.47		
153866	05 32 19.30	-67 25 00.5	13.16	1.82	1.01	0.27	3.565	-9.95		
154311	05 32 27.54	-69 16 53.0	12.56	1.89	1.06	0.30	3.555	-6.95		
154352	05 32 28.25	-67 45 47.8	10.59	1.59	0.93	0.13	3.583	-2.53		
154542	05 32 31.52	-69 20 25.7	13.02	1.94	1.01	0.39	3.565	-7.51		
154556	05 32 31.79	-68 04 52.9	11.61	1.30	0.72	0.16	3.638	-6.93		
154608	05 32 32.92	-67 10 42.1	11.23	1.51	0.83	0.18	3.607	-3.67		
154729	05 32 35.44	-69 07 51.9	13.21	1.51	1.08	-0.10	3.551	-8.02		
154744	05 32 35.72	-67 55 09.2	13.72	2.21	1.60	0.66	3.483	-6.39		
155529	05 32 50.32	-67 27 45.3	13.34	1.84	1.20	0.17	3.531	-6.59		
156011	05 32 59.93	-68 35 54.4	12.11	1.84	0.99	0.31	3.569	-6.12	M0 Ia	53-3
156131	05 33 02.11	-67 24 14.5	12.99	1.84	0.96	0.34	3.576	-6.93		
156794	05 33 14.53	-67 03 48.5	12.95	1.79	1.04	0.21	3.559	-2.16		
157081	05 33 20.91	-67 30 31.9	12.97	1.96	1.21	0.28	3.529	-5.49	M1 Ia	52-17
157401	05 33 26.88	-67 04 13.7	12.27	1.99	1.06	0.40	3.555	-2.99		
157533	05 33 29.67	-67 31 38.0	13.16	1.50	0.99	-0.03	3.569	-4.24		
158317	05 33 44.60	-67 24 16.9	13.35	1.96	1.12	0.32	3.544	-3.18		
158646	05 33 52.26	-69 11 13.2	13.10	2.23	1.33	0.54	3.512	-6.73		
159389	05 34 08.44	-67 02 40.1	12.64	1.74	1.00	0.20	3.567	-5.18		
159893	05 34 19.57	-68 59 36.4	13.10	1.96	1.06	0.37	3.555	-5.48		
159974	05 34 21.49	-69 21 59.8	12.72	1.77	0.91	0.33	3.587	-2.66		
160132	05 34 25.04	-69 23 36.5	12.99	1.97	1.12	0.33	3.544	-3.46		
160170	05 34 25.97	-69 21 47.7	11.03	1.53	0.82	0.22	3.610	-4.36		
160357	05 34 30.20	-68 40 43.9	11.42	1.53	0.85	0.17	3.602	-4.22		
160518	05 34 33.90	-69 15 02.3	13.10	1.89	1.17	0.23	3.535	-3.01		
160907	05 34 43.31	-67 04 10.5	11.92	1.73	0.81	0.43	3.613	-5.38		
161078	05 34 47.07	-69 29 00.1	12.91	1.61	1.02	0.05	3.563	-4.97		
162163	05 35 14.17	-67 43 55.7	12.96	2.04	1.26	0.35	3.521	-5.59		
162635	05 35 24.61	-69 04 03.2	14.23	2.33	1.36	0.64	3.508	-8.22		
162990	05 35 32.46	-67 06 55.8	12.30	1.35	0.74	0.17	3.632	-2.21		

Table 10A—Continued

Star	α_{2000}	δ_{2000}	V	$B-V$	$V-R$	Δ_{B-V}[a]	$T_{\rm eff}$	$M_{\rm bol}$	Spectral Type[b]	Id[c]
163007	05 35 32.84	-69 04 18.6	13.07	1.51	1.04	-0.07	3.559	-2.87		
163466	05 35 43.86	-68 51 21.1	12.45	1.76	1.05	0.17	3.557	-5.84		
163738	05 35 50.31	-67 36 34.8	13.20	2.10	1.13	0.46	3.542	-3.47		
163814	05 35 52.01	-69 22 28.5	12.75	1.80	0.99	0.27	3.569	-6.22		
164506	05 36 06.44	-68 56 40.8	12.87	1.44	0.97	-0.07	3.574	-5.61		
164507	05 36 06.47	-67 27 11.6	12.97	1.90	1.07	0.30	3.553	-5.61		
164709	05 36 10.56	-68 54 40.5	12.02	0.40	0.67	-0.64	3.653	-3.66		
165242	05 36 20.42	-68 56 18.9	13.97	1.95	1.28	0.26	3.519	-6.19		
165543	05 36 26.91	-69 23 50.7	10.98	1.62	0.81	0.32	3.613	-8.66		
166155	05 36 40.60	-69 23 16.4	12.94	1.51	0.96	0.01	3.576	-3.96		
167163	05 37 01.24	-67 15 43.0	13.27	1.91	1.05	0.32	3.557	-3.45		
168047	05 37 20.65	-69 19 38.2	12.47	1.54	0.97	0.03	3.574	-4.25		
168151	05 37 23.23	-69 19 27.9	12.20	0.50	0.72	-0.64	3.638	-5.71		
168290	05 37 26.37	-68 47 40.1	13.23	2.03	1.18	0.36	3.534	-7.56		
168469	05 37 30.70	-69 02 33.2	13.50	2.24	1.14	0.59	3.540	-4.84		
168757	05 37 36.96	-69 29 23.5	14.08	1.77	1.34	0.08	3.510	-5.40		
169049	05 37 43.16	-69 24 59.6	12.65	2.02	1.14	0.37	3.540	-6.67		
169142	05 37 45.15	-69 20 48.2	12.11	0.91	0.91	-0.53	3.587	-3.22		
169411	05 37 50.91	-68 16 24.5	12.07	1.88	0.96	0.38	3.576	-3.52		
169754	05 37 58.77	-69 14 23.7	13.21	2.15	1.13	0.51	3.542	-2.18		
170079	05 38 06.71	-69 17 29.5	14.60	2.30	1.60	0.75	3.483	-6.20		
170452	05 38 16.10	-69 10 10.9	13.99	2.39	1.50	0.76	3.492	-4.35		
170455	05 38 16.20	-69 23 31.7	12.08	1.36	0.90	-0.07	3.590	-8.20		
170539	05 38 18.24	-69 17 42.1	13.86	2.14	1.29	0.45	3.517	-6.22		
171860	05 38 49.28	-67 22 08.0	11.70	1.52	1.06	-0.07	3.555	-7.64		
173854	05 39 46.25	-69 19 28.1	13.60	2.08	1.19	0.41	3.532	-5.31		
174324	05 40 07.72	-69 20 05.1	13.83	1.91	1.26	0.22	3.521	-8.32		
174543	05 40 17.13	-69 27 53.7	12.97	1.58	1.06	-0.01	3.555	-5.94		
174714	05 40 24.48	-69 21 16.6	13.13	1.98	1.21	0.30	3.529	-3.88		
174742	05 40 25.38	-69 15 30.2	12.50	1.63	0.92	0.18	3.585	-6.72		
175015	05 40 37.04	-69 26 20.1	13.31	1.92	1.15	0.27	3.539	-8.74		
175188	05 40 43.80	-69 21 57.8	13.52	1.72	1.36	0.03	3.508	-6.39		
175464	05 40 55.36	-69 23 25.0	12.90	2.20	1.22	0.52	3.527	-3.45		
175549	05 40 59.25	-69 18 36.2	13.24	2.23	1.39	0.55	3.504	-3.83	M2 I	54-34
175709	05 41 05.17	-69 04 42.5	12.74	1.95	1.06	0.36	3.555	-3.58		
175746	05 41 06.94	-69 17 14.8	13.30	2.06	1.26	0.37	3.521	-4.61	M1 Ia-Iab	54-39
176135	05 41 21.89	-69 31 48.8	13.06	2.10	1.26	0.41	3.521	-3.43		
176216	05 41 24.60	-69 18 12.8	13.66	1.67	1.22	-0.01	3.527	-4.54		

Table 10A—Continued

Star	α_{2000}	δ_{2000}	V	$B-V$	$V-R$	Δ_{B-V}[a]	$T_{\rm eff}$	$M_{\rm bol}$	Spectral Type[b]	Id[c]
176335	05 41 29.70	-69 27 16.2	12.90	2.01	1.03	0.44	3.561	-4.06		
176695	05 41 43.49	-69 28 15.4	12.92	1.97	1.03	0.40	3.561	-3.76		
176715	05 41 44.05	-69 12 02.7	13.05	1.13	0.98	-0.39	3.572	-7.51	M1 I	54-46
176823	05 41 47.91	-69 12 06.1	14.05	2.03	1.41	0.36	3.502	-5.54		
176890	05 41 50.26	-69 21 15.7	12.85	1.97	1.01	0.42	3.565	-4.08	M0 Iab	54-47
177150	05 42 00.84	-69 11 37.0	13.80	1.89	1.20	0.22	3.531	-2.80		
177997	05 42 35.48	-69 08 48.3	12.56	2.02	1.08	0.41	3.551	-4.58	M2 Ia	54-53
178066	05 42 38.71	-69 09 51.4	13.30	2.00	1.05	0.41	3.557	-6.77		
178555	05 43 02.16	-69 05 49.6	13.04	1.97	1.09	0.35	3.549	-2.89		
179408	05 43 49.00	-68 14 40.1	11.94	1.55	0.91	0.11	3.587	-5.74		

[a] $\Delta_{B-V} = (B-V) - (B-V)_{\rm cut}$, where $(B-V)_{\rm cut}$ is the expected dividing line between RSGs and foreground stars. Stars with positive values are expected to be red supergiants; highly negative values suggest foreground stars.

[b] Spectral types from Humphreys (1979).

[c] Identification for stars with spectral types from Sanduleak & Philip (1977).

Table 10B. SMC Red Stars with $(V-R)_o > 0.6$ and $M_{bol} < -7.0$

Star	α_{2000}	δ_{2000}	V	$B-V$	$V-R$	Δ_{B-V}[a]	$T_{\rm eff}$	$M_{\rm bol}$	Spectral Type[b]	Id[c]
001152	00 41 41.52	-73 34 31.2	11.17	1.32	0.69	0.24	3.641	-3.19		
003196	00 43 37.94	-73 20 12.6	13.11	1.67	0.87	0.28	3.592	-4.96		
005092	00 45 04.56	-73 05 27.4	12.90	2.03	1.18	0.36	3.530	-2.93	M1 I	SkKM13
005315	00 45 14.59	-73 16 17.6	15.72	0.85	2.57	1.71	3.442	-7.54		
008324	00 47 16.84	-73 08 08.4	13.08	1.64	0.85	0.28	3.597	-3.69		
008367	00 47 18.11	-73 10 39.3	12.46	1.40	0.93	-0.06	3.578	-6.55		
008416	00 47 19.80	-73 10 40.5	12.51	1.51	0.91	0.07	3.582	-4.12		
008930	00 47 36.94	-73 04 44.3	12.68	2.00	1.06	0.41	3.551	-4.28	M1 Ia	SkKM22
009766	00 48 01.22	-73 23 37.5	12.95	1.29	0.86	-0.08	3.594	-2.42		
010438	00 48 17.32	-73 51 24.6	13.51	1.84	1.00	0.30	3.563	-5.41		
010889	00 48 27.02	-73 12 12.3	12.20	2.00	1.06	0.41	3.551	-6.85	M0 Ia	SkKM30
010904	00 48 27.60	-72 27 17.2	13.07	1.97	1.02	0.41	3.559	-6.49		
011101	00 48 31.92	-73 07 44.4	13.54	1.69	0.99	0.16	3.565	-5.95		
011709	00 48 46.32	-73 28 20.7	12.43	1.79	0.94	0.31	3.576	-3.87	K5-M0Iab	SkKM36
011939	00 48 51.83	-73 22 39.3	12.82	1.81	1.00	0.27	3.563	-4.27		
012322	00 49 00.32	-72 59 35.7	12.44	1.93	1.03	0.36	3.557	-3.46	M0 Ia	SkKM39
012572	00 49 05.25	-73 31 07.8	11.66	1.45	0.76	0.24	3.620	-3.68		
012707	00 49 08.23	-73 14 15.5	13.40	1.77	1.00	0.23	3.563	-4.52		
013472	00 49 24.53	-73 18 13.5	11.73	1.77	0.85	0.41	3.597	-3.47	K0-K5Ia	SkKM46
013740	00 49 30.34	-73 26 49.9	13.47	1.77	0.96	0.27	3.571	-5.02		
013951	00 49 34.42	-73 14 09.9	13.00	1.79	0.93	0.33	3.578	-5.31		
015020	00 49 57.17	-73 37 39.8	12.97	1.74	0.94	0.26	3.576	-7.10		
015217	00 50 00.75	-73 10 51.4	15.39	1.28	1.88	0.11	3.462	-2.53		
015510	00 50 06.42	-73 28 11.1	12.59	1.90	0.95	0.41	3.573	-6.38	M0 I	SkKM54
017656	00 50 47.22	-72 42 57.2	12.66	1.69	0.90	0.26	3.585	-3.76		
017684	00 50 47.64	-73 24 16.4	15.20	0.07	1.47	-1.58	3.493	-4.38		
018136	00 50 56.01	-72 15 05.7	11.98	1.95	1.01	0.40	3.561	-4.44	M0 Ia	SkKM63
018592	00 51 03.90	-72 43 17.4	11.39	1.82	0.95	0.33	3.573	-5.83	K5-M0Ia	SkKM67
019551	00 51 20.23	-72 49 22.1	12.98	1.04	0.83	-0.29	3.602	-7.76		
019576	00 51 20.59	-72 43 25.1	15.47	0.13	1.65	-1.37	3.477	-7.56		
019743	00 51 23.28	-72 38 43.8	13.45	1.67	1.05	0.08	3.553	-6.36	M0 Iab	SkKM70
020133	00 51 29.68	-73 10 44.3	12.33	1.95	1.03	0.38	3.557	-4.36	M0 Iab	SkKM71
020612	00 51 37.57	-72 25 59.5	12.97	1.64	0.82	0.33	3.604	-5.40	K5-M0 I	SkKM76
021362	00 51 50.25	-72 05 57.2	12.89	1.86	0.95	0.37	3.573	-7.03	K5-M0 I	SkKM78
021381	00 51 50.46	-72 11 32.2	12.81	1.81	0.92	0.36	3.580	-2.10	K5-M0 I	SkKM79
023401	00 52 25.36	-72 25 13.3	12.99	1.71	0.84	0.37	3.599	-3.10	K5 I	SkKM89
023463	00 52 26.51	-72 45 15.6	12.44	1.35	0.90	-0.08	3.585	-3.80		
023700	00 52 30.69	-72 26 46.8	13.09	1.67	0.85	0.31	3.597	-2.86		

Table 10B—Continued

Star	α_{2000}	δ_{2000}	V	$B-V$	$V-R$	Δ_{B-V}[a]	$T_{\rm eff}$	$M_{\rm bol}$	Spectral Type[b]	Id[c]
023743	00 52 31.49	-72 11 37.3	12.98	1.65	0.84	0.31	3.599	-4.14	K5-M0 I	SkKM91
024116	00 52 38.17	-72 21 18.0	13.06	1.87	0.92	0.42	3.580	-5.21		
025432	00 53 00.94	-72 21 54.3	13.10	1.70	0.88	0.30	3.589	-4.74		
025550	00 53 02.85	-73 07 45.9	13.35	1.67	0.94	0.19	3.576	-2.85		
025879	00 53 08.87	-72 29 38.6	11.91	1.77	0.88	0.37	3.589	-6.14	M0 Ia	SkKM104
025888	00 53 09.04	-73 04 03.6	12.08	1.82	0.95	0.33	3.573	-4.84	M0 Ia-Iab	SkKM101
026402	00 53 17.81	-72 46 06.9	12.78	1.05	0.75	-0.15	3.623	-7.15		
026778	00 53 24.56	-73 18 31.6	12.78	1.55	0.95	0.06	3.573	-7.22	M0 Iab	SkKM109
027443	00 53 36.44	-73 01 34.8	12.75	1.86	1.01	0.31	3.561	-3.32		
027945	00 53 45.74	-72 53 38.5	12.94	1.57	0.80	0.29	3.610	-5.35		
030135	00 54 26.90	-72 52 59.4	12.84	1.68	0.78	0.43	3.615	-6.09		
030616	00 54 35.90	-72 34 14.3	12.22	1.85	0.92	0.40	3.580	-3.44	M0 Iab	SkKM126
032188	00 55 03.71	-73 00 36.6	12.40	1.75	0.86	0.38	3.594	-5.61		
032391	00 55 07.10	-71 53 38.8	12.68	1.43	0.75	0.23	3.623	-2.43		
033019	00 55 17.19	-71 56 50.0	12.84	1.72	0.86	0.35	3.594	-4.75		
033610	00 55 26.82	-72 35 56.2	12.60	1.75	0.91	0.31	3.582	-4.98	M0 Iab	SkKM138
034158	00 55 36.58	-72 36 23.6	12.79	1.78	0.95	0.29	3.573	-3.04	K5-M0 Iab	SkKM140
035133	00 55 53.47	-73 18 26.9	11.71	1.51	1.67	0.03	3.476	-3.77		
035231	00 55 55.10	-72 40 30.4	12.02	1.32	0.66	0.30	3.650	-4.28		
035445	00 55 58.84	-73 20 41.4	12.74	1.77	0.91	0.33	3.582	-5.08	M0 Iab	SkKM144
037069	00 56 26.46	-73 28 23.1	12.74	1.66	0.82	0.35	3.604	-6.50		
037994	00 56 43.55	-72 30 15.0	12.65	1.68	0.97	0.17	3.569	-2.97	K5-M0 I	SkKM157
041778	00 57 56.45	-72 17 33.3	12.52	1.08	0.82	-0.23	3.604	-5.81		
042319	00 58 06.61	-72 20 59.8	13.09	1.90	0.94	0.42	3.576	-4.11		
042438	00 58 08.71	-72 19 26.7	13.20	1.59	0.87	0.20	3.592	-2.77		
043219	00 58 23.30	-72 48 40.7	13.06	1.84	0.94	0.36	3.576	-6.68	M0 Iab	SkKM175
043725	00 58 33.21	-72 19 15.6	13.50	1.56	0.96	0.06	3.571	-8.88		
044719	00 58 53.33	-72 08 35.3	12.98	1.53	0.82	0.22	3.604	-2.97		
044724	00 58 53.54	-72 40 38.7	11.78	1.59	0.87	0.20	3.592	-3.37		
044763	00 58 54.44	-72 41 40.8	12.73	1.28	0.82	-0.03	3.604	-2.64		
045378	00 59 07.16	-72 13 08.6	12.93	1.56	0.92	0.11	3.580	-5.26	K5 I	SkKM185
045850	00 59 16.90	-72 25 10.9	12.88	1.76	0.87	0.37	3.592	-6.00	K5-M0 I	SkKM186
046128	00 59 23.10	-72 14 23.1	13.42	1.82	0.97	0.31	3.569	-2.70		
046497	00 59 31.33	-72 15 46.4	12.40	1.98	0.99	0.45	3.565	-4.09	M0 Ia-Iab	SkKM188
046662	00 59 35.04	-72 04 06.2	12.90	1.88	1.07	0.28	3.549	-3.45	M0 Ia	SkKM189
046910	00 59 40.58	-72 20 55.9	12.82	1.75	0.85	0.39	3.597	-5.21	M0 Ia	SkKM191
047719	00 59 59.51	-71 40 32.5	12.43	1.76	0.90	0.33	3.585	-2.84		
047757	01 00 00.63	-72 19 40.2	12.52	1.87	1.02	0.31	3.559	-7.21	K5-M0 I	SkKM195

Table 10B—Continued

Star	α_{2000}	δ_{2000}	V	$B-V$	$V-R$	Δ_{B-V}[a]	$T_{\rm eff}$	$M_{\rm bol}$	Spectral Type[b]	Id[c]
047913	01 00 04.38	-71 42 26.2	13.18	1.76	0.95	0.27	3.573	-5.48		
048122	01 00 09.42	-72 08 44.5	12.19	1.78	0.89	0.37	3.587	-2.57		
049033	01 00 30.43	-71 58 24.7	12.50	1.82	0.91	0.38	3.582	-4.18	M0 I	SkKM201
049428	01 00 40.32	-72 35 58.8	12.97	1.73	0.87	0.34	3.592	-4.92	K5 I	SkKM203
049478	01 00 41.56	-72 10 37.0	12.17	1.81	0.99	0.28	3.565	-3.76	K5 Ia[d]	R20[d]
049990	01 00 54.13	-72 51 36.3	12.20	1.66	0.85	0.30	3.597	-5.37	K5 Ia	SkKM207
050028	01 00 55.12	-71 37 52.6	11.81	1.82	0.97	0.31	3.569	-6.21	M0 Ia-Iab	SkKM205
050237	01 01 00.31	-72 13 41.6	12.91	1.62	0.84	0.28	3.599	-6.98	K5 I	SkKM208
050348	01 01 03.26	-72 04 39.4	12.92	1.44	0.84	0.10	3.599	-2.34		
050360	01 01 03.58	-72 02 58.5	13.09	1.61	0.86	0.24	3.594	-3.76		
050840	01 01 15.99	-72 13 10.0	12.57	1.95	1.02	0.39	3.559	-3.23		
051000	01 01 19.92	-72 05 13.1	12.89	1.66	0.85	0.30	3.597	-7.45	K5 I	SkKM213
051265	01 01 26.89	-72 01 41.3	12.87	1.51	0.86	0.14	3.594	-7.33		
051694	01 01 37.77	-71 54 16.3	11.83	1.19	0.72	0.05	3.632	-4.76		
051906	01 01 43.57	-72 38 25.1	13.02	1.29	0.83	-0.04	3.602	-6.74		
052334	01 01 54.16	-71 52 18.8	12.89	1.94	0.99	0.41	3.565	-6.47	M0 Iab	SkKM221
052389	01 01 55.43	-72 00 29.5	12.85	1.60	0.91	0.16	3.582	-5.43	K2 I	SkKM222
053557	01 02 23.71	-72 55 21.2	12.72	1.77	0.91	0.33	3.582	-4.53	M0 I	SkKM229
053638	01 02 25.83	-72 38 56.9	13.16	1.83	0.89	0.42	3.587	-5.85		
054111	01 02 37.22	-72 16 25.1	12.55	1.74	0.87	0.35	3.592	-2.76	K5-M0 I	SkKM235
054300	01 02 42.12	-72 37 29.1	13.02	1.74	0.89	0.33	3.587	-5.34		
054414	01 02 44.82	-72 01 51.9	12.93	1.65	0.85	0.29	3.597	-2.43		
054708	01 02 51.37	-72 24 15.5	12.82	1.81	0.91	0.37	3.582	-2.49	M0 Iab	SkKM240
055188	01 03 02.38	-72 01 52.9	14.96	2.25	1.48	0.61	3.492	-6.04		
055275	01 03 04.34	-72 34 12.8	12.91	1.70	1.02	0.14	3.559	-3.28	K5-M0 I	SkKM244
055355	01 03 06.43	-72 28 35.1	12.45	1.86	0.95	0.37	3.573	-8.50	K5-M0 Iab	SkKM243
055462	01 03 08.80	-72 44 55.1	12.21	1.38	0.83	0.05	3.602	-6.70		
055470	01 03 08.88	-71 55 50.8	13.12	1.75	0.86	0.38	3.594	-6.70		
055560	01 03 10.93	-72 18 32.9	12.96	1.66	0.90	0.23	3.585	-4.85	K5-M0 I	SkKM247
055681	01 03 12.98	-72 09 26.5	12.52	1.65	0.96	0.15	3.571	-2.67	M0-M1 Ia	SkKM246
055933	01 03 18.56	-72 06 46.2	12.53	0.98	0.75	-0.22	3.623	-7.74		
056389	01 03 27.61	-72 52 09.4	11.85	2.01	1.01	0.46	3.561	-6.29	M0 I	SkKM252
056699	01 03 33.54	-72 03 02.5	12.38	1.05	0.83	-0.28	3.602	-4.44		
056731	01 03 34.29	-72 06 06.8	12.81	1.55	0.95	0.06	3.573	-5.88		
056732	01 03 34.30	-72 06 05.8	12.86	1.53	0.94	0.05	3.576	-5.88		
057386	01 03 47.35	-72 01 16.0	12.71	1.57	0.85	0.21	3.597	-5.25	K5-M0 I	SkKM259
057472	01 03 48.89	-72 02 12.7	12.80	1.83	0.88	0.43	3.589	-3.48	K5-M0 I	SkKM260
058100	01 04 01.64	-72 08 25.2	11.14	1.42	0.76	0.21	3.620	-2.06		

Table 10B—Continued

Star	α_{2000}	δ_{2000}	V	$B-V$	$V-R$	Δ_{B-V}[a]	$T_{\rm eff}$	$M_{\rm bol}$	Spectral Type[b]	Id[c]
058149	01 04 02.77	-72 05 27.7	12.96	1.48	0.85	0.12	3.597	-7.68	K5-M0 I	SkKM262
058472	01 04 09.52	-72 50 15.3	13.34	1.82	0.96	0.32	3.571	-5.20		
058738	01 04 15.46	-72 45 19.9	12.75	1.60	0.76	0.39	3.620	-5.90		
058839	01 04 17.71	-71 57 32.5	13.21	1.81	0.95	0.32	3.573	-2.35		
059426	01 04 30.26	-72 04 36.1	13.08	1.80	0.99	0.27	3.565	-4.04	K5-M0 I	SkKM270
059803	01 04 38.16	-72 01 27.2	11.98	1.95	0.98	0.43	3.567	-4.70		
060447	01 04 53.05	-72 47 48.5	13.09	1.64	0.94	0.16	3.576	-6.70		
061296	01 05 11.50	-72 02 27.5	13.07	1.77	0.92	0.32	3.580	-5.49		
062427	01 05 40.04	-71 58 46.4	13.06	1.73	0.85	0.37	3.597	-5.84		
062763	01 05 50.26	-71 58 02.2	12.12	1.20	0.72	0.06	3.632	-6.22		
063114	01 06 01.37	-72 52 43.2	12.83	1.88	0.94	0.40	3.576	-3.36		
063131	01 06 01.72	-72 24 03.8	12.97	1.67	0.85	0.31	3.597	-2.44		
063188	01 06 03.21	-72 52 16.0	13.07	1.85	0.92	0.40	3.580	-7.30		
063836	01 06 21.85	-71 40 55.4	12.60	1.23	0.73	0.07	3.629	-7.23		
064448	01 06 40.21	-72 28 45.2	12.68	1.55	0.76	0.34	3.620	-5.83	M0 Ia-Iab	SkKM298
064663	01 06 47.62	-72 16 11.9	11.87	1.40	0.88	0.00	3.589	-4.10		
064736	01 06 49.78	-72 16 20.8	13.69	-0.29	1.34	-1.98	3.508	-7.26		
066066	01 07 29.36	-72 30 45.7	12.57	1.69	0.82	0.38	3.604	-4.86		
066384	01 07 39.41	-72 26 45.6	12.75	1.77	0.91	0.33	3.582	-3.25		
066510	01 07 43.12	-72 12 15.1	11.69	1.21	0.66	0.19	3.650	-7.92		
066694	01 07 48.88	-72 23 42.4	12.52	1.76	0.91	0.32	3.582	-3.42		
066754	01 07 50.91	-72 10 46.8	13.02	1.35	0.94	-0.13	3.576	-6.72		
066759	01 07 51.18	-72 10 46.3	12.52	1.80	1.11	0.17	3.542	-1.78		
066807	01 07 52.47	-72 10 41.8	12.19	1.84	0.95	0.35	3.573	-4.03		
067085	01 08 00.52	-73 03 15.0	12.81	1.78	0.89	0.37	3.587	-6.20		
067155	01 08 02.97	-73 03 13.1	15.71	1.21	1.62	-0.33	3.479	-6.60		
067509	01 08 13.34	-72 00 02.9	12.74	1.68	0.86	0.31	3.594	-2.10		
067554	01 08 14.65	-72 46 40.8	12.64	1.62	0.84	0.28	3.599	-6.35		
068648	01 08 52.08	-72 23 07.0	12.33	1.76	0.87	0.37	3.592	-5.26		
069317	01 09 17.09	-72 12 42.6	12.86	1.59	1.08	-0.02	3.547	-3.16		
069886	01 09 38.08	-73 20 01.9	11.74	1.95	1.04	0.37	3.555	-2.83	M2 Ia	SkKM319
070859	01 10 19.89	-72 03 34.8	11.06	1.39	0.88	-0.01	3.589	-2.20		
071020	01 10 26.87	-72 35 48.4	14.97	1.39	1.57	-0.19	3.484	-4.09		
071507	01 10 50.25	-72 00 14.5	13.26	1.74	0.89	0.33	3.587	-5.57		
071566	01 10 53.51	-72 25 40.0	13.00	1.76	0.89	0.35	3.587	-2.80		
071641	01 10 57.65	-73 05 13.5	12.90	1.41	0.92	-0.04	3.580	-3.38		
071698	01 11 00.41	-71 36 28.9	11.74	1.34	1.81	0.05	3.466	-5.56		
073029	01 12 10.59	-73 37 31.1	11.06	1.24	0.65	0.24	3.653	-5.15		

Table 10B—Continued

Star	α_{2000}	δ_{2000}	V	$B-V$	$V-R$	Δ_{B-V}[a]	$T_{\rm eff}$	$M_{\rm bol}$	Spectral Type[b]	Id[c]
075414	01 14 36.29	-73 48 56.3	13.04	1.77	0.91	0.33	3.582	-4.57		
077678	01 17 24.97	-73 43 35.8	10.98	1.68	1.14	0.03	3.537	-3.45		
078282	01 18 17.60	-73 09 27.4	12.71	1.60	0.97	0.09	3.569	-3.73		
078464	01 18 32.68	-73 19 28.5	12.24	1.40	0.72	0.26	3.632	-4.01		
079774	01 20 24.19	-74 00 56.6	11.67	1.21	0.66	0.19	3.650	-3.01		
081668	01 24 54.03	-73 26 49.2	13.14	1.77	0.90	0.34	3.585	-4.39		
081961	01 25 38.80	-73 21 55.6	11.84	1.90	0.94	0.42	3.576	-5.96		
082159	01 26 09.91	-73 23 15.4	12.71	1.71	0.83	0.38	3.602	-3.18		
083202	01 29 18.52	-73 01 59.3	11.53	1.08	0.82	-0.23	3.604	-5.08		
083593	01 30 33.92	-73 18 41.9	12.64	1.87	1.00	0.33	3.563	-7.94	M2 Ia	SkKM353
083920	01 31 45.60	-73 19 34.9	14.03	1.47	1.15	-0.18	3.535	-4.81		
084202	01 33 08.98	-73 25 32.5	12.00	1.33	0.70	0.23	3.638	-3.92		
084392	01 34 08.70	-73 06 04.5	11.48	1.55	1.33	-0.14	3.509	-4.23		
084587	01 35 10.64	-73 55 33.9	12.57	1.33	0.83	0.00	3.602	-6.45		

[a] $\Delta_{B-V} = (B-V) - (B-V)_{\rm cut}$, where $B-V)_{\rm cut}$ is the expected dividing line between RSGs and foreground stars. Stars with positive values are expected to be red supergiants; highly negative values suggest foreground stars.

[b] Spectral types from Elias, Frogel, & Humphreys (1985).

[c] Identification for stars with spectral types from Sanduleak (1989).

[d] R20 was classified K5 Ia by Feast et al. (1960).

Table 11. B/R Ratios in the LMC and SMC[a]

Sample	Number of Stars			B/R	$B/R_{\rm corr}$[c]
	Blue	Red	RSGs[b]		
LMC (M)	3134	69	67	45	47
LMC (K+M)	3134	134	127	23	25
SMC (M)	1489	12	9	125	165
SMC (K+M)	1489	81	76	18	20

[a] Using $M_{\rm bol} < -7.5$. "Blue stars" include all stars with $(B-V)_o < 0.14$, roughly corresdponding to A9 I. The "Red stars" include all stars with $(V-R)_o > 0.60$ for (K+M), or $(V-R)_o > 1.0$ for M.

[b] The "RSG" column is the number of red stars corrected by eliminating suspected foreground stars based upon a value of $\Delta_{B-V} < -0.10$ in Table 10.

[c] The corrected blue-to-red ratio $B/R_{\rm corr}$ is computed using the number of blue stars and the entry under "RSG".

Table 12. The Relative Number of Red Supergiants and Wolf-Rayet Stars

Galaxy	Abundance 12+log(O/H)	Abundance Reference[a]	RSGs[b]	W-Rs[c]	RSG/W-R[d]
SMC	8.13	1	76	9	8.4 ± 3
LMC	8.37	1	127	62	2.0 ± 0.3
NGC6822	8.25	2	8	4	2.0 ± 1.2
M33 inner ($\rho < 0.25$)	8.70	3	3	17	0.18 ± 0.11
M33 middle ($0.25 < \rho \geq 0.5$)	8.60	3	7	22	0.32 ± 0.14
M33 outer ($\rho > 0.5$)	8.35	3	26	18	1.4 ± 0.4
M31	9.00	4	1	19	0.053 ± 0.053

[a] References–(1) Russell & Dopita 1990; (2) Pagel, Edmunds, & Smith 1980; (3) Garnett et al. 1997; (4) Zaritzky et al. 1994.

[b] $M_{\rm bol} < -7.5$.

[c] From Massey & Johnson 1998, Table 7.

[d] The errors quoted are based upon $\sqrt{N}$ stastistics.

Table 13. Initial Mass Function Outside OB Associations

Parameter	Mass Bin ($\mathcal{M}_\odot$) 120-85	 85-60	 60-40	 40-25
LMC				
Number of stars	1	7	69	396
$\log \xi$ [Myr^{-1} kpc^{2}]	-0.65	0.19	0.99	1.44
Γ		-4.2 ± 0.5		
SMC				
Number of stars	1	4	46	238
$\log \xi$ [Myr^{-1} kpc^{2}]	-0.60	-0.08	0.86	1.29
Γ		-4.0 ± 0.5		

This figure "f1.jpg" is available in "jpg" format from:

This figure "f2.jpg" is available in "jpg" format from:

This figure "f3a.jpg" is available in "jpg" format from:

This figure "f3b.jpg" is available in "jpg" format from:

This figure "f3c.jpg" is available in "jpg" format from:

This figure "f3d.jpg" is available in "jpg" format from:

This figure "f4a.jpg" is available in "jpg" format from:

This figure "f4b.jpg" is available in "jpg" format from:

This figure "f4c.jpg" is available in "jpg" format from:

This figure "f4d.jpg" is available in "jpg" format from:

This figure "f5a.jpg" is available in "jpg" format from:

This figure "f5b.jpg" is available in "jpg" format from:

This figure "f5c.jpg" is available in "jpg" format from:

This figure "f5d.jpg" is available in "jpg" format from:

This figure "f5e.jpg" is available in "jpg" format from:

This figure "f5f.jpg" is available in "jpg" format from:

This figure "f6a.jpg" is available in "jpg" format from:

This figure "f6b.jpg" is available in "jpg" format from:

This figure "f6c.jpg" is available in "jpg" format from:

This figure "f7a.jpg" is available in "jpg" format from:

This figure "f7b.jpg" is available in "jpg" format from:

This figure "f7c.jpg" is available in "jpg" format from:

This figure "f8a.jpg" is available in "jpg" format from:

This figure "f8b.jpg" is available in "jpg" format from:

This figure "f8c.jpg" is available in "jpg" format from:

This figure "f9a.jpg" is available in "jpg" format from:

This figure "f9b.jpg" is available in "jpg" format from:

This figure "f10a.jpg" is available in "jpg" format from:

This figure "f10b.jpg" is available in "jpg" format from:

This figure "f11a.jpg" is available in "jpg" format from:

This figure "f11b.jpg" is available in "jpg" format from:

This figure "f12.jpg" is available in "jpg" format from:

This figure "f13a.jpg" is available in "jpg" format from:

This figure "f13b.jpg" is available in "jpg" format from: